







**blendtec**<sup>®</sup>  
C O M M E R C I A L

**COMMERCIAL CATALOG  
2025**

# THE BLENDTEC DIFFERENCE



## Durable, NSF Certified Jar

Lightweight, stackable jars feature an innovative design that increases blending efficiency and reduces overall blending time.



## Blunt Safety Blade

Built to last, our blunt blade technology is stronger than traditional blades and without any sharp edges.



## Hardened Metal Drive Socket

Unlike other brands with plastic drive sockets that break easily, our steel drive sockets are virtually indestructible.



## High-Speed Commercial Motor

A durable, high-speed motor, designed for hundreds of blends a day brings power to high-volume commercial kitchens.



## Easy-Clean Interface

User-friendly interface offers one-touch blending for easy clean-up and consistent results.

# BLENDERS



# STEALTH®

CQB1 STEALTH 885



# STEALTH®



<b>MOTOR</b>	1800 Watt, 120V / 240V available
<b>INTERFACE</b>	Illuminated OLED display with tactile keypad
<b>WEIGHT</b>	18.1 lbs (8.21 kg)
<b>SOUND ENCLOSURE</b>	Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate at the sound level of normal conversation.
<b>USAGE</b>	Recommended daily blends: 200
<b>PROGRAM CYCLES</b>	42 Preprogrammed blend cycles. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online tool.
<b>DIMENSIONS</b>	H: 17.3" (43.9 cm) D: 9.0" (22.9 cm) W: 8.6" (21.8 cm)
<b>CERTIFICATIONS</b>	Conforms to applicable UL and CSA safety standards as well as NSF sanitation standards.

## BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

## STEALTH TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

## CUSTOMIZABLE CYCLES PROVIDE CONSISTENT RESULTS

In addition to 42 preprogrammed cycles, users can create custom blends with the online Blend Wizard™, then store up to 14 on the blender for one-touch operation.



NSF APPROVED WILDSIDE®+ JAR  
**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



CQB1 STEALTH 885

# STEALTH<sup>®</sup> NITRO

CQB2 STEALTH 895 NBS



# STEALTH<sup>®</sup> NITRO



- MOTOR** 1800 Watt, 120V / 240V available
- INTERFACE** Illuminated OLED display with tactile keypad
- WEIGHT** 15.8 lbs (7.2 kg)
- SOUND ENCLOSURE** Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate at the sound level of normal conversation.
- USAGE** Recommended daily blends: 200
- PROGRAM CYCLES** 42 Preprogrammed blend cycles, including 2 for the NBS attachment. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online tool.
- DIMENSIONS** H: 17.3" (43.9 cm)  
D: 9.0" (22.9 cm)  
W: 8.6" (21.8 cm)
- CERTIFICATIONS** Conforms to applicable UL and CSA safety standards as well as NSF sanitation standards.

## STEALTH<sup>®</sup> TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth<sup>®</sup> Nitro includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

## NBS RINGS

Every unit comes with four standard rings that fit 12 oz., 16 oz., 24 oz., and 32 oz. SOLO<sup>®</sup> cups. Engineered to create a vacuum seal, each ring fits perfectly with its designated cup. Don't use SOLO cups for your business? No problem. The Blendtec<sup>®</sup> team is standing by, ready to make custom rings that fit almost any plastic or metal cup from 12-32oz.



\*\*SOLO<sup>®</sup> is a trademark of the SOLO Cup Operating Corporation

## BUILT TO SAVE TIME AND MONEY

All Blendtec<sup>®</sup> blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

## JARLESS BLENDING, THE FOREFRONT OF INNOVATION

Why waste ingredients when you can have amazingly proportioned drinks and smoothies blended right in the cup you give your customer? The Nitro Blending System<sup>®</sup> minimizes waste, saves time, and increases your profit margin. Each Stealth<sup>®</sup> Nitro comes with two micronizers and two cup stands - two wingtip blade micronizers for pulverizing ingredients into silky-smooth single-serve drinks, or two frothing blade micronizers - perfect for whipping, frothing or emulsifying milks and creams for coffee and other beverages.



FROTHING MICRONIZER



# CONNOISSEUR™ 825

ICB5 CONNOISSEUR 825



# CONNOISSEUR™ 825



COUNTER-TOP AND IN-COUNTER  
**OPTIONS**  
 CUSTOM FOR YOUR BUSINESS

- MOTOR** 1800 Watt, 120V / 240V available
- INTERFACE** LCD display, push-button controls
- WEIGHT** 18.4 lbs (8.34 kg)
- SOUND ENCLOSURE** Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps reduce noise for quieter blending.
- USAGE** Recommended daily blends: 150
- PROGRAM CYCLES** 42 Preprogrammed blend cycles. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online tool.
- DIMENSIONS** H: 18.7" (47.5 cm)  
D: 9.0" (22.9 cm)  
W: 9.0" (22.9 cm)
- CERTIFICATIONS** Conforms to applicable UL and CSA safety standards as well as NSF sanitation standards.
- OPTIONS** In-counter version available

## BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

## CUSTOMIZABLE PREPROGRAMMED CYCLES FOR CONSISTENT RESULTS

42 preprogrammed cycles blend your most popular recipes with amazing consistency, and our downloadable tool allows you to create an unlimited number of customized recipes.

## SOUND ENCLOSURE REDUCES BLENDING NOISE

For shops where noise is a consideration, the sound enclosure minimizes blender noise, helping create a more conversation-friendly atmosphere.



NSF APPROVED WILDSIDE®+ JAR  
**14 SECONDS**  
 TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
 THAN TRADITIONAL BLADES



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
 MAKES THESE JARS LAST



# CONNOISSEUR™ 825 SS

ICB5 CONNOISSEUR 825 SPACESAVER



# CONNOISSEUR™ 825 SPACESAVER®



COUNTER-TOP AND IN-COUNTER  
**OPTIONS**  
CUSTOM FOR YOUR BUSINESS

## BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

## CUSTOMIZABLE PREPROGRAMMED CYCLES FOR CONSISTENT RESULTS

42 preprogrammed cycles blend your most popular recipes with amazing consistency, and our downloadable tool allows you to create an unlimited number of customized recipes.

## POWERFUL, ULTRA HIGH-SPEED MOTOR

The Connoisseur™ 825 Spacesaver® boasts one of the largest, most powerful motors in the industry. This commercial-grade motor is built to last and has the power needed to handle the job.

**MOTOR** 1800 Watt, 120V / 240V available

**INTERFACE** LCD display, push-button controls

**WEIGHT** 13.1 lbs (5.94 kg)

### PROGRAM CYCLES

42 Preprogrammed blend cycles. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online tool.

**USAGE** Recommended daily blends: 150

### DIMENSIONS

H: 16.25" (41.275 cm)  
D: 8.25" (20.96 cm)  
W: 6.25" (15.88 cm)

### CERTIFICATIONS

Conforms to applicable UL and CSA safety standards as well as NSF sanitation standards.

**OPTIONS** In-counter version available



NSF APPROVED WILDSIDE®+ JAR  
**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



ICB5 CONNOISSEUR 825 SPACESAVER

# BAR BLENDER

CB1 BAR BLENDER



# BAR BLENDER



**MOTOR** 4.0 Horsepower input motor\*  
120V, 1800-Watt, 15 Amps

\*Motor peak input power as measured in laboratory testing, not the operational HP at the blade

**FUNCTIONS** Start/Stop  
Pulse  
Variable Speed

**DIMENSIONS** Base:  
7.75" W x 8" D x 7.625" H  
Full Kit with Jar:  
7.75" W x 8" D x 16" H

**WEIGHT** Base: 8.25 lbs  
Full Kit: 10 lbs

**WARRANTY** 3 Year Parts / 1 Year Labor

## UNPARALLELED PERFORMANCE

Engineered and designed to reduce blending time, it saves on labor costs while delivering a superior mouthfeel in blended drinks. This versatile machine blends cocktails, smoothies and iced coffee drinks with ease and consistency. Making blended drinks at the bar is a breeze.

## BEST IN CLASS

Industry leading, powerful 4.0 Horsepower input motor\*, combined with the Wildside®+ Jar, and Blendtec's patented blunt blade technology, increases blending power while reducing blend times to provide a smoother blend.

## BUILT FOR THE BAR

Controls are simplified to save time and are ergonomically optimized. The start/stop and pulse functions are combined into a single switch. Variable-speed controls provide flexibility for drink customization. Controls are inset and sealed on a twenty degree angled panel to avoid liquid ingress and for control protection.



NSF APPROVED WILDSIDE®+ JAR  
**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



**CONE LID**  
LATCHES SECURELY AND ALLOWS FOR  
LIQUID ADDITION WHILE BLENDING.



CB1 BAR BLENDER

# CHEF BLENDER





# CHEF BLENDER

## DESIGNED FOR CHEFS

Controls are simplified to save time and are ergonomically optimized for chefs. The start/stop and pulse function are combined into a single switch. Mindfully developed variable-speed controls give chefs added precision. Controls are inset and sealed on a twenty degree angled panel to avoid liquid ingress and for protection.

## BEST IN CLASS

Industry leading, powerful 4.0 Horsepower input motor\*, combined with a new sharper version of Blendtec's patented blunt blade technology, increases blending power reducing blend times and providing a smoother blend.

## INTENTIONAL DESIGN

Developed to be cleaned easily, intuitive to use and durable. The design is very practical as a space saver on the counter and in storage. The unique square shape design is meant to be distinctive and ownable by Blendtec.

**DIMENSIONS** Base:  
7.625" W x 7.625" D x 7.5" H  
Full Kit with Tamper:  
7.625" W x 7.625" D x 20.25" H

**FUNCTIONS** Start/Stop  
Pulse  
Variable Speed

**MOTOR** 4.0 Horsepower input motor\*  
120V, 1800-Watt, 15 Amps

\*Motor peak input power as measured in laboratory testing, not the operational HP at the blade

**WEIGHT** Base: 8.25 lbs  
Full Kit: 10.7 lbs

**CERTIFICATIONS** NSF, Intertek



BLUNT BLADE TECHNOLOGY  
**WITH AN EDGE**  
OPTIMIZED BLADE DESIGN



INCLUDES  
**TAMPER**  
FOR THICKER BLENDS



**LARGE CAPACITY JAR**  
96oz TOTAL JAR CAPACITY



CB1 CHEF BLENDER

# STEALTH® X

CQB3 STEALTH X



# STEALTH<sup>®</sup> X



<b>MOTOR</b>	1800 Watt, 120V / 240V available
<b>INTERFACE</b>	Illuminated OLED display with tactile keypad
<b>WEIGHT</b>	18.1 lbs (8.21 kg)
<b>SOUND ENCLOSURE</b>	Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate at the sound level of normal conversation.
<b>USAGE</b>	Recommended daily blends: 200
<b>PROGRAM CYCLES</b>	42 Preprogrammed blend cycles. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online tool.
<b>DIMENSIONS</b>	H: 17.3" (43.9 cm) D: 9.0" (22.9 cm) W: 8.6" (21.8 cm)
<b>CERTIFICATIONS</b>	Conforms to applicable UL and CSA safety standards as well as NSF sanitation standards.

## ALL NEW TITAN X MOTOR

Introducing the new Titan X motor from Blendtec<sup>®</sup> - built to be quieter, run cooler, and with a longer life than any motor before it. Internal motor brushes have been replaced with electronics to increase the lifetime of the motor, give more output and torque to make drinks quicker, and use less power. The Titan X is also equipped with dynamic braking, allowing the operator to remove the jar without waiting for the blade to stop spinning. Take advantage of less downtime by cutting out the need to replace machines and make more drinks without overheating - the blender even cools itself without running!

## STEALTH TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth<sup>®</sup> X includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

## CUSTOMIZABLE CYCLES PROVIDE CONSISTENT RESULTS

In addition to 42 preprogrammed cycles, users can create custom blends with the online Blend Wizard™, then store up to 14 on the blender for one-touch operation.



NSF APPROVED WILDSIDE<sup>®</sup>+ JAR  
**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



# STEALTH<sup>®</sup> NITRO X

CQB2 STEALTH NITRO X



# STEALTH<sup>®</sup> NITRO X



- MOTOR** 1800 Watt, 120V / 240V available
- INTERFACE** Illuminated OLED display with tactile keypad
- WEIGHT** 15.8 lbs (7.2 kg)
- SOUND ENCLOSURE** Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate at the sound level of normal conversation.
- USAGE** Recommended daily blends: 200
- PROGRAM CYCLES** 42 Preprogrammed blend cycles, including 2 for the NBS attachment. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online tool.
- DIMENSIONS** H: 17.3" (43.9 cm)  
D: 9.0" (22.9 cm)  
W: 8.6" (21.8 cm)
- CERTIFICATIONS** Conforms to applicable UL and CSA safety standards as well as NSF sanitation standards.

## ALL NEW TITAN X MOTOR

Introducing the new Titan X motor from Blendtec<sup>®</sup> - built to be quieter, run cooler, and with a longer life than any motor before it. Internal motor brushes have been replaced with electronics to increase the lifetime of the motor, give more output and torque to make drinks quicker, and use less power. The Dynamic Braking system stops the blender jar blade instantly, allowing you to remove the blender jar quickly. Take advantage of less downtime by cutting out the need to replace machines and make more drinks without overheating. The blender is equipped with a separate fan to keep the motor cool.

## NBS RINGS

Every unit comes with four standard rings that fit 12 oz., 16 oz., 24 oz., and 32 oz. SOLO<sup>®</sup> cups. Engineered to create a vacuum seal, each ring fits perfectly with its designated cup. Don't use SOLO cups for your business? No problem. The Blendtec<sup>®</sup> team is standing by, ready to make custom rings that fit almost any plastic or metal cup from 12-32oz.



\*\*SOLO<sup>®</sup> is a trademark of the SOLO Cup Operating Corporation\*

## CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth<sup>®</sup> Nitro X includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.




## JARLESS BLENDING, THE FOREFRONT OF INNOVATION

Why waste ingredients when you can have amazingly proportioned drinks and smoothies blended right in the cup you give your customer? The Nitro Blending System<sup>®</sup> minimizes waste, saves time, and increases your profit margin. Each Stealth<sup>®</sup> Nitro X



comes with two micronizers and two cup stands - two wingtip blade micronizers for pulverizing ingredients into silky-smooth single-serve drinks, or two frothing blade micronizers - perfect for whipping, frothing or emulsifying milks and creams for coffee and other beverages.

## FROTHING MICRONIZER



# JARS



# WILDSIDE® ULTRA JAR



# WILDSIDE® ULTRA JAR



## The Wildside Ultra Jar, Our Fastest Blending Jar Yet!

It's no secret the Wildside+ Jar blends fast. In fact, it blends 30% faster than most jars on the market. Believe it or not, the Ultra Jar blends even faster. Lab testing shows the Ultra Jar blends up to an **ADDITIONAL 20% faster**.

### The Secret

- Chamfered corners reduce the footprint at the base of the jar keeping ingredients flowing to the blade, reducing cavitation and reblends. The reduced base side also allows for smaller recipes.
- Larger side ribs disrupt the flow of the blending vortex pushing ingredients back down toward the blade.
- Our patented blunt safety blade has been optimized to handle a wider range of recipes.



### Hard Lid

Easy to apply, remove and clean

Corner extensions to cover the pour spout and for easy grip.

Dimensions 9.53" x 6.9" x 6.9"  
(H x W x D) 24.2 cm x 17.5 cm x 17.5 cm

Weight 1.6 lbs / 725.7 g

Certifications NSF



Spout for a

### Controlled

pour, speeding up drink preparation



### Optimized

blunt blade technology helps reduce blend times



### Compatible

with all Blendtec Commercial Blenders



# WILDSIDE+ JAR

40-545



# WILDSIDE+ JAR



## A FIVE-SIDED REVOLUTION

An exclusive large capacity, square design with a fifth side that produces thicker, faster blending and shorter customer wait times. It's extra-wide base, along with a more aggressive blade nearly 4 inches long, has helped the WildSide+ jar to raise the bar in the commercial blending category.

### CUSTOMIZE

Custom jar graphics, label your jars, add your logo.

### SAFE AND STRONG

Made from durable Tritan™. These jars were built to last.

### VERSATILITY

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



#### LATCHING LID

Preferred for non-sound enclosure models



#### FLAT (HARD & SOFT)

For sound enclosure models only



#### CONE LID

For more accuracy when adding liquids mid-blend



NSF APPROVED WILDSIDE+ JAR

## 14 SECONDS

TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY

## STRONGER

THAN TRADITIONAL BLADES



EXTREMELY DURABLE

## EASTMAN TRITAN™

MAKES THESE JARS LAST



# WILDSIDE+® COLORED JAR

40-545



# WILDSIDE+ COLORED JAR



## SAFER FOR YOUR CUSTOMERS EASIER FOR YOUR EMPLOYEES

Keep everyone safe by avoiding cross-contamination of allergens. For example, use the red jar and lid for soy products and the yellow jar and lid for non-dairy. These jars and lids are NSF certified.

## FASTER AND EASIER TO USE

Colored jars and lids make it easier for your employees to know which jar to use for specific blends. Prevent cross-contamination and focus on meeting individual customer needs.

## USE YOUR OWN BRANDING OR DESIGN

Make any of our clear or colored jars your own with custom logos or markings. Using Blendtec® colored jars and lids adds a splash of color to draw attention to your blend or brand.

### CUSTOMIZE

Custom jar graphics, label your jars, add your logo

### SAFE AND STRONG

Reduce risk of allergen exposure by using separate color-coded containers.

### VERSATILITY

Lids can also be color-coded and labeled (hard lids only)



REDUCE RISK  
**COLOR-CODED**  
FOR EASY REFERENCE



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



### LATCHING LID

Preferred for non-sound enclosure models



### FLAT (HARD & SOFT)

For sound enclosure models only



# FOURSIDE JAR™

40-541



**FOURSIDE JAR™**



**THE TRUSTED ORIGINAL**

The FourSide Jar™ has a square shape and patented single-prong wingtip blade create a better blending vortex to micronize ingredients. This smaller jar is perfect for eateries that sell lower volumes of blended product.

**CUSTOMIZE**

Custom jar graphics, label your jars, add your logo.

**SAFE AND STRONG**

Made from durable Tritan™. These jars were built to last.

**VERSATILITY**

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



**LATCHING LID**

Preferred for non-sound enclosure models



**FLAT (HARD & SOFT)**

For sound enclosure models only



**CONE LID**

For more accuracy when adding liquids mid-blend



NSF APPROVED FOURSIDE JAR™

**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY

**STRONGER**  
THAN TRADITIONAL BLADES



EXTREMELY DURABLE

**EASTMAN TRITAN™**  
MAKES THESE JARS LAST




# FOURSIDE COLORED JAR™

40-541



# FOURSIDE COLORED JAR™



## SAFER FOR YOUR CUSTOMERS EASIER FOR YOUR EMPLOYEES

Keep everyone safe by avoiding cross-contamination of allergens. For example, use the red jar and lid for soy products and the yellow jar and lid for non-dairy. These jars and lids are NSF certified.

## FASTER AND EASIER TO USE

Colored jars and lids make it easier for your employees to know which jar to use for specific blends. Prevent cross-contamination and focus on meeting individual customer needs.

## USE YOUR OWN BRANDING OR DESIGN

Make any of our clear or colored jars your own with custom logos or markings. Using Blendtec® colored jars and lids adds a splash of color to draw attention to your blend or brand.

### CUSTOMIZE

Custom jar graphics, label your jars, add your logo

### SAFE AND STRONG

Reduce risk of allergen exposure by using separate color-coded containers.

### VERSATILITY

Lids can also be color-coded and labeled (hard lids only)



REDUCE RISK  
**COLOR-CODED**  
FOR EASY REFERENCE



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



**LATCHING LID**  
Preferred for non-sound enclosure models



**FLAT (HARD & SOFT)**  
For sound enclosure models only



# ERGO JAR™

40-546



**ERGO JAR™**



**BALANCED AND ERGONOMIC**

Blendtec® continually makes innovating strides to meet the needs of the industry. Designed with your employees in mind, our Ergo Jar™ is no exception. The morning smoothie rush will fly by with ease as the lower handle provides improved balance and operator ease of use.

**LOWERED CENTER OF GRAVITY**

The placement of the Ergo Jar™ handle reduces stress and strain on the operator's wrist, while the added thumb rest provides a great grip.

**CUSTOMIZE** Custom jar graphics, label your jars, add your logo.

**SAFE AND STRONG** Made from durable Tritan™. These jars were built to last.

**VERSATILITY** Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



**LATCHING LID**  
Preferred for non-sound enclosure models



**FLAT (HARD & SOFT)**  
For sound enclosure models only



**CONE LID**  
For more accuracy when adding liquids mid-blend



NSF APPROVED ERGO™ JAR  
**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



REDESIGNED HANDLE PLACEMENT  
**ERGONOMIC DESIGN**  
REDUCES STRESS AND STRAIN



# TWISTER JAR™

40-543



# TWISTER JAR™



## EVERY LAST MORSEL

The Twister Jar™ effortlessly blends your thickest recipes in seconds. The unique twister lid uses special scrapers to pull dense, thick ingredients away from the wall of the jar and back into the blade. Simply add ingredients and twist the lid while blending.

## SMALLER BLENDS

Meant for smaller and tougher blends, the Twister Jar™ is ideal for recipes that call for more stubborn ingredients, such as acai breakfast bowls, thick milkshakes, nut butters, hummus – even bread & cookie crumbs.



PATENTED TWISTER LID



MINI GRIPPER LID



SPECTACULA

**WEIGHT** 1.3 lbs (0.59 kg)

**VERSATILITY** Blend nut butters, hummus, sorbets, etc. Keeps your menu offering fresh.

**DIMENSIONS** H: 7.5" (22.86 cm)  
D: 5.7" (14.02 cm)

**SAFE AND STRONG** Made from durable Tritan™. These jars were built to last.



NSF APPROVED TWISTER JAR™  
**14 SECONDS**  
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY  
**STRONGER**  
THAN TRADITIONAL BLADES



EXTREMELY DURABLE  
**EASTMAN TRITAN™**  
MAKES THESE JARS LAST



# FROTHING JAR™

40-541



**FROTHING JAR™**



**ROOM TO BREATHE**

2 quarts of total volume provides a huge capacity for producing frothed liquids and foam. Instead of repeatedly creating single servings, you can now produce in batches and serve several customers at once.

**WAVE OF THE FUTURE**

Our stainless steel blade features a “wave” blend which enhances the frothing capability - easily doubling the volume of many liquids. The blade works great for cold foam coffee, non-dairy milks, whipping cream, hot chocolate, syrup and more!

**USAGE**

Quick and effective way to froth or aerate liquids

**BLADE**

2.88” diameter 300 series stainless steel blade with “wave” blend

**VOLUME**

Total Volume = 2 Quarts  
Starting liquid volume = 32 ounces



**LATCHING LID**

Preferred for non-sound enclosure models



**FLAT (HARD & SOFT)**

For sound enclosure models only



**CONE LID**

For more accuracy when adding liquids mid-blend



**VIEW FROM THE TOP**

Blendtec's innovative frothing blade



# RAPID RINSER™

JRE-612



**RAPID RINSE™**



**EASY AND VERSATILE**

Use the Rapid Rinse Station to rinse any container with a diameter of 8" or less. Pitchers, blender jars, measuring devices - anything! A gentle push on the platform is all it takes to activate the spray.

**DURABLE CONSTRUCTION**

The Rapid Rinse™ Station is made of chemical-resistant plastic. A stainless steel spray nozzle ensures long-lasting operation.

**SMART DESIGN**

Compact and low-profile, the Rapid Rinse™ fits neatly next to your Blendtec blender or dispenser. It features a closed valve system that prevents water leakage when water pressure drops.

**IN-SINK OPTION**



- EASY** Simple to disassemble and clean
- CONTROL** Easy one-push operation
- SAFE & STRONG** Stainless steel nozzle for long-lasting operation
- VERSATILITY** Effective for rinsing any container of 8" diameter or smaller
- WEIGHT** 8.5 lbs (39 kg)
- DIMENSIONS** H: 7.5" (19.1 cm)  
D: 20.5" (52.1 cm)  
W: 8.8" (22.2 cm)
- OPTIONS** In-sink Option or Rapid Rinse Station
- CERTIFICATIONS** NSF, Model JRE



**EXPANDABLE COVERAGE**

**30% MORE COVERAGE**  
COMPARED TO OTHER RINSERS



**EASY TO OPERATE FUNCTIONALITY**

**1 PUSH OPERATION**  
SIMPLE AND QUICK TO USE



**STACKABLE DRYING RACK**

**DRY AND STORE**  
KEEPS YOUR KITCHEN ORGANIZED



# RAPID RINSER™

JRE-610

IN-SINK OPTION



# SAVE TIME AND WATER BY CLEANING JARS QUICKLY

**RAPID RINSER™**



## EASY AND VERSATILE

Use the Rapid Rinser™ to clean any container with a diameter of 8" or less. Pitchers, blender jars, measuring devices - anything! A gentle push on the platform is all it takes to activate the spray.

## DURABLE CONSTRUCTION

The Rapid Rinser is made of chemical-resistant plastic. A stainless steel spray nozzle ensures long-lasting operation. A simple magnetic switch avoids electronic failures.

## SMART DESIGN

Compact and low-profile, the Rapid Rinser fits neatly next to or in your sink. Suction cup mounting feet make it stable in wet environments. The design also features a closed valve system that prevents water leakage when water pressure drops.

## EASY CONNECT

The Rapid Rinser easily connects directly to your faucet.

### EASY

Clean jars in seconds,  
Connects to your faucet,  
Simple to disassemble and clean



### EXPANDABLE COVERAGE

**30% MORE COVERAGE**  
COMPARED TO OTHER RINSERS

### CONTROL

Easy one-push operation

### SAFE & STRONG

Stainless steel nozzle for  
long-lasting operation



### EASY TO OPERATE FUNCTIONALITY

**1 PUSH OPERATION**  
SIMPLE AND QUICK TO USE

### VERSATILITY

Effective for rinsing any container  
of 8" diameter or smaller

### WEIGHT

1.1 lbs (0.5 kg)

### OPTIONS

Available as a counter top version with drying rack

### DIMENSIONS

H: 3.75" (9.55 cm)  
D: 5.9" (14.99 cm)  
W: 5.9" (14.99 cm)



### STACKABLE DRYING RACK

**DRY AND STORE**  
KEEPS YOUR KITCHEN ORGANIZED

### CERTIFICATIONS

NSF, Model JRE



# blendtec<sup>®</sup>

COMMERCIAL

## 2025 COMMERCIAL BLENDERS



	STEALTH <sup>®</sup> NITRO / NITRO X	STEALTH <sup>®</sup> / X	CONNOISSEUR <sup>®</sup> 825	CONNOISSEUR <sup>®</sup> 825 SPACE SAVER <sup>®</sup>	BAR BLENDER
WATTAGE	1800	1800	1800	1800	1800
BEVERAGE BLENDING	✓	✓	✓	✓	✓
FOOD PREP	✓	✓	✓	✓	✓
INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	SWITCH FOR START/ STOP & PULSE VARIABLE SPEED DIAL
PROGRAMMABLE	+BLEND WIZARD™	+BLEND WIZARD™	+BLEND WIZARD™	+BLEND WIZARD™	
SOUND ENCLOSURE	✓ +STEALTH TECHNOLOGY	✓ +STEALTH TECHNOLOGY	✓		
PROGRAMS + CYCLES	42 + PULSE	42 + PULSE	42 + PULSE	42 + PULSE	VARIABLE SPEED
DIMENSIONS	H: 17.3" (43.9cm) D: 9.0" (22.9cm) W: 8.6" (21.8cm)	H: 17.3" (43.9cm) D: 9.0" (22.9cm) W: 8.6" (21.8cm)	H: 18.7" (43.9cm) D: 9.0" (22.9 cm) W: 9.0" (22.9 cm)	H: 16.25" (41.28 cm) D: 8.25" (20.96 cm) W: 6.25" (15.88 cm)	H: 16" (40.6 cm) D: 8" (20.3 cm) W: 7.75" (19.7 cm)
WEIGHT	15.8 LBS (7.2 kg)	18.1 LBS (8.2 kg)	18.4 LBS (8.3 kg)	13.1 LBS (5.9 kg)	10 LBS (4.5 kg)
WARRANTY	NITRO X - 4 YEARS NITRO - 3 YEARS	STEALTH X - 4 YEARS STEALTH - 3 YEARS	3 YEARS	3 YEARS	3 YEAR
RECOMMENDED BLENDS PER DAY	Please consult with a Blendtec sales associate to evaluate blending needs.				

**blendtec**  
COMMERCIAL



 **blendtec**<sup>®</sup>  
C O M M E R C I A L

[www.blendtec.com](http://www.blendtec.com)

