

PRODUCT Guide

When you need it **yesterday**



Many products able to ship same day if ordered by noon

* Call for details



Call Olivia Mathews 317.408.1140

oliviam@sesco.biz

SESCO 5705 Valley Belt Rd Independence, OH 44131

* Please contact customer service to check availability as we strive to maintain proper inventory levels.

Main: 800.222.0558
Fax: 800.251.7717

Revised 7-2025

WWW.SESCO.BIZ



Model	Required Power	Receptical Required	Exterior / Interior	Cavity Dimensions (wxdxh)
1000 Watt OCS				
NE-1025F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1054F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1064F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Ext. & Int.	13 x 13"x 8 1 16" "
1200 Watt Pro I				
NE-12521	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-12523	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
1700 Watt Pro I				
NE-17521	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17523	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17723	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
2100 Watt Pro I				
NE-21521	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-21523	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
SONIC STEAMERS				
2100 Watt				
NE-2180	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
3200 Watt				
NE-3280	208V (28.0A), 230-240V (25.3A)	30 Amp, NEMA 6-30 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
li-SPEED OVEN			2	
Convection, Broil, M	icrowave Combination			
IE-SCV2NAPR	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	10-5/8 "x 13" x 4-5/16"
RICE COOKER		Cup / Servings		
SR-GA721L	208V (10.8A)	80-cup 168 Servings	Silver	21" x 19" x 14"
SR-GA541H	120v (15.0A)	60-cup 123 Servings	Silver	16 9/10" x 14 4/6" x 14 1/6"
SR-GA541FH	120v (15.0A)	60-cup 123 Servings	Silver	16 9/10" x 14 4/6" x 14 1/6"
SR-GA421FH	120v (12.9A)	46-cup 94 Servings	White	16 7/8" x 10 1/2" x 11 7/8"
SR-42HZP	120v (12.9A)	46-cup 94 Servings	Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-2363ZW	120v (12.9A)	40-cup 70 Servings	White Stripe Ext	16 9/10" x 14 4/5" x 14 1/5"



Convection Broil Microwave

6 - Heating Patterns!



NE-SCV2NAPR

Compact Stackable

See the Video



Powered by microwave technology

Get an energy-saving connectionless steamer and for a whole lot less

No hood, no plumbing, no de-liming

Foods The Sonic Steamer Excels in:

Vegetables Thawing frozen soups Seafood Scrambled Eggs Rice and Grains Rethermaling all foods Fast boost heating

See the Video



Instant Steam Convenient Plug-in **Saves Energy**

NE-2180 NE-3280

Retains up to 7X more water-soluble nutrients in foods than conventional methods

COMMERCIAL ELECTRIC RICE COOKERS



See the Video

Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.











THE ELEVATION SERIES.

Quick Ship PRODUCTS

EXCLUSIVE FEATURES



FOOD ZONE

Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.



WATER DISTRIBUTION TUBE

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



ONE-TOUCH CLEANING

One touch to sanitize, one touch to de-lime. LEDs signal when cleaning is required.

Half Cube 7/8" x 7/8" x 3/8" Full Size Cube Style also available - Call SESCO

Half S

DUAL EXHAUST


Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit.



ide ize Cube			duction '24 hr @			Approximate Shipping
(D)epth x (H)eight inches	Model Number	70'F Air 50'F Water	90'F Air 70'F Water	Condensing Unit	Voltage Characteristics	Weight Ibs (kg)
30.25 ——24.25 —	CIM0330HA	313	244	Air	115/60/1	145 (65.7)
	CIM0330HW	316	274	Water	115/60/1	145 (65.7)
	CIM0430HA	435	320	Air	115/60/1	155 (70.3)
	CIM0430HW	460	380	Water	115/60/1	155 (70.3)
	CIM0530HA	561	432	Air	115/60/1	155 (70.3)
	CIM0530HW	586	533	Water	115/60/1	155 (70.3)
1	CIM0636HA	600	455	Air	208-230/60/1	160 (72.5)
ON B55 — 30.25 (768) — — — — — — — — — — — — — — — — — — —	CIM0636HW	620	415	Water	208-230/60/1	160 (72.5)
	High Produ	ction 30" Wide	30" W x 24.25"D x	(26.9"H		
36.9	CIM0836HA	896	711	Air	208-230/60/1	220 (100)
	CIM1136HA	932	762	Air	208-230/60/1	230 (105)

22" Wide Half Size Cube			duction '24 hr @			Approximate Shipping
(W)idth x (D)epth x (H)eight inches	Model Number	70'F Air 50'F Water	90'F Air 70'F Water	Condensing Unit	Voltage Characteristics	Weight lbs
24.25 22.25	CIM0320HA	313	244	Air	115/60/1	150
- 21.25	CIM0520HA	561	432	Air	115/60/1	165
F	mitless t for any space. Our exclusive, groundbre technology is designed to thot air from both the side the unit, making it the ult solution for tight spaces r of air flow requirements.	discharge and top of imate	- 101		ater filter can e r evaporator w	





	Model Number	Machine Height Standard/ Short Leg (in)**	Ice Production Ibs / 24 hr @ 70°F Air/ 50°F Water	Ice Production Ibs / 24 hr @ 90°F Air/ 70°F Water	Bin Storage (lbs)	Condensing Unit	Voltage Units	Ship Weight (lbs)
	UCG060A	30.25-32 / 27.375-27.75	63	45	17.5	Air	115/60/1	81.5
	UCG080A	32.25-34 / 29.375-29.75	95	77.8	33	Air	115/60/1	81.5
gournet	UCG100A		114	91.7				
	UCG130A	36-37.75 / 33.125-33.5	121	114.3	48.5	Air	115/60/1	97
	UCG130GA*		121	100.5				

^{*} Gourmet Grande

Nugget Ice		Ice Proo Ibs (kg)/				Approximate
Model Dimensions 14 7/8" W x 23 7/8" D x 34 3/8" H	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70 °F (21°C) Water	Condensing Unit	Voltage Characteristics	Shipping Weight Ibs (kg)
	GEMUO90	05 (20)	60 (27)	A *	115/50/1	122/605
	andidact	85 (39)	60 (27)	Air	115/60/1	133 (60.5)
Nugget Ice		Ice Prod Ibs (kg)/				Approximate
Model Dimensions 21" W x 24" D x 27" H	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Shipping Weight Ibs (kg)
	GEMO45OA	464 (210)	354 (161)	Air	115/60/1	205 (93)
Re-O Matic	GEMO65OA	740 (336)	550 (2 49)	Air	115/60/1	205 (93)
	GEMO956A	1053 (478)	753 (342)	Air	208-230/60/1	290 (132)
	KBT24	Bin Kit for (1) GEM	or on a 22" bin			10 (5)
	KBT19	Bin Kit for GEM Se	ries on a 30" bin			22 (10)
	KBT23	Bin Kit for (1) GEM	Series on a B110			33 (15)
	KBT22	Bin Kit for (2) GEM	on a B110 bin			33 (15)
Storage Bins	Model Number	Application Bin Storage Ibs (kg)	Bin Dimer (W)idth x (D)ept inches (i	h x (H)eight	Approxin Shipping V Ibs (kg	Weight
	B25	242 (110)	30 x 31 x 28 (76	2 x 787 x 711)	74 (34	4)
(H)	B40	344 (156)	30 x 31 x 37 ¹ / ₂ (76	2 x 787 x 953)	103 (4	17)
	B42	351 (160)	22 x 31 x 50 (559	x 787 x 1270)	99 (4:	5)
(D)\ ,	B55	510 (232)	30 x 31 x 50 (762	x 787 x 1270)	125 (5	57)
\ (w) \ \	B11O	854 (388)	48 x 31 x 50 (121	9 x 787 x 1270)	191 (8	B7)



The Choice of Top Pizza Operators

Contact SESCO today for details

XLT Impingement conveyor ovens

Industry leading performance - at all times - and under load Unmatched consistency Reliability - backed by the best warranty available! Pizza ovens with built-in hood solutions are also offered

Built-In Hood Solutions





SESCO

Let's talk about the perfect conveyor solution for you

When Pizza is your business
- no oven does better






flexeserve™

The Home of Hot-holding

Transforming operations
Contact SESCO to unlock...



Extend shelf Life

Diverse food range

Reduce food waste

Unmatched efficiency

Happier customers!



Offer more food variety at unbelievable quality





Manage back-of-house operations with ease











Meet the game-changers



ROYAL RANGE OF CALIFORNIA, INC.

2 Year Warranty Parts & Labor

* Excludes Fryers All fryers - 1 year warranty

ROYAL Quick Ship Products

CONVECTION OVENS Gas & Electric

MODEL	Description	
NUMBER		
RCOS-1	Single Deck gas convection oven	
RECO-1	Single deck electric convection oven - 208 or 240 volt only	
RCOD-1	Single deck extra deep gas conv oven	
RECOD-1	Single deck extra deep electric conv oven - 208 or 240 volt only	
RCOS-2	Double Deck gas convection oven	
RECO-2	Double deck electric convection oven - 208 or 240 volt only	
RCOD-2	Double deck extra deep gas conv oven	
RECOD-2	Double deck extra deep electric conv oven - 208	

STOCK POTS, GRIDDLES, BROILERS, CHEESEMELTERS

MODEL	Description	
NUMBER		
RSP-18-24	18" stock pot range	-monum
RSB-36	36" gas salamander	
RTG-24	24" thermostatic griddle	HARAMAN AMBRITAN
RTG-36	36" thermostatic griddle	
RRB-24	24" radiant charbroiler	- munini ROV
RRB-36	36" radiant charbroiler	

Mobility Kit for Single and Double Convection Ovens

COCMK-1	Single Conv Oven –
COCMK-2	Double Conv Oven – casters, 1 point gas manifold kit, 48" gas hose and restrain cable

Casters for Convection Ovens

COC	Deck Convection Oven	
COC-2	Casters only, Double Deck Convection Oven	

SESCO.

Phone: 800.222.0558

Electric

Ask SESCO about the Award Winning
High Efficiency Fryers and Fryer Filter Systems



ROYAL

Quick Ship Products







RANGES Gas & Electric

MODEL	Description
NUMBER	
RR-4	4 burner gas range with standard oven
RR-6	6 burner gas range with standard oven
RRE-4	4 burner electric range - 208 or 240 volt only
RRE-6 🦸	6 burner electric range - 208 or 240 volt only
RR-6C	6 burner gas range – with convection oven
RRE-6C	6 burner electric range with convection oven 208v or 240v
RR-6G24	60" gas range - 6 burners, 24" manual griddle
RR-6RG24	60" gas range - 6 burners, 24" raised griddle/broiler
RR-10	60" gas range - 10 burners
RR-4G36	60" gas range - 4 burners, 36" manual griddle

FRYERS & PASTA COOKER

MODEL	Description	
NUMBER		
RFT-50	50 lb gas fryer 1Yr Wty	
RFT-60	60 lb gas fryer 1 Yr Wty	2
RFT-75	75 lb gas fryer 1 Yr Wty	
REEF-35	40 lb high efficiency gas fryer	A PARTY OF
RCF-25	25 lb countertop gas fryer	ROYAL
RPC-14	Royal Pasta Cooker, Gas	0

Mobility Kits for Ranges, Fryers

RMK-243648	- 24", 36" & 48", includes casters (4), 48" gas hose & restrain cable
RMK-6072	Range- 60" and 72", includes casters (6), 48" gas hose & restrain cable
FMK	– includes casters, 48" gas hose and restrain cable

Casters for Ranges, Fryers

RC-243648	Casters (4) only, 24", 36" and 48" ranges
RC-6072	Casters (6) only, 60" and 72" ranges
FC	Casters only, Gas Fryer

SESCO

ROYAL

Ask SESCO about the Award Winning High Efficiency Fryers and Fryer Filter Systems





Model	Description	
ECCO ONE P	Filter Machine Up To 65 Lbs Oil Capacity	
HF80P	Filter Machine Up To 80 Lbs Oil Capacity	
HF130P	Filter Machine Up To 130 Lbs Oil Capacity	
Filter Paper		
FE02	Filter Envelopes 14 X 15.5	
FE09	Filter Envelopes 17.5 X 18.5	
Filter Powder		
FP22	Filter Powder Bulk 22 lb. Box	
FP22C	Filter Powder Packets 3.2 oz	
FP40100	Fryer Boil-Out Puck 4 oz Tablet	







ECCO ONE P





Model	Description
Pancake Griddles (Lo	w Grease)
RM1220-8	12"X20" 10 ga 2-burner indoor/outdoor
RM1423-8	14"X23" 7 ga 2-burner rest./outdoor
RM1424	14"X24" 7 ga 2-burner restaurant
RM2323-8	23"X23" 7 ga 4-burner restaurant
RM2424	24"X24" 7 ga 4-burner restaurant
Add-On Griddles (Hig	gh Grease)
MC12-8	12"X24"X1.5" deep 7 ga
	2-burner commercial griddle w/ grease tray
MC24-8	24"X24"X1.5" deep 7 ga
	4-burner commercial griddle w/ grease tray
Add-On Broilers	
MB12-8	2-burner commerial w/ grease tray
MB24-8	4-burner commerial w/ grease tray





Quick Ship PRODUCTS

Sommer CIAL



Connoisseur 825 Pkgs

C825C11Q-B1GB1A Includes (2) 75 oz FourSide™ jars

C825C11Q-B1GB1D Includes (2) 90 oz WildSide™ jars



Stealth 885 Pkgs

World's Quietest Commercial Blender

S885C2901-B1GB1A Includes (2) 75 oz FourSide™ jars

S885C2901-B1GB1D Includes (2) 90 oz WildSide™ jars



SNBS2C2901-B1K

Includes (2) Micronizers & Stands 41-605-03 (1) set of adapter rings 12, 16, 24, 32 oz

World's Quietest Commercial Blender


No Waste - By the Cup Blending Stealth Nitro - by Blendtec





JRE-612

ACCESSORIES	
40-609-60	(FourSide-V) FourSide" Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black vented
	Gripper" lid, small tuned wingtip blade, jar markings in oz ml. and cup indicators, Eastman Tritan"
	copolyester construction, SPA-free, cear
40-609-61	(FourSide-S) FourSide" Jar, 75 oz. capacity jar with measurements up to 32 oz., includes: black soft lid, small
	tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, SPA-free, clear
40-609-62	(FourSide-H) FourSide" Jar, 75 oz. capacity jarwith measurements up to 32 oz., includes: black hard lid,
	small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, SPA-free, clear
40-630-61	(WildSide-S) WildSide" Jar, 90 oz. capacity jar with measurements up to 44 oz. includes black soft lid, large
	tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, SPA-free, clear
40-630-62	(WildSide-H) WildSide" Jar. 90 oz. capacity jarwith measurements up to 44oz., includes: black hard lid,
	large tuned wingtip blade, jar markings in oz., ml, and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, BPA-free, clear
JRE-610	(RR) Rapid Rinser" Sprayer ONLY, includes: 6' flexible nylon-reinforced tubing with 3/8' compression
	fitting for water hook-up (minimum ó0psi recommended)
JRE-612	(RRS) Rapid Rinser" Station Complete Unit indudes: Rapid Rinser"sprayer & base, 6' flexible nylon-
	reinforced tubing with 3/8' compression fitting for water hook-up (minimum 30psi recommended), stainless
	steel nozzle, 120° spray nozzle coverage
40-209-01-SRV	(HardLid-BL) Hard Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used
	on jars within sound enclosures, black, (fits both Wildside+ and Foursidejars), (10 per pack)
40-210-02-SRV	Soft Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within
	sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)













KCHRI25RIDRE

KCHRI27R2HDR

Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738251	KCHRI25RIDRE	25 cu ft. Single Door Reach In Refrigerator, Back Room Application	30.6"x77.6"x28.8"	295 lb
738241	KCHRI27R1DRE	1-door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,8"x82,3"x32,7"	306 lb
738280	KCHRI27R2HDR	2-half door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F	26,8"x82,3"x31,9"	315 lb
738242	KCHRI54R2DRE	2-door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x32,7"	489 lb









KCHRI54R4HDR

KCHRI81R3DR

KCHRI27R1GDR

Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738282	KCHRI54R4HDR	4-half door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F	53,9"x82,3"x31,9"	525 lb
738243	KCHRI81R3DR	3-door reach-in refrigerator, stainless steel, 81 cubic feet, R290 refrigerant gas, +33/+41°F	81"x82,3"x32,7"	668 lb
738278	KCHRI27R1GDR	1-glass door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,6"x82,3"x31,9"	366 lb
738281	KCHRI54R2GDR	2-glass door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x31,9"	562 lb









KCHGM26R

KCHGM48R

Merchandiser Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738248	KCHGM26R	1-glass door merchandiser refrigerator, black, 26 cubic feet, R290 refrigerant gas, +33/+41°F	28,3"x79,5"x33,9"	342 lb
738247	KCHGM12R	1-glass door merchandiser refrigerator, black, 12 cubic feet, R290 refrigerant gas, +33/+41°F	25"x61,8"x26"	254 lb
738249	KCHGM48R	2-glass door merchandiser refrigerator, black, 48 cubic feet, R290 refrigerant gas, +33/+41°F	54"x79,5"x31,9"	540 lb
738308	KCHGM72R	3-glass door merchandiser refrigerator, black, 72 cubic feet, R290 refrigerant gas, +33/+41°F	81"x79,5"x31,9"	732 lb











KCHUC27R

KCHUC60R

KCHUC27.2DR

Undercounter Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738263	KCHUC27R	1-door undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x35,5"x29,9"	185 lb
738264	KCHUC48R	2-door undercounter refrigerator, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x35,5"x29,9"	278 lb
738291	KCHUC60R	2-door undercounter refrigerator, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x35,5"x29,9"	313 lb
738292	KCHUC72R	3-door undercounter refrigerator, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x35,5"x29,9"	368 lb
738290	KCHUC27.2DR	2-drawer undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,6"x35,5"x29,9"	185 lb











Undercounter Refrigerators with worktops

PNC	model	description	unit WxHxD	shipping weight
738299	KCHUCWT27R	1-door undercounter refrigerators with worktop, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x39,4"x29,9"	190 lb
738300	KCHUCWT48R	2-door undercounter refrigerators with worktop, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x39,4"x29,9"	284 lb
738301	KCHUCWT60R	2-door undercounter refrigerators with worktop, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x39,4"x29,9"	320 lb
738302	KCHUCWT72R	3-door undercounter refrigerators with worktop, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x39,4"x29,9"	379 lb







KCHBC50



KCHBC65



KCHBC95

Horizontal Bottle Coolers

PNC	model	description	unit WxHxD	shipping weight
738294	KCHBC36	1-door bottle cooler with slide top, 36", R600a refrigerant gas, +33/+41°C, black	36,8"x35"x27"	212 lb
738267	KCHBC50	2-door bottle cooler with slide top, 50", R600a refrigerant gas, +33/+41°C, black	49,4"x35"x27"	298 lb
738268	KCHBC65	2-door bottle cooler with slide top, 65", R600a refrigerant gas, +33/+41°C, black	64,3"x35"x27"	331 lb
738293	KCHBC95	3-door bottle cooler with slide top, 95", R600a refrigerant gas, +33/+41°C, black	95,3"x35"x27"	439 lb







KCHMC49



КСНМС34

KCHMC58

Milk Coolers

PNC	model	description	unit WxHxD	shipping weight
738275	KCHMC34	1-door school milk crate cooler, 34", R290 refrigerant gas, +33/+41°C	34"x42"x30,6"	225 lb
738276	KCHMC49	1-door school milk crate cooler, 48", R290 refrigerant gas, +33/+41°C	49"x42"x30,6"	277 lb
738277	KCHMC58	1-door school milk crate cooler, 60", R290 refrigerant gas, +33/+41°C	58,1"x42"x30,6"	300 lb









A Paris Company Comment

KCHBB72S

Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738269	KCHBB48S	2-door back bar refrigerator with black solid door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	265 lb
738270	KCHBB60S	2-door back bar refrigerator with black solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	309 lb
738271	KCHBB72S	3-door back bar refrigerator with black solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	346 lb
738272	KCHBB48G	2-door back bar refrigerator with glass door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	306 lb







KCHBB72G







KCHBB60G

KCHBB48SS

KCHBB60SS

Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738273	KCHBB60G	2-door back bar refrigerator with glass door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	317 lb
738274	KCHBB72G	3-door back bar refrigerator with glass door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	417 lb
738305	KCHBB48SS	2-door back bar refrigerator with stainless steel solid door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	273 lb
738306	KCHBB60SS	2-door back bar refrigerator with stainless steel solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	320 lb
738307	KCHBB72SS	3-door back bar refrigerator with stainless steel solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	359 lb







KCHBBD2D1T



KCHBBD2D2T



Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738295	KCHBBD1D1T	1-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 25", R290 refrigerant gas, +33/+41°C	24"x29,9"x33,9"	165 lb
738296	KCHBBD2D1T	2-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 48", R290 refrigerant gas, +33/+41°C	49"x24,5"x36,3"	282 lb
738297	KCHBBD2D2T	2-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 42", R290 refrigerant gas, +33/+41°C	49"x24,5"x36,3"	287 lb
738298	KCHBBD3D2T	3-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 72", R290 refrigerant gas, +33/+41°C	73″x24,5″x36,3″	392 lb









KCHCB72R

KCHCB60R

Chef Bases

KCHCB48R

PNC	model	description	unit WxHxD	shipping weight
738313	KCHCB48R	2-drawer chef refrigerated base, 48", R290 refrigerant gas, +33/+41°C, stainless steel	50"x31,9"x26"	260 lb
738311	KCHCB60R	2-drawer chef refrigerated base, 60", R290 refrigerant gas, $+33/+41^{\circ}$ C, stainless steel	62"x31,9"x26"	322 lb
738312	KCHCB72R	4-drawer chef refrigerated base, 72", R290 refrigerant gas, +33/+41°C, stainless steel	74"x31,9"x26"	362 lb











Sandwich/Salad Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
738255	KCHST27.8	1-door sandwich/salad preparation table for 6 GN 1/6+2 GN 1/9 containers, 27", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x29,9"	236 lb
738256	KCHST48.12	2-door sandwich/salad preparation table for 12 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x29,9"	335 lb
738257	KCHST60.16	2-door sandwich/salad preparation table for 16 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x29,9"	320 lb
738258	KCHST70.18	3-door sandwich/salad preparation table for 18 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x29,9"	419 lb



KCHMT29.12



KCHMT48.18



KCHMT60.24



KCHMT70.30

Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
738259	KCHMT29.12	1-door mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
738260	KCHMT48.18	2-door mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
738261	KCHMT60.24	2-door mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9	364 lb
738262	KCHMT70.30	3-door mega top preparation table for 30 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x31,9"	408 lb









Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
738286	KCHMT29.12.2D	2-drawer mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
738287	KCHMT48.18.2D	4 drawer mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
738288	KCHMT60.24.2D	4 drawer mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9"	364 lb







KCHPT72.9



KCHPT92.12

Pizza Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
738252	KCHPT50.6	1-door pizza preparation table, 50", R290 refrigerant gas, +33/+41°F, stainless steel	47,4"x41,3"x32,3"	311 lb
738253	KCHPT72.9	2-door pizza preparation table, 72", R290 refrigerant gas, +33/+41°F, stainless steel	70,8"x41,3"x32,3"	434 lb
738254	KCHPT92.12	3 door pizza preparation table, 92", R290 refrigerant gas, +33/+41°F, stainless steel	94,2"x41,3"x32,3"	564 lb



Freezers











KCHRI25RIDFE

KCHRI54R2DFE

KCHRI81R3DF

Upright Reach in Freezers

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738279	KCHRI25RIDFE	25 cu ft. Single Door reach in freezer, Back Room Application	30.6"x77.6"x28.8"	275 lb
738244	KCHRI27R1DFE	1-door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F - Energy Star	26,8"x82,3"x32,7"	326 lb
738285	KCHRI27R2HDF	2-half door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F	26,8"x82,3"x31,9"	337 lb
738245	KCHRI54R2DFE	2-door reach-in freezer, stainless steel, 54 cubic feet, R290 refrigerant gas, -9°F - Energy Star	53,9"x82,3"x32,7"	498 lb
738246	KCHRI81R3DF	3-door reach-in freezer, stainless steel, 81 cubic feet, R290 refrigerant gas, -9°F	81"x82,3"x32,7"	776 lb







KCHGM48F



KCHGM72F

Merchandiser Reach in Freezers

PNC	model	description	unit WxHxD	shipping weight
738250	KCHGM26F	1-glass door merchandiser freezer, black, 26 cubic feet, R290 refrigerant gas, -9°F	28,3"x79,5"x33,9"	353 lb
738309	KCHGM48F	2-glass door merchandiser freezer, black, 48 cubic feet, R290 refrigerant gas, -9°F	54"x79,5"x31,9"	564 lb
738310	KCHGM72F	3-glass door merchandiser freezer, black, 72 cubic feet, R404a refrigerant gas, -9°F	81"x79,5"x31,9"	820 lb

Freezers







Undercounter Freezers

PNC	model	description	unit WxHxD
738265	KCHUC27F	1-door undercounter freezer, 27", R290 refrigerant gas, -9°F, stainless steel	32"x31"x76"
738266	KCHUC48F	2-door undercounter freezer, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x35,5"x29,9"





KCHUCWT27F

KCHUCWT48F

Undercounter Freezers with worktop

PNC	model	description	unit WxHxD
738303	KCHUCWT27F	1-door undercounter freezer with worktop, 27", R290 refrigerant gas, -9°F, stainless steel	27,8"x39,4"x29,9"
738304	KCHUCWT48F	2-door undercounter freezer with worktop, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x39,4"x29,9"



Freezers

- * Chest Freezers
- 1 Year Parts and Labor 5 Year Compressor warranty









Chest Freezers Solid Lid

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738089	KCCF073WS	7 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38"x22"x33"	101 lb
738230	KCCF140WH	14 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	51.75"x29.3"x36"	187 lb
738231	KCCF170WH	17 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5"x29.3"x36.5"	205 lb
738232	KCCF210WH	21 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71″x29.3″x36″	240 lb

* Novelty Glass Lid Chest Freezers

1 Year Parts and Labor - 5 Year Compressor warranty







Chest Freezers Glass Lid

PNC	model	description	unit WxHxD	shipping weight
738090	KCNF073WS	7 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38"x20.75"x33"	115 lb
738233	KCNF140WH	14 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5"x27.3"x35"	194 lb
738234	KCNF170WH	18 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71"x27.3"x35"	243 lb







140051	PERCONATION		
MODEL	DESCRIPTION		
MILK DISPENSERS			
SKMAJ1-ESUS4	Milk Dipsenser 1 valve, with crate		
SKMA2-ESUS4	Milk Dispenser 2 valve, with crates		
SKMAJ3-ESUS4	Milk Dispenser 3 valve, with crates		
DISPLAY CASE			
SKRM48-EGUS1	Display Case Mirrored Back		
ICE CREAM UNITS			
SKRNB27-ESUS2	Fountainette W/O Pumps & Jars		
SKEFT15-ELUS1	Ice Cream Freezer Two Facing		
LETTUCE			
SKDL25-ESUS2	Lettuce Crisper/Dispenser		
PREP TABLES			
SKPS8A-ELUS1	Silver King Counter Top Prep Table - Pan Rail (8) 1/6 pan capacity		
SKPS12A-ELUS1	Silver King Counter Top Prep Table - Pan Rail (12) 1/6 pan capacity		
UNDERCOUNTER REFRIGERATORS			
SKER48-SD-1-BK1	48" Undercounter Refrigerator		
SKR27A/C10	27" Undercounter Refrigerator		

Contact SESCO for Silver King solutions Including: Chef Base Solutions, Dairy Dispensers, Undercounters, Drop In Freezers, Mobile Freezers, Prep Tables, and Shelf Refrigerators





MODEL	DESCRIPTION
TOASTING	TO 100 100 100 100 100 100 100 100 100 10
297-T20	Toaster Slim Line Bun-120V
TIMERS	
740-T2	Timer Single Func on 2 Ch
740-T4	Timer Single Func on 4 Ch
740-T8	Timer Single Func on 8 Ch
740-T12	Timer Single Func on 12 Ch
HOLDING	
DHB-P1A	Dedicated Holding Bin, Countertop
541-723E4S	Kit, Pan Cover (Pkg Of 4)
MODULAR HOLDING	
MHB100MB-NA	Main Base, Modular, 115VAC
MHB100HM1-SS	Single Sided Holding Module 120V
MHB100EB	Expansion Base, Modular
MHB100HM1	Holding Module, 110V
SABER KING	
980-000-00	Saber King Chassis
980-000-10A	Saber King Tomato Blade Pusher Set 3/16 Inch
980-000-20A	Saber King Onion Blade Pusher Set 3/16 Inch
980-000-33A	Saber King Lettuce Blade Pusher Set 1 x 2 Inch
TOMATO SABER	
943-A	Tomato Saber, 3/16in (Std Line)
BAGEL SABER	
970-A	Bagel Saber
CITRUS SABER	
CW-6	Citrus Saber - Yellow (8 Sec on)
DISPENSING	
136-1	Dispenser Bottles (Case of 9)
580-NMCC	Sauce Dispenser 1/3 Oz Red
581-NMCC	Sauce Dispenser White 1/2 Oz
582-NMCC	Sauce Dispenser Black 2/3 Oz
583-NMCC	Sauce Dispenser Green 1 Oz





No Hot Water Line Required No Pressure Boost Required

Underco

Underco	unter Dishwashers		
	Description	Model	© □ ■: Ø3
	Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 208V/1N/60Hz 6.85 ElekW 208 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 165 ft³ 17.68	VLAI1G8	Truca*
	Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 240V/1N/60Hz 6.85 ElekW 240 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 174 ft³ 17.68	VLAI1G4	
Hood Ty	pe Dishwashers		
	Description	Model	A.C.
	Hood type insulated dishwasher with double	As In	

skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 1ph/ 60Hz VDH63-1 9.90 ElekW 208 V 1 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 304 ft³ 43.27 Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/3ph/60Hz VDH63 12.90 ElekW 208 V 3 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 311 ft³ 43.27

Ask SESCO today about Veetsan The best value in dishwashing!



Quick Ship PRODUCTS







	Soft Serve/ Yogurt Machines *				
401	208V/60/1	five 4 oz servings per minute, 20 qt capacity			
407	115V/60/1	two 4 oz servings per minute, 7 qt capacity			
DF200	115V/60/1	two 3 oz servings per minute, 7 qt capacity			

	Twist Soft Serve/ Yogurt Machines *		
501	208V/60/1	four 4 oz servings per minute per side	
		11 qt capacity per side - Countertop model	
522	208/v/60/1*	seven 4 oz servings per minute per side	
		17 qt capacity per side - Floor model	
		* Two separate circuits required.	



		Frozen Beve	erage Machines *	To the supplement
ĺ	704	208V/60/1	28 gallons per hour, 35 qt capacity	
	707	115V/60/1	8 gallons per hour, 20 gt capacity	







	Smoothie Machine *				
608S	115V/60/1	three 12 oz servings per minute, 20 qt capacity			

NSF. UL

Made in USA



	Flurry/ Shake Mixure		
Cyclone	115V	High speed Compact mixer	



SH14UA

- Fully insulated
- Patented Armor heating for quality food holding
- Holds 18" X 26" or 14" x 18 Trays & 12" x 20" Pans









Contact SESCO for SECO Select solutions including Custom Serving Lines, Breakfast Carts, and much more...





in 48 hours



Restaurant Coolers

Bakery & Pizza

Brewery - Walk ins

Beer Caves

Warehouse Solutions

Voted # 1
By Installers For
Ease Of Installation

Schools / Universities

Restaurant Coolers

Supermarket

Convenience Stores

Labs - Medical Holding

Premium Walk-Ins In all Sizes



All custom sizes available.

G-2 QuickShip

- 32 sizes of quick ship walk-ins available to ship within 2 days.
- High quality, heavy duty foamed in place construction that meets all new Dept of Energy guidelines
- Heavy duty welded 12 gauge steel door for strength and rigidity
- G-10 QuickShip More Choices...ask how

More Choices...ask how Leer Quick Ship is the most flexible in the Industry.

Add other options such as floor, ramps, membrane roof, self contained drop-in refrigeration - for most units. The box still ships quick - in only 10 days!









Stainless design.
Stellar performance.
Superior value.





Arctic Air Refrigeration Products

Ask SESCO today for how Arctic Air products can help your team

Modular®

Foodservice Dispensers



Simpli-Flex Cup

1015023 SF2000 Cup Dispenser 23"x5"



1003846

SF1002 (1905842 gasket)

Cone Dispenser 24"x 4"

1003848

SF1002P w/ plastic tube (1905842 gasket)

Cone Dispenser 31"x 4"

1003850

SF1002P w/ plastic tube (1905842 gasket)

(1905042 gasket)

Cone Dispenser 19"x 31.13"

1007710

SF1002P w/ plastic tube (1905842 gasket)

Cone Dispenser 31"x3.13"



Z-STAND 1008-30Z 1003865

for 3 cup/lid disp



In-Counter Dispenser 1003971

6 1/2"D x 10 1/2H x 8 1/4"W



Simpli-Flex Cup Dipsenser

In-Counter / Cabinet Mount 1007699 CSF1003 for extra small / portion cups

24"L x 3" Dia

1015201 CSF1005 for large cups 24"L x 5" Dia



Simpli-Flex Cup Dipsenser

Wall / Stand Mount 1007516

1007516 SF1003 for extra small / portion cups 16"L x 3 1/8" Dia



Countertop Adjustable Lid Dispenser

1004056 19" Wide 4 dividers A NEW GENERATION IN STEAMING!





Boilerless 6 pan and 12 pan

- * #1 Rated Commercial Steamer in Speed and Efficiency
- * Energy Star Approved
- * Highest Production Fastest Recovery in the Industry

Boilerless-12 Pan









Steam Generator

STERLING

Generators can be be changed in minutes





For more information Contact SESCO today





Bringing Solutions since 1966

Think Quality - Think Value - Think Service - Think BakeMax



Pizza Warmer Display Cases



Mixers



Single Pass & Double Pass Sheeters



Manual and Automatic Pizza / Tortilla Presses



Deck Oven with Proofer



Slicers



Grinders



Conveyor Toasters & Conveyor Bakers



Heated Display Cases & Refrigerated Display Cases



















YEARS OF INNOVATION

Innovation. Experience. Quality.

Contact SESCO for information on Winholt products and stainless steel fabrication

Contact SESCO for Details 800.222.0558 www.sesco.biz











GELATO / ICE CREAM DISPLAYS



PASTRY & BAKERY DISPLAYS



CHOCOLATE DISPLAYS



PANINI DISPLAYS



HOT & BAIN MARIE DISPLAYS



PREPARED FOOD DISPLAYS



GRAB AND GO DISPLAYS



MULTIDECKS



SUPERMARKET AND GROCERY



CAFETERIA DISPLAYS



MEAT FISH & CHEESE DISPLAYS



DELI DISPLAYS



MEAT AGING



WINE CASES




UPRIGHT GLASS DOOR FREEZERS & REFRIGERATORS















Stack Up Cross Collection



















