

**Kelvinator** 

**COMMERCIAL**

*Product Catalog*

REFRIGERATOR





# *Infinitely Cold*

---



## *QUALITY*

Constant quality controls during the production phases and 100% quality checks at the end of the production line.



## *EFFICIENCY & SUSTAINABILITY*

High efficiency components, environmental-friendly gases (R290 and R600a) to reduce the global warming potential (GWP)



## *ROBUSTNESS*

Low maintenance, long-lasting, high quality stainless steel engineering.



## *WIDE RANGE*

A wider and more flexible range to satisfy every application and customer's needs.



## *HERITAGE*

For over 80 years Kelvinator Commercial has been supplying professional, commercial and home appliances. Our proven expertise has earned us an unparalleled reputation for quality, and tremendous customer loyalty.

## **WHY KELVINATOR**

As a global leader in residential and commercial appliances, Electrolux is proud to offer the KELVINATOR® COMMERCIAL brand of food service equipment.

Drawing on over 10 years of industry experience and our European heritage of building quality appliances, Kelvinator® Commercial is offering a broad selection of food service products.



# THE REFRIGERATORS



# Refrigerators



KCBM180RQY



KCHRI27R1DRE



KCHRI27R2HDR



KCHRI54R2DRE

## Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738079</b>	KCBM180RQY	18 cu ft. Single Door Reach In Refrigerator, Back Room Application	32"x31"x76"	315 lb
<b>738241</b>	KCHRI27R1DRE	1-door reach-in refrigerator, stainless steel, 23 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,8"x82,3"x32,7"	306 lb
<b>738280</b>	*KCHRI27R2HDR	2-half door reach-in refrigerator, stainless steel, 23 cubic feet, R290 refrigerant gas, +33/+41°F	26,8"x82,3"x31,9"	315 lb
<b>738242</b>	KCHRI54R2DRE	2-door reach-in refrigerator, stainless steel, 49 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x32,7"	489 lb



KCHRI54R4HDR



KCHRI81R3DR



KCHRI27R1GDR



KCHRI54R2GDR

## Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738282</b>	*KCHRI54R4HDR	4-half door reach-in refrigerator, stainless steel, 49 cubic feet, R290 refrigerant gas, +33/+41°F	53,9"x82,3"x31,9"	525 lb
<b>738243</b>	KCHRI81R3DR	3-door reach-in refrigerator, stainless steel, 72 cubic feet, R290 refrigerant gas, +33/+41°F	81"x82,3"x32,7"	668 lb
<b>738278</b>	*KCHRI27R1GDR	1-glass door reach-in refrigerator, stainless steel, 23 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,6"x82,3"x31,9"	366 lb
<b>738281</b>	*KCHRI54R2GDR	2-glass door reach-in refrigerator, stainless steel, 49 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x31,9"	562 lb

\* = Special Order



# Refrigerators



KCHGM26R



KCHGM12R



KCHGM48R



KCHGM72R

## Merchandiser Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738248</b>	KCHGM26R	1-glass door merchandiser refrigerator, black, 26 cubic feet, R290 refrigerant gas, +33/+41°F	28,3"x79,5"x33,9"	342 lb
<b>738247</b>	KCHGM12R	1-glass door merchandiser refrigerator, black, 12 cubic feet, R290 refrigerant gas, +33/+41°F	25"x61,8"x26"	254 lb
<b>738249</b>	KCHGM48R	2-glass door merchandiser refrigerator, black, 48 cubic feet, R290 refrigerant gas, +33/+41°F	54"x79,5"x31,9"	540 lb
<b>738308</b>	KCHGM72R	3-glass door merchandiser refrigerator, black, 72 cubic feet, R290 refrigerant gas, +33/+41°F	81"x79,5"x31,9"	732 lb



KCHUC27R



KCHUC48R



KCHUC60R



KCHUC72R



KCHUC27.2DR

## Undercounter Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738263</b>	KCHUC27R	1-door undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x35,5"x29,9"	185 lb
<b>738264</b>	KCHUC48R	2-door undercounter refrigerator, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x35,5"x29,9"	278 lb
<b>738291</b>	KCHUC60R	2-door undercounter refrigerator, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x35,5"x29,9"	313 lb
<b>738292</b>	KCHUC72R	3-door undercounter refrigerator, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x35,5"x29,9"	368 lb
<b>738290</b>	*KCHUC27.2DR	2-drawer undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,6"x35,5"x29,9"	185 lb



# Refrigerators



KCHUCWT27R



KCHUCWT48R



KCHUCWT60R



KCHUCWT72R

## Undercounter Refrigerators with worktops

PNC	model	description	unit WxHxD	shipping weight
<b>738299</b>	*KCHUCWT27R	1-door undercounter refrigerators with worktop, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x39,4"x29,9"	190 lb
<b>738300</b>	*KCHUCWT48R	2-door undercounter refrigerators with worktop, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x39,4"x29,9"	284 lb
<b>738301</b>	*KCHUCWT60R	2-door undercounter refrigerators with worktop, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x39,4"x29,9"	320 lb
<b>738302</b>	*KCHUCWT72R	3-door undercounter refrigerators with worktop, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x39,4"x29,9"	379 lb



KCHBC36



KCHBC50



KCHBC65



KCHBC95

## Horizontal Bottle Coolers

PNC	model	description	unit WxHxD	shipping weight
<b>738294</b>	KCHBC36	1-door bottle cooler with slide top, 36", R600a refrigerant gas, +33/+41°C, black	36,8"x35"x27"	212 lb
<b>738267</b>	KCHBC50	2-door bottle cooler with slide top, 50", R600a refrigerant gas, +33/+41°C, black	49,4"x35"x27"	298 lb
<b>738268</b>	KCHBC65	2-door bottle cooler with slide top, 65", R600a refrigerant gas, +33/+41°C, black	64,3"x35"x27"	331 lb
<b>738293</b>	KCHBC95	3-door bottle cooler with slide top, 95", R600a refrigerant gas, +33/+41°C, black	95,3"x35"x27"	439 lb

\* = Special Order



# Refrigerators



KCHMC34



KCHMC49



KCHMC58

## Milk Coolers

PNC	model	description	unit WxHxD	shipping weight
<b>738275</b>	KCHMC34	1-door school milk crate cooler, 34", R290 refrigerant gas, +33/+41°C	34"x42"x30,6"	225 lb
<b>738276</b>	KCHMC49	1-door school milk crate cooler, 48", R290 refrigerant gas, +33/+41°C	49"x42"x30,6"	277 lb
<b>738277</b>	KCHMC58	1-door school milk crate cooler, 60", R290 refrigerant gas, +33/+41°C	58,1"x42"x30,6"	300 lb



KCHBB48S



KCHBB60S



KCHBB72S



KCHBB48G

## Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738269</b>	KCHBB48S	2-door back bar refrigerator with black solid door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	265 lb
<b>738270</b>	KCHBB60S	2-door back bar refrigerator with black solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	309 lb
<b>738271</b>	KCHBB72S	3-door back bar refrigerator with black solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	346 lb
<b>738272</b>	KCHBB48G	2-door back bar refrigerator with glass door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	306 lb



# Refrigerators



KCHBB60G



KCHBB72G



KCHBB48SS



KCHBB60SS



KCHBB72SS

## Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738273</b>	KCHBB60G	2-door back bar refrigerator with glass door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	317 lb
<b>738274</b>	KCHBB72G	3-door back bar refrigerator with glass door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	417 lb
<b>738305</b>	*KCHBB48SS	2-door back bar refrigerator with stainless steel solid door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	273 lb
<b>738306</b>	*KCHBB60SS	2-door back bar refrigerator with stainless steel solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	320 lb
<b>738307</b>	*KCHBB72SS	3-door back bar refrigerator with stainless steel solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	359 lb



KCHBBD1D1T



KCHBBD2D1T



KCHBBD2D2T



KCHBBD3D2T

## Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
<b>738295</b>	KCHBBD1D1T	1-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 25", R290 refrigerant gas, +33/+41°C	24"x29,9"x33,9"	165 lb
<b>738296</b>	KCHBBD2D1T	2-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 48", R290 refrigerant gas, +33/+41°C	49"x24,5"x36,3"	282 lb
<b>738297</b>	KCHBBD2D2T	2-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 42", R290 refrigerant gas, +33/+41°C	49"x24,5"x36,3"	287 lb
<b>738298</b>	KCHBBD3D2T	3-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 72", R290 refrigerant gas, +33/+41°C	73"x24,5"x36,3"	392 lb

\* = Special Order



# Refrigerators



KCHCB48R



KCHCB60R



KCHCB72R

## Chef Bases

PNC	model	description	unit WxHxD	shipping weight
<b>738313</b>	KCHCB48R	2-drawer chef refrigerated base, 48", R290 refrigerant gas, +33/+41°C, stainless steel	50"x31,9"x26"	260 lb
<b>738311</b>	KCHCB60R	2-drawer chef refrigerated base, 60", R290 refrigerant gas, +33/+41°C, stainless steel	62"x31,9"x26"	322 lb
<b>738312</b>	KCHCB72R	4-drawer chef refrigerated base, 72", R290 refrigerant gas, +33/+41°C, stainless steel	74"x31,9"x26"	362 lb

# Refrigerators



KCHST27.8



KCHST48.12



KCHST60.16



KCHST70.18

## Sandwich/Salad Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
<b>738255</b>	KCHST27.8	1-door sandwich/salad preparation table for 6 GN 1/6+2 GN 1/9 containers, 27", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x29,9"	236 lb
<b>738256</b>	KCHST48.12	2-door sandwich/salad preparation table for 12 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x29,9"	335 lb
<b>738257</b>	KCHST60.16	2-door sandwich/salad preparation table for 16 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x29,9"	320 lb
<b>738258</b>	KCHST70.18	3-door sandwich/salad preparation table for 18 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x29,9"	419 lb



KCHMT29.12



KCHMT48.18



KCHMT60.24



KCHMT70.30

## Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
<b>738259</b>	KCHMT29.12	1-door mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
<b>738260</b>	KCHMT48.18	2-door mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
<b>738261</b>	KCHMT60.24	2-door mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9"	364 lb
<b>738262</b>	KCHMT70.30	3-door mega top preparation table for 30 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x31,9"	408 lb

\* = Special Order



# Refrigerators



KCHMT29.12.2D



KCHMT48.18.2D



KCHMT60.24.2D

## Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
<b>738286</b>	*KCHMT29.12.2D	2-drawer mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
<b>738287</b>	*KCHMT48.18.2D	4 drawer mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
<b>738288</b>	*KCHMT60.24.2D	4 drawer mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9"	364 lb



KCHPT50.6



KCHPT72.9



KCHPT92.12

## Pizza Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
<b>738252</b>	KCHPT50.6	1-door pizza preparation table, 50", R290 refrigerant gas, +33/+41°F, stainless steel	47,4"x41,3"x32,3"	311 lb
<b>738253</b>	KCHPT72.9	2-door pizza preparation table, 72", R290 refrigerant gas, +33/+41°F, stainless steel	70,8"x41,3"x32,3"	434 lb
<b>738254</b>	KCHPT92.12	3-door pizza preparation table, 92", R290 refrigerant gas, +33/+41°F, stainless steel	94,2"x41,3"x32,3"	564 lb

# THE FREEZERS





# Freezers



KCBM180FQY



KCHRI27R1DFE



KCHRI27R2HDF



KCHRI54R2DFE



KCHRI81R3DF

## Upright Reach in Freezers

PNC	model	description	unit WxHxD	shipping weight
<b>738080</b>	KCBM180FQY	18 cu ft. Single Door reach in freezer, Back Room Application	32"x31"x76"	275 lb
<b>738244</b>	KCHRI27R1DFE	1-door reach-in freezer, stainless steel, 23 cubic feet, R290 refrigerant gas, -9°F - Energy Star	26,8"x82,3"x32,7"	326 lb
<b>738285</b>	*KCHRI27R2HDF	2-half door reach-in freezer, stainless steel, 23 cubic feet, R290 refrigerant gas, -9°F	26,8"x82,3"x31,9"	337 lb
<b>738245</b>	KCHRI54R2DFE	2-door reach-in freezer, stainless steel, 49 cubic feet, R290 refrigerant gas, -9°F - Energy Star	53,9"x82,3"x32,7"	498 lb
<b>738246</b>	KCHRI81R3DF	3-door reach-in freezer, stainless steel, 72 cubic feet, R290 refrigerant gas, -9°F	81"x82,3"x32,7"	776 lb



KCHGM26F



KCHGM48F



KCHGM72F

## Merchandise Reach in Freezers

PNC	model	description	unit WxHxD	shipping weight
<b>738250</b>	KCHGM26F	1-glass door merchandiser freezer, black, 26 cubic feet, R290 refrigerant gas, -9°F	28,3"x79,5"x33,9"	353 lb
<b>738309</b>	KCHGM48F	2-glass door merchandiser freezer, black, 48 cubic feet, R290 refrigerant gas, -9°F	54"x79,5"x31,9"	564 lb
<b>738310</b>	KCHGM72F	3-glass door merchandiser freezer, black, 72 cubic feet, R404a refrigerant gas, -9°F	81"x79,5"x31,9"	820 lb

\* = Special Order

# Freezers



KCHUC27F



KCHUC48F

## Undercounter Freezers

PNC	model	description	unit WxHxD	shipping weight
<b>738265</b>	KCHUC27F	1-door undercounter freezer, 27", R290 refrigerant gas, -9°F, stainless steel	32"x31"x76"	194 lb
<b>738266</b>	KCHUC48F	2-door undercounter freezer, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x35,5"x29,9"	287 lb



KCHUCWT27F



KCHUCWT48F

## Undercounter Freezers with worktop

PNC	model	description	unit WxHxD	shipping weight
<b>738303</b>	*KCHUCWT27F	1-door undercounter freezer with worktop, 27", R290 refrigerant gas, -9°F, stainless steel	27,8"x39,4"x29,9"	198 lb
<b>738304</b>	*KCHUCWT48F	2-door undercounter freezer with worktop, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x39,4"x29,9"	293 lb

\* = Special Order



# Freezers



KCCF073WS



KCCF140WH



KCCF170WH



KCCF210WH

## Chest Freezers Solid Lid

PNC	model	description	unit WxHxD	shipping weight
<b>738089</b>	KCCF073WS	7 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38"x22"x33"	101 lb
<b>738230</b>	KCCF140WH	14 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	51.75"x29.3"x36"	187 lb
<b>738231</b>	KCCF170WH	17 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5"x29.3"x36.5"	205 lb
<b>738232</b>	KCCF210WH	21 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71"x29.3"x36"	240 lb



KCNF073WS



KCNF140WH



KCNF170WH

## Chest Freezers Glass Lid

PNC	model	description	unit WxHxD	shipping weight
<b>738090</b>	KCNF073WS	7 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38"x20.75"x33"	115 lb
<b>738233</b>	KCNF140WH	14 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5"x27.3"x35"	194 lb
<b>738234</b>	KCNF170WH	18 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71"x27.3"x35"	243 lb



All prices and model availability are subject to change without notice.

High standards of quality mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Notice: Contact factory for specific model agency approval.  
Contact factory for warranty guidelines and information.



**COMMERCIAL**

USA  
1-866-738-1640  
[www.kelvinatorcommercial.com](http://www.kelvinatorcommercial.com)

Distributed by:

