

# SESCO

Food Service Equipment



# PRODUCT Guide 2024

When you need it  
**yesterday**



Many products able to ship  
same day if ordered by noon

\* Call for details

Western  
New York

Call Mike Rykaceski  
412.860.2655  
miker@sesco.biz

SESCO  
5705 Valley Belt Rd  
Independence, OH 44131

\* Please contact customer service to check availability  
as we strive to maintain proper inventory levels.

Main: 800.222.0558  
Fax: 800.251.7717

# Panasonic

## Quick Ship PRODUCTS



Model	Required Power	Receptical Required	Exterior / Interior	Cavity Dimensions (wxdxh)
<b>1000 Watt OCS</b>				
NE-1025F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1054F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1064F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Ext. & Int.	13 x 13"x 8 1 16" "
<b>1200 Watt Pro I</b>				
NE-12521	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-12523	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
<b>1700 Watt Pro I</b>				
NE-17521	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17523	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17723	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
<b>2100 Watt Pro I</b>				
NE-21521	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-21523	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
<b>SONIC STEAMERS</b>				
<b>2100 Watt</b>				
NE-2180	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
<b>3200 Watt</b>				
NE-3280	208V (28.0A), 230-240V (25.3A)	30 Amp, NEMA 6-30 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
<b>Hi-SPEED OVEN</b>				
<b>Convection, Broil, Microwave Combination</b>				
NE-SCV2N	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	10-5/8" x 13" x 4-5/16"
<b>RICE COOKER</b>				
SR-GA321FH	120v (15.0A)		White	16 7/8" X 14 1/2 X 15"
SR-42HZP	120v (12.9A)		Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-GA42PL	120v (12.9A)		Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-2363ZW	120v (12.9A)		White Stripe Ext	16 9/10" x 14 4/5" x 14 1/5"
SR-GA721L	208V (10.8A)		Silver	21" x 19" x 14"

**NEW!**

**SONIC CHEF**

**Panasonic**

# COMMERCIAL HIGH-SPEED OVEN



Convection  
Broil  
Microwave

6 - Heating Patterns!



**NE-SCV2N**

Compact  
Stackable

See the Video

## SONIC STEAMER

**Powered by microwave technology**

**Get an energy-saving connectionless steamer -  
and for a whole lot less**

**No hood, no plumbing, no de-liming**



See the Video

Foods The Sonic Steamer Excels in:

- Vegetables
- Seafood
- Rice and Grains
- Pastas
- Thawing frozen soups
- Scrambled Eggs
- Rethermaling all foods
- Fast boost heating

**Panasonic**



**NE-2180  
NE-3280**

**Retains up to 7X more water-soluble  
nutrients in foods than conventional methods**


**Instant Steam   Convenient Plug-in   Saves Energy**

## COMMERCIAL ELECTRIC RICE COOKERS



See the Video

Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.



# THE REFRIGERATORS



# Refrigerators



KCHRI25RIDRE



KCHRI27R1DRE



KCHRI27R2HDR



KCHRI54R2DRE

## Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738251	KCHRI25RIDRE	25 cu ft. Single Door Reach In Refrigerator, Back Room Application	30.6"x77.6"x28.8"	295 lb
738241	KCHRI27R1DRE	1-door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,8"x82,3"x32,7"	306 lb
738280	KCHRI27R2HDR	2-half door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F	26,8"x82,3"x31,9"	315 lb
738242	KCHRI54R2DRE	2-door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x32,7"	489 lb



KCHRI54R4HDR



KCHRI81R3DR



KCHRI27R1GDR



KCHRI54R2GDR

## Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738282	KCHRI54R4HDR	4-half door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F	53,9"x82,3"x31,9"	525 lb
738243	KCHRI81R3DR	3-door reach-in refrigerator, stainless steel, 81 cubic feet, R290 refrigerant gas, +33/+41°F	81"x82,3"x32,7"	668 lb
738278	KCHRI27R1GDR	1-glass door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,6"x82,3"x31,9"	366 lb
738281	KCHRI54R2GDR	2-glass door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x31,9"	562 lb



KCHGM26R



KCHGM12R



KCHGM48R



KCHGM72R

## Merchandiser Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738248	KCHGM26R	1-glass door merchandiser refrigerator, black, 26 cubic feet, R290 refrigerant gas, +33/+41°F	28,3"x79,5"x33,9"	342 lb
738247	KCHGM12R	1-glass door merchandiser refrigerator, black, 12 cubic feet, R290 refrigerant gas, +33/+41°F	25"x61,8"x26"	254 lb
738249	KCHGM48R	2-glass door merchandiser refrigerator, black, 48 cubic feet, R290 refrigerant gas, +33/+41°F	54"x79,5"x31,9"	540 lb
738308	KCHGM72R	3-glass door merchandiser refrigerator, black, 72 cubic feet, R290 refrigerant gas, +33/+41°F	81"x79,5"x31,9"	732 lb



KCHUC27R



KCHUC48R



KCHUC60R



KCHUC72R



KCHUC27.2DR

## Undercounter Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738263	KCHUC27R	1-door undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x35,5"x29,9"	185 lb
738264	KCHUC48R	2-door undercounter refrigerator, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x35,5"x29,9"	278 lb
738291	KCHUC60R	2-door undercounter refrigerator, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x35,5"x29,9"	313 lb
738292	KCHUC72R	3-door undercounter refrigerator, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x35,5"x29,9"	368 lb
738290	KCHUC27.2DR	2-drawer undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,6"x35,5"x29,9"	185 lb

# Refrigerators



KCHUCWT27R



KCHUCWT48R



KCHUCWT60R



KCHUCWT72R

## Undercounter Refrigerators with worktops

PNC	model	description	unit WxHxD	shipping weight
738299	KCHUCWT27R	1-door undercounter refrigerators with worktop, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x39,4"x29,9"	190 lb
738300	KCHUCWT48R	2-door undercounter refrigerators with worktop, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x39,4"x29,9"	284 lb
738301	KCHUCWT60R	2-door undercounter refrigerators with worktop, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x39,4"x29,9"	320 lb
738302	KCHUCWT72R	3-door undercounter refrigerators with worktop, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x39,4"x29,9"	379 lb



KCHBC36



KCHBC50



KCHBC65



KCHBC95

## Horizontal Bottle Coolers

PNC	model	description	unit WxHxD	shipping weight
738294	KCHBC36	1-door bottle cooler with slide top, 36", R600a refrigerant gas, +33/+41°C, black	36,8"x35"x27"	212 lb
738267	KCHBC50	2-door bottle cooler with slide top, 50", R600a refrigerant gas, +33/+41°C, black	49,4"x35"x27"	298 lb
738268	KCHBC65	2-door bottle cooler with slide top, 65", R600a refrigerant gas, +33/+41°C, black	64,3"x35"x27"	331 lb
738293	KCHBC95	3-door bottle cooler with slide top, 95", R600a refrigerant gas, +33/+41°C, black	95,3"x35"x27"	439 lb



KCHMC34



KCHMC49



KCHMC58

## Milk Coolers

PNC	model	description	unit WxHxD	shipping weight
738275	KCHMC34	1-door school milk crate cooler, 34", R290 refrigerant gas, +33/+41°C	34"x42"x30,6"	225 lb
738276	KCHMC49	1-door school milk crate cooler, 48", R290 refrigerant gas, +33/+41°C	49"x42"x30,6"	277 lb
738277	KCHMC58	1-door school milk crate cooler, 60", R290 refrigerant gas, +33/+41°C	58,1"x42"x30,6"	300 lb



KCHBB48S



KCHBB60S



KCHBB72S



KCHBB48G

## Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738269	KCHBB48S	2-door back bar refrigerator with black solid door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	265 lb
738270	KCHBB60S	2-door back bar refrigerator with black solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	309 lb
738271	KCHBB72S	3-door back bar refrigerator with black solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	346 lb
738272	KCHBB48G	2-door back bar refrigerator with glass door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	306 lb



# Refrigerators



KCHBB60G



KCHBB72G



KCHBB48SS



KCHBB60SS



KCHBB72SS

## Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738273	KCHBB60G	2-door back bar refrigerator with glass door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	317 lb
738274	KCHBB72G	3-door back bar refrigerator with glass door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	417 lb
738305	KCHBB48SS	2-door back bar refrigerator with stainless steel solid door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	273 lb
738306	KCHBB60SS	2-door back bar refrigerator with stainless steel solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	320 lb
738307	KCHBB72SS	3-door back bar refrigerator with stainless steel solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	359 lb



KCHBBD1D1T



KCHBBD2D1T



KCHBBD2D2T



KCHBBD3D2T

## Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738295	KCHBBD1D1T	1-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 25", R290 refrigerant gas, +33/+41°C	24"x29,9"x33,9"	165 lb
738296	KCHBBD2D1T	2-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 48", R290 refrigerant gas, +33/+41°C	49"x24,5"x36,3"	282 lb
738297	KCHBBD2D2T	2-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 42", R290 refrigerant gas, +33/+41°C	49"x24,5"x36,3"	287 lb
738298	KCHBBD3D2T	3-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 72", R290 refrigerant gas, +33/+41°C	73"x24,5"x36,3"	392 lb



KCHCB48R



KCHCB60R



KCHCB72R

## Chef Bases

PNC	model	description	unit WxHxD	shipping weight
738313	KCHCB48R	2-drawer chef refrigerated base, 48", R290 refrigerant gas, +33/+41°C, stainless steel	50"x31,9"x26"	260 lb
738311	KCHCB60R	2-drawer chef refrigerated base, 60", R290 refrigerant gas, +33/+41°C, stainless steel	62"x31,9"x26"	322 lb
738312	KCHCB72R	4-drawer chef refrigerated base, 72", R290 refrigerant gas, +33/+41°C, stainless steel	74"x31,9"x26"	362 lb

# Refrigerators



KCHST27.8



KCHST48.12



KCHST60.16



KCHST70.18

## Sandwich/Salad Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
738255	KCHST27.8	1-door sandwich/salad preparation table for 6 GN 1/6+2 GN 1/9 containers, 27", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x29,9"	236 lb
738256	KCHST48.12	2-door sandwich/salad preparation table for 12 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x29,9"	335 lb
738257	KCHST60.16	2-door sandwich/salad preparation table for 16 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x29,9"	320 lb
738258	KCHST70.18	3-door sandwich/salad preparation table for 18 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x29,9"	419 lb



KCHMT29.12



KCHMT48.18



KCHMT60.24



KCHMT70.30

## Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
738259	KCHMT29.12	1-door mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
738260	KCHMT48.18	2-door mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
738261	KCHMT60.24	2-door mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9"	364 lb
738262	KCHMT70.30	3-door mega top preparation table for 30 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x31,9"	408 lb



KCHMT29.12.2D



KCHMT48.18.2D



KCHMT60.24.2D

## Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
738286	KCHMT29.12.2D	2-drawer mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
738287	KCHMT48.18.2D	4 drawer mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
738288	KCHMT60.24.2D	4 drawer mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9"	364 lb



KCHPT50.6



KCHPT72.9



KCHPT92.12

## Pizza Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
738252	KCHPT50.6	1-door pizza preparation table, 50", R290 refrigerant gas, +33/+41°F, stainless steel	47,4"x41,3"x32,3"	311 lb
738253	KCHPT72.9	2-door pizza preparation table, 72", R290 refrigerant gas, +33/+41°F, stainless steel	70,8"x41,3"x32,3"	434 lb
738254	KCHPT92.12	3-door pizza preparation table, 92", R290 refrigerant gas, +33/+41°F, stainless steel	94,2"x41,3"x32,3"	564 lb

# THE FREEZERS





KCHRI25RIDFE



KCHRI27R1DFE



KCHRI27R2HDF



KCHRI54R2DFE



KCHRI81R3DF

## Upright Reach in Freezers

PNC	model	description	unit WxHxD	shipping weight
738279	KCHRI25RIDFE	25 cu ft. Single Door reach in freezer, Back Room Application	30.6"x77.6"x28.8"	275 lb
738244	KCHRI27R1DFE	1-door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F - Energy Star	26,8"x82,3"x32,7"	326 lb
738285	KCHRI27R2HDF	2-half door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F	26,8"x82,3"x31,9"	337 lb
738245	KCHRI54R2DFE	2-door reach-in freezer, stainless steel, 54 cubic feet, R290 refrigerant gas, -9°F - Energy Star	53,9"x82,3"x32,7"	498 lb
738246	KCHRI81R3DF	3-door reach-in freezer, stainless steel, 81 cubic feet, R290 refrigerant gas, -9°F	81"x82,3"x32,7"	776 lb



KCHGM26F



KCHGM48F



KCHGM72F

## Merchandiser Reach in Freezers

PNC	model	description	unit WxHxD	shipping weight
738250	KCHGM26F	1-glass door merchandiser freezer, black, 26 cubic feet, R290 refrigerant gas, -9°F	28,3"x79,5"x33,9"	353 lb
738309	KCHGM48F	2-glass door merchandiser freezer, black, 48 cubic feet, R290 refrigerant gas, -9°F	54"x79,5"x31,9"	564 lb
738310	KCHGM72F	3-glass door merchandiser freezer, black, 72 cubic feet, R404a refrigerant gas, -9°F	81"x79,5"x31,9"	820 lb



KCHUC27F



KCHUC48F

## Undercounter Freezers

PNC	model	description	unit WxHxD
738265	KCHUC27F	1-door undercounter freezer, 27", R290 refrigerant gas, -9°F, stainless steel	32"x31"x76"
738266	KCHUC48F	2-door undercounter freezer, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x35,5"x29,9"



KCHUCWT27F



KCHUCWT48F

## Undercounter Freezers with worktop

PNC	model	description	unit WxHxD
738303	KCHUCWT27F	1-door undercounter freezer with worktop, 27", R290 refrigerant gas, -9°F, stainless steel	27,8"x39,4"x29,9"
738304	KCHUCWT48F	2-door undercounter freezer with worktop, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x39,4"x29,9"

**\* Chest Freezers**  
**1 Year Parts and Labor - 5 Year Compressor warranty**



KCCF073WS



KCCF140WH



KCCF170WH



KCCF210WH

## Chest Freezers Solid Lid

PNC	model	description	unit WxHxD	shipping weight
738089	KCCF073WS	7 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38"x22"x33"	101 lb
738230	KCCF140WH	14 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	51.75"x29.3"x36"	187 lb
738231	KCCF170WH	17 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5"x29.3"x36.5"	205 lb
738232	KCCF210WH	21 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71"x29.3"x36"	240 lb

**\* Novelty Glass Lid Chest Freezers**  
**1 Year Parts and Labor - 5 Year Compressor warranty**



KCNF073WS



KCNF140WH



KCNF170WH

## Chest Freezers Glass Lid

PNC	model	description	unit WxHxD	shipping weight
738090	KCNF073WS	7 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38"x20.75"x33"	115 lb
738233	KCNF140WH	14 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5"x27.3"x35"	194 lb
738234	KCNF170WH	18 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71"x27.3"x35"	243 lb





DISHWASHERS  
by ELECTROLUX

No Hot Water Line Required  
No Pressure Boost Required



MODEL	DESCRIPTION
504291	VDH63 Hoodtype Dishwasher 208v/3ph
504294	VDH63/1 Hoodtype Dishwasher 208v/1ph
864242	2 cutlery containers
867002	1 dinner/plate rack <span style="float: right;">Included Accessories</span>
867007	1 glass/cup rack
502376	VLAIG8 Undercounter Dishwasher w/ drain pump 208v 60hz
502737	VLAIG8 Undercounter Dishwasher w/ drain pump 240v 60hz
864242	2 cutlery containers
867002	1 dinner/plate rack <span style="float: right;">Included Accessories</span>
867007	1 glass/cup rack





401



522

**Soft Serve/ Yogurt Machines \***

401	208V/60/1	five 4 oz servings per minute, 20 qt capacity
407	115V/60/1	two 4 oz servings per minute, 7 qt capacity
DF200	115V/60/1	two 3 oz servings per minute, 7 qt capacity

**Twist Soft Serve/ Yogurt Machines \***

501	208V/60/1	four 4 oz servings per minute per side 11 qt capacity per side - <b>Countertop model</b>
522	208V/60/1*	seven 4 oz servings per minute per side 17 qt capacity per side - <b>Floor model</b>

\* Two separate circuits required.



**Frozen Beverage Machines \***

704	208V/60/1	28 gallons per hour, 35 qt capacity
707	115V/60/1	8 gallons per hour, 20 qt capacity



704



608S



**Smoothie Machine \***

608S	115V/60/1	three 12 oz servings per minute, 20 qt capacity
------	-----------	---

**Flurry/ Shake Mixture**

Cyclone	115V	High Speed Compact Mixer
---------	------	--------------------------



Made in USA



The logo features the word "SECO" in a bold, blue, sans-serif font on a white background, followed by "SELECT" in a smaller, blue, spaced-out font on a white background. The entire logo is enclosed in a white rectangular border with a blue and red gradient background behind it.

**SECO** SELECT

TEST OUR METAL™

- Fully insulated
- Patented Armor heating for quality food holding
- Holds up to 32 steam table pans



Road Warrior



**Custom serving lines  
to meet your exact needs**





# Holding, Transport, Serving

SESCO is proud to Offer Seco Solutions!



# Mobile Heated Cabinet

## BUILT BETTER, FROM THE FRAME UP.

The strength and reliability of SECO Select® stainless steel heated holding cabinets begins with a strong, solid frame. This rigid steel structure supports our equipment and protects the food and materials stored within it.



1-1/2" x 1-1/2" x 1/8" welded steel frame

Hinges and latches mounted to the frame (drilled/tapped)

5/16" caster plates, welded on all four sides, drilled and tapped for secure fastening of casters

Powder Coated frame for superior corrosion resistance



*Super Holding Cabinets*

*Road Warrior*



*Banquet Carts*

Road Ready with all the options you need to deliver your food to remote locations!

*Flexibility is Engineered into the products -*

*Rugged, Reliable, Energy Efficiency*



*Countertop Food Warmers*

*Wet or Dry Food wells  
Available with 2-6 wells*



*Cabinet Wells*