

SESCO

Food Service Equipment



PRODUCT Guide

When you need it
yesterday



Many products able to ship
same day if ordered by noon

* Call for details



| | |
|------------|---|
| President | Dan Farmer - danf@sesco.biz - 614.296.6894 |
| VP Sales | Rylie Church - rylie@sesco.biz - 513.262.5932 |
| VP Bus Dev | Mike Rykaceski - miker@sesco.biz - 412.860.2665 |

| | |
|-------------|---|
| Northern OH | Paul Asturi - paula@sesco.biz - 216.406.4198 |
| Central OH | Eric DiMatteo - @sesco.biz - 216.308.6528 |
| Southern OH | Sean Church - seanc@sesco.biz - 513.917.1555 |
| Eastern OH | Mike Rykaceski - miker@sesco.biz - 412.860.2665 |
| N West OH | Kelly Johnson - kellyj@sesco.biz - 734.476.1401 |

2025

* Please contact customer service to check availability
as we strive to maintain proper inventory levels.

Revised 7-2025

SESCO
5705 Valley Belt Rd
Independence, OH 44131

Main: 800.222.0558
Fax: 800.251.7717

WWW.SESCO.BIZ

Panasonic

Quick Ship **PRODUCTS**



| Model | Required Power | Receptacle Required | Exterior / Interior | Cavity Dimensions (wxdxh) |
|---|--------------------------------|----------------------------|----------------------------|------------------------------|
| 1000 Watt OCS | | | | |
| NE-1025F | 120v (13.4A) | NEMA 5-15 R or NEMA 5-20 R | S/S Door, Steel Ext & Int. | 13 x 13"x 8 1 16" " |
| NE-1054F | 120v (13.4A) | NEMA 5-15 R or NEMA 5-20 R | S/S Door, Steel Ext & Int. | 13 x 13"x 8 1 16" " |
| NE-1064F | 120v (13.4A) | NEMA 5-15 R or NEMA 5-20 R | S/S Ext. & Int. | 13 x 13"x 8 1 16" " |
| 1200 Watt Pro I | | | | |
| NE-12521 | 120v (17.7A) | NEMA 5-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| NE-12523 | 120v (17.7A) | NEMA 5-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| 1700 Watt Pro I | | | | |
| NE-17521 | 208V (14.3A), 230-240V (13.1A) | NEMA 6-15 or NEMA 6-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| NE-17523 | 208V (14.3A), 230-240V (13.1A) | NEMA 6-15 or NEMA 6-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| NE-17723 | 208V (14.3A), 230-240V (13.1A) | NEMA 6-15 or NEMA 6-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| 2100 Watt Pro I | | | | |
| NE-21521 | 208V (16.6A), 230-240V (15.3A) | NEMA 6-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| NE-21523 | 208V (16.6A), 230-240V (15.3A) | NEMA 6-20 R | S/S Ext. & Int. | 13" x 12" x 6 7 8" |
| SONIC STEAMERS | | | | |
| 2100 Watt | | | | |
| NE-2180 | 208V (20.0A), 230-240V (18.0A) | 30 Amp, NEMA 6-20 R | S/S Ext. & Int. | 21-1/16 x 13" x 9-7/8" " |
| 3200 Watt | | | | |
| NE-3280 | 208V (28.0A), 230-240V (25.3A) | 30 Amp, NEMA 6-30 R | S/S Ext. & Int. | 21-1/16 x 13" x 9-7/8" " |
| Hi-SPEED OVEN | | | | |
| Convection, Broil, Microwave Combination | | | | |
| NE-SCV2NAPR | 208V (20.0A), 230-240V (18.0A) | 30 Amp, NEMA 6-20 R | S/S Ext. & Int. | 10-5/8 "x 13" x 4-5/16" |
| RICE COOKER | | | | |
| | | Cup / Servings | | |
| SR-GA721L | 208V (10.8A) | 80-cup 168 Servings | Silver | 21" x 19" x 14" |
| SR-GA541H | 120v (15.0A) | 60-cup 123 Servings | Silver | 16 9/10" x 14 4/6" x 14 1/6" |
| SR-GA541FH | 120v (15.0A) | 60-cup 123 Servings | Silver | 16 9/10" x 14 4/6" x 14 1/6" |
| SR-GA421FH | 120v (12.9A) | 46-cup 94 Servings | White | 16 7/8" x 10 1/2" x 11 7/8" |
| SR-42HZP | 120v (12.9A) | 46-cup 94 Servings | Silver | 16 7/8" x 10 1/2" x 11 7/8" |
| SR-2363ZW | 120v (12.9A) | 40-cup 70 Servings | White Stripe Ext | 16 9/10" x 14 4/5" x 14 1/5" |

NEW!

SONIC CHEF

Panasonic

COMMERCIAL HIGH-SPEED OVEN



Convection
Broil
Microwave

6 - Heating Patterns!



NE-SCV2NAPR

Compact
Stackable

See the Video



Powered by microwave technology

**Get an energy-saving connectionless steamer -
and for a whole lot less**

No hood, no plumbing, no de-liming

Foods The Sonic Steamer Excels in:

| | |
|-----------------|------------------------|
| Vegetables | Thawing frozen soups |
| Seafood | Scrambled Eggs |
| Rice and Grains | Rethermaling all foods |
| Pastas | Fast boost heating |



See the Video

Panasonic



NE-2180
NE-3280

**Retains up to 7X more water-soluble
nutrients in foods than conventional methods**

Instant Steam Convenient Plug-in Saves Energy

COMMERCIAL ELECTRIC RICE COOKERS



See the Video

Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.



EXCLUSIVE FEATURES



FOOD ZONE

Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.



WATER DISTRIBUTION TUBE

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



DUAL EXHAUST

Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit.



ONE-TOUCH CLEANING

One touch to sanitize, one touch to de-lime. LEDs signal when cleaning is required.



Half Cube 7/8" x 7/8" x 3/8"

Full Size Cube Style also available - Call SESCO

| 30" Wide Half Size Cube (W)idth x (D)epth x (H)eight inches | Model Number | Ice Production lbs (kg)/24 hr @ | | Condensing Unit | Voltage Characteristics | Approximate Shipping Weight lbs (kg) |
|--|-----------------|------------------------------------|------------------------|--------------------|----------------------------|---|
| | | 70°F Air 50°F Water | 90°F Air 70°F Water | | | |
| <p>CIM0330 ON B55</p> | CIM0330HA | 313 | 244 | Air | 115/60/1 | 145 (65.7) |
| | CIM0330HW | 316 | 274 | Water | 115/60/1 | 145 (65.7) |
| | CIM0430HA | 435 | 320 | Air | 115/60/1 | 155 (70.3) |
| | CIM0430HW | 460 | 380 | Water | 115/60/1 | 155 (70.3) |
| | CIM0530HA | 561 | 432 | Air | 115/60/1 | 155 (70.3) |
| | CIM0530HW | 586 | 533 | Water | 115/60/1 | 155 (70.3) |
| | CIM0636HA | 600 | 455 | Air | 208-230/60/1 | 160 (72.5) |
| | CIM0636HW | 620 | 415 | Water | 208-230/60/1 | 160 (72.5) |
| High Production 30" Wide 30" W x 24.25"D x 26.9"H | | | | | | |
| | CIM0836HA | 896 | 711 | Air | 208-230/60/1 | 220 (100) |
| | CIM1136HA | 932 | 762 | Air | 208-230/60/1 | 230 (105) |

| 22" Wide Half Size Cube (W)idth x (D)epth x (H)eight inches | Model Number | Ice Production lbs (kg)/24 hr @ | | Condensing Unit | Voltage Characteristics | Approximate Shipping Weight lbs |
|--|-----------------|------------------------------------|------------------------|--------------------|----------------------------|--|
| | | 70°F Air 50°F Water | 90°F Air 70°F Water | | | |
| <p>CIM0320 ON B42</p> | CIM0320HA | 313 | 244 | Air | 115/60/1 | 150 |
| | CIM0520HA | 561 | 432 | Air | 115/60/1 | 165 |

Water Filters

Limitless

Fit for any space.





Our exclusive, groundbreaking technology is designed to discharge hot air from both the side and top of the unit, making it the ultimate solution for tight spaces regardless of air flow requirements.





Ask us how a water filter can extend a CIM Series cuber evaporator warranty



IT'S IN STOCK -


Many other sizes available - including 48" Wide Sizes, Full Size Cube, Remote Systems, and Flaker units also. Call SESCO for details.

| Half Size Cube Model Dimensions (W)idth x (D)epth x (H)eight inches | Model Number | Ice Production lbs (kg)/24 hr @ | | Application Bin Storage lbs (kg) | Condensing Unit | Voltage Characteristics | Approximate Shipping Weight lbs (kg) |
|---|-----------------|--------------------------------------|--------------------------------------|---|--------------------|----------------------------|---|
| | | 70°F (21°C) Air 50°F (10°C) Water | 90°F (32°C) Air 70°F (21°C) Water | | | | |
|  | ICEU220HA | 238 (108) | 175 (79) | 70 (32) | Air | 115/60/1 | 160 (73) |
|  | | | | | | | |
|  | ICEU300HA | 309 (140) | 205 (92) | 97 (44) | Air | 115/60/1 | 206 (93) |
|  | | | | | | | |

|   | Model Number | Machine Height Standard/ Short Leg (in)** | Ice Production lbs / 24 hr @ 70°F Air/ 50°F Water | Ice Production lbs / 24 hr @ 90°F Air/ 70°F Water | Bin Storage (lbs) | Condensing Unit | Voltage Units | Ship Weight (lbs) |
|--|-----------------|---|--|--|-------------------------|--------------------|------------------|-------------------------|
| | UCG060A | 30.25-32 / 27.375-27.75 | 63 | 45 | 17.5 | Air | 115/60/1 | 81.5 |
| | UCG080A | 32.25-34 / 29.375-29.75 | 95 | 77.8 | 33 | Air | 115/60/1 | 81.5 |
| | UCG100A | 36-37.75 / 33.125-33.5 | 114 | 91.7 | 48.5 | Air | 115/60/1 | 97 |
| | UCG130A | | 121 | 114.3 | | | | |
| | UCG130GA* | | 121 | 100.5 | | | | |

* Gourmet Grande

| Nugget Ice Model Dimensions 14 7/8" W x 23 7/8" D x 34 3/8" H | Model Number | Ice Production lbs (kg)/24 hr @ | | Condensing Unit | Voltage Characteristics | Approximate Shipping Weight lbs (kg) |
|---|-----------------|--------------------------------------|--------------------------------------|--------------------|----------------------------|---|
| | | 70°F (21°C) Air 50°F (10°C) Water | 90°F (32°C) Air 70°F (21°C) Water | | | |
|  | GEMU090 | 85 (39) | 60 (27) | Air | 115/60/1 | 133 (60.5) |
|  | | | | | | |
| Nugget Ice Model Dimensions 21" W x 24" D x 27" H | Model Number | Ice Production lbs (kg)/24 hr @ | | Condensing Unit | Voltage Characteristics | Approximate Shipping Weight lbs (kg) |
| | | 70°F (21°C) Air 50°F (10°C) Water | 90°F (32°C) Air 70°F (21°C) Water | | | |
| | GEMO450A | 464 (210) | 354 (161) | Air | 115/60/1 | 205 (93) |
| | GEMO650A | 740 (336) | 550 (249) | Air | 115/60/1 | 205 (93) |
| | GEMO956A | 1053 (478) | 753 (342) | Air | 208-230/60/1 | 290 (132) |
| | KBT24 | Bin Kit for (1) GEM or on a 22" bin | | | | 10 (5) |
| | KBT19 | Bin Kit for GEM Series on a 30" bin | | | | 22 (10) |
| | KBT23 | Bin Kit for (1) GEM Series on a B110 | | | | 33 (15) |
| | KBT22 | Bin Kit for (2) GEM on a B110 bin | | | | 33 (15) |

| Storage Bins | Model Number | Application Bin Storage lbs (kg) | Bin Dimensions (W)idth x (D)epth x (H)eight inches (mm) | Approximate Shipping Weight lbs (kg) |
|---|-----------------|--|---|--|
|  | B25 | 242 (110) | 30 x 31 x 28 (762 x 787 x 711) | 74 (34) |
| | B40 | 344 (156) | 30 x 31 x 37 1/2 (762 x 787 x 953) | 103 (47) |
| | B42 | 351 (160) | 22 x 31 x 50 (559 x 787 x 1270) | 99 (45) |
| | B55 | 510 (232) | 30 x 31 x 50 (762 x 787 x 1270) | 125 (57) |
| | B110 | 854 (388) | 48 x 31 x 50 (1219 x 787 x 1270) | 191 (87) |



The Choice of Top Pizza Operators
Contact SESCO today for details

XLT Impingement conveyor ovens

Industry leading performance - at all times - and under load
Unmatched consistency
Reliability - backed by the best warranty available!
Pizza ovens with built-in hood solutions are also offered



Built-In Hood
Solutions

SESCO

Let's talk about the perfect conveyor solution for you

When Pizza is your business
- no oven does better









Pizza Conveyor Ovens & Conveyor Grills



flexeserve™
The Home of Hot-holding

**Transforming operations
Contact SESCO to unlock...**

-  Amazing food quality
-  Extend shelf Life
-  Diverse food range
-  Reduce food waste
-  Unmatched efficiency
-  Happier customers!



**Offer more food variety at
unbelievable quality**



**Manage back-of-house
operations with ease**



**Meet the
game-changers**



Gas



Electric



2 Year Warranty
Parts & Labor
 * Excludes Fryers
 All fryers - 1 year warranty

ROYAL
Quick Ship
Products

CONVECTION OVENS *Gas & Electric*

| MODEL NUMBER | Description |
|--------------|--|
| RCOS-1 | Single Deck gas convection oven |
| RECO-1 | Single deck electric convection oven - 208 or 240 volt only |
| RCOD-1 | Single deck extra deep gas conv oven |
| RECOD-1 | Single deck extra deep electric conv oven - 208 or 240 volt only |
| RCOS-2 | Double Deck gas convection oven |
| RECO-2 | Double deck electric convection oven - 208 or 240 volt only |
| RCOD-2 | Double deck extra deep gas conv oven |
| RECOD-2 | Double deck extra deep electric conv oven - 208 |



STOCK POTS, GRIDDLES, BROILERS, CHEESEMELTERS

| MODEL NUMBER | Description |
|--------------|--------------------------|
| RSP-18-24 | 18" stock pot range |
| RSB-36 | 36" gas salamander |
| RTG-24 | 24" thermostatic griddle |
| RTG-36 | 36" thermostatic griddle |
| RRB-24 | 24" radiant charbroiler |
| RRB-36 | 36" radiant charbroiler |



Mobility Kit for Single and Double Convection Ovens

| | |
|---------|---|
| COCMK-1 | Single Conv Oven – |
| COCMK-2 | Double Conv Oven – casters, 1 point gas manifold kit, 48" gas hose and restrain cable |

Casters for Convection Ovens

| | |
|-------|---|
| COC | Deck Convection Oven |
| COC-2 | Casters only, Double Deck Convection Oven |



Phone: 800.222.0558

Ask SESCO about the Award Winning
 High Efficiency Fryers and Fryer Filter Systems



ROYAL Quick Ship Products

2 Year Warranty

Parts & Labor

* Excludes Fryers

All fryers - 1 year warranty



RANGES *Gas & Electric*

| MODEL NUMBER | Description |
|-----------------|---|
| RR-4 | 4 burner gas range with standard oven |
| RR-6 | 6 burner gas range with standard oven |
| RRE-4 | 4 burner electric range - 208 or 240 volt only |
| RRE-6 | 6 burner electric range - 208 or 240 volt only |
| RR-6C | 6 burner gas range - with convection oven |
| RRE-6C | 6 burner electric range with convection oven 208v or 240v |
| RR-6G24 | 60" gas range - 6 burners, 24" manual griddle |
| RR-6RG24 | 60" gas range - 6 burners, 24" raised griddle/broiler |
| RR-10 | 60" gas range - 10 burners |
| RR-4G36 | 60" gas range - 4 burners, 36" manual griddle |



FRYERS & PASTA COOKER

| MODEL NUMBER | Description |
|-----------------|---------------------------------|
| RFT-50 | 50 lb gas fryer 1Yr Wty |
| RFT-60 | 60 lb gas fryer 1 Yr Wty |
| RFT-75 | 75 lb gas fryer 1 Yr Wty |
| REEF-35 | 40 lb high efficiency gas fryer |
| RCF-25 | 25 lb countertop gas fryer |
| RPC-14 | Royal Pasta Cooker, Gas |



Mobility Kits for Ranges, Fryers

| | |
|------------|---|
| RMK-243648 | - 24", 36" & 48", includes casters (4), 48" gas hose & restrain cable |
| RMK-6072 | Range- 60" and 72", includes casters (6), 48" gas hose & restrain cable |
| FMK | - includes casters, 48" gas hose and restrain cable |

Casters for Ranges, Fryers

| | |
|-----------|---|
| RC-243648 | Casters (4) only, 24", 36" and 48" ranges |
| RC-6072 | Casters (6) only, 60" and 72" ranges |
| FC | Casters only, Gas Fryer |



SESCO

800.222.0558

**Ask SESCO about the Award Winning
High Efficiency Fryers and Fryer Filter Systems**





RF Hunter™

pure oil filtration

| Model | Description |
|----------------------|---|
| ECCO ONE P | Filter Machine Up To 65 Lbs Oil Capacity |
| HF80P | Filter Machine Up To 80 Lbs Oil Capacity |
| HF130P | Filter Machine Up To 130 Lbs Oil Capacity |
| Filter Paper | |
| FE02 | Filter Envelopes 14 X 15.5 |
| FE09 | Filter Envelopes 17.5 X 18.5 |
| Filter Powder | |
| FP22 | Filter Powder Bulk 22 lb. Box |
| FP22C | Filter Powder Packets 3.2 oz |
| FP40100 | Fryer Boil-Out Puck 4 oz Tablet |



HF SERIES



ECCO ONE P



RM1424

| Model | Description |
|--------------------------------------|--|
| Pancake Griddles (Low Grease) | |
| RM1220-8 | 12"X20" 10 ga 2-burner indoor/outdoor |
| RM1423-8 | 14"X23" 7 ga 2-burner rest./outdoor |
| RM1424 | 14"X24" 7 ga 2-burner restaurant |
| RM2323-8 | 23"X23" 7 ga 4-burner restaurant |
| RM2424 | 24"X24" 7 ga 4-burner restaurant |
| Add-On Griddles (High Grease) | |
| MC12-8 | 12"X24"X1.5" deep 7 ga |
| | 2-burner commercial griddle w/ grease tray |
| MC24-8 | 24"X24"X1.5" deep 7 ga |
| | 4-burner commercial griddle w/ grease tray |
| Add-On Broilers | |
| MB12-8 | 2-burner commercial w/ grease tray |
| MB24-8 | 4-burner commercial w/ grease tray |



MC12



MB12

Quick Ship PRODUCTS

blendtec
COMMERCIAL



Connoisseur
825 Pkgs

C825C11Q-B1GB1A
Includes (2) 75 oz FourSide™ jars
C825C11Q-B1GB1D
Includes (2) 90 oz WildSide™ jars



Stealth
885 Pkgs
World's Quietest
Commercial Blender

S885C2901-B1GB1A
Includes (2) 75 oz FourSide™ jars
S885C2901-B1GB1D
Includes (2) 90 oz WildSide™ jars

STEALTH NITRO X



SNBS2C2901-B1K
Includes (2) Micronizers & Stands 41-605-03
(1) set of adapter rings 12, 16, 24, 32 oz
World's Quietest
Commercial Blender

**No Waste - By the Cup
Blending
Stealth Nitro - by Blendtec**



Four Side



Wild Side



JRE-610



JRE-612



Hard Lid



Soft Lid

ACCESSORIES

| | |
|----------------------|---|
| 40-609-60 | (FourSide-V) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black vented Gripper™ lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators, Eastman Tritan™ copolyester construction, SPA-free, clear |
| 40-609-61 | (FourSide-S) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black soft lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear |
| 40-609-62 | (FourSide-H) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black hard lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear |
| 40-630-61 | (WildSide-S) WildSide™ Jar. 90 oz. capacity jar with measurements up to 44 oz. includes black soft lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear |
| 40-630-62 | (WildSide-H) WildSide™ Jar. 90 oz. capacity jar with measurements up to 44oz., includes: black hard lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, BPA-free, clear |
| JRE-610 | (RR) Rapid Rinser™ Sprayer ONLY, includes: 6' flexible nylon-reinforced tubing with 3/8" compression fitting for water hook-up (minimum 60psi recommended) |
| JRE-612 | (RRS) Rapid Rinser™ Station Complete Unit includes: Rapid Rinser™ sprayer & base, 6' flexible nylon-reinforced tubing with 3/8" compression fitting for water hook-up (minimum 30psi recommended), stainless steel nozzle, 120° spray nozzle coverage |
| 40-209-01-SRV | (HardLid-BL) Hard Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack) |
| 40-210-02-SRV | Soft Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack) |

THE REFRIGERATORS



Refrigerators



KCHRI25RIDRE



KCHRI27R1DRE



KCHRI27R2HDR



KCHRI54R2DRE

Upright Reach in Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|--------|--------------|---|-------------------|-----------------|
| 738251 | KCHRI25RIDRE | 25 cu ft. Single Door Reach In Refrigerator, Back Room Application | 30.6"x77.6"x28.8" | 295 lb |
| 738241 | KCHRI27R1DRE | 1-door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star | 26,8"x82,3"x32,7" | 306 lb |
| 738280 | KCHRI27R2HDR | 2-half door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F | 26,8"x82,3"x31,9" | 315 lb |
| 738242 | KCHRI54R2DRE | 2-door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star | 53,9"x82,3"x32,7" | 489 lb |



KCHRI54R4HDR



KCHRI81R3DR



KCHRI27R1GDR



KCHRI54R2GDR

Upright Reach in Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|--------|--------------|---|-------------------|-----------------|
| 738282 | KCHRI54R4HDR | 4-half door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F | 53,9"x82,3"x31,9" | 525 lb |
| 738243 | KCHRI81R3DR | 3-door reach-in refrigerator, stainless steel, 81 cubic feet, R290 refrigerant gas, +33/+41°F | 81"x82,3"x32,7" | 668 lb |
| 738278 | KCHRI27R1GDR | 1-glass door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star | 26,6"x82,3"x31,9" | 366 lb |
| 738281 | KCHRI54R2GDR | 2-glass door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star | 53,9"x82,3"x31,9" | 562 lb |



KCHGM26R



KCHGM12R



KCHGM48R



KCHGM72R

Merchandiser Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|--------|----------|---|-------------------|-----------------|
| 738248 | KCHGM26R | 1-glass door merchandiser refrigerator, black, 26 cubic feet, R290 refrigerant gas, +33/+41°F | 28,3"x79,5"x33,9" | 342 lb |
| 738247 | KCHGM12R | 1-glass door merchandiser refrigerator, black, 12 cubic feet, R290 refrigerant gas, +33/+41°F | 25"x61,8"x26" | 254 lb |
| 738249 | KCHGM48R | 2-glass door merchandiser refrigerator, black, 48 cubic feet, R290 refrigerant gas, +33/+41°F | 54"x79,5"x31,9" | 540 lb |
| 738308 | KCHGM72R | 3-glass door merchandiser refrigerator, black, 72 cubic feet, R290 refrigerant gas, +33/+41°F | 81"x79,5"x31,9" | 732 lb |



KCHUC27R



KCHUC48R



KCHUC60R



KCHUC72R



KCHUC27.2DR

Undercounter Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|--------|-------------|---|-------------------|-----------------|
| 738263 | KCHUC27R | 1-door undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel | 27,8"x35,5"x29,9" | 185 lb |
| 738264 | KCHUC48R | 2-door undercounter refrigerator, 48", R600a refrigerant gas, 33/+41°F, stainless steel | 48,2"x35,5"x29,9" | 278 lb |
| 738291 | KCHUC60R | 2-door undercounter refrigerator, 60", R600a refrigerant gas, 33/+41°F, stainless steel | 61,3"x35,5"x29,9" | 313 lb |
| 738292 | KCHUC72R | 3-door undercounter refrigerator, 72", R600a refrigerant gas, 33/+41°F, stainless steel | 71,5"x35,5"x29,9" | 368 lb |
| 738290 | KCHUC27.2DR | 2-drawer undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel | 27,6"x35,5"x29,9" | 185 lb |

Refrigerators



KCHUCWT27R



KCHUCWT48R



KCHUCWT60R



KCHUCWT72R

Undercounter Refrigerators with worktops

| PNC | model | description | unit WxHxD | shipping weight |
|--------|------------|---|-------------------|-----------------|
| 738299 | KCHUCWT27R | 1-door undercounter refrigerators with worktop, 27", R600a refrigerant gas, 33/+41°F, stainless steel | 27,8"x39,4"x29,9" | 190 lb |
| 738300 | KCHUCWT48R | 2-door undercounter refrigerators with worktop, 48", R600a refrigerant gas, 33/+41°F, stainless steel | 48,2"x39,4"x29,9" | 284 lb |
| 738301 | KCHUCWT60R | 2-door undercounter refrigerators with worktop, 60", R600a refrigerant gas, 33/+41°F, stainless steel | 61,3"x39,4"x29,9" | 320 lb |
| 738302 | KCHUCWT72R | 3-door undercounter refrigerators with worktop, 72", R600a refrigerant gas, 33/+41°F, stainless steel | 71,5"x39,4"x29,9" | 379 lb |



KCHBC36



KCHBC50



KCHBC65



KCHBC95

Horizontal Bottle Coolers

| PNC | model | description | unit WxHxD | shipping weight |
|--------|---------|---|---------------|-----------------|
| 738294 | KCHBC36 | 1-door bottle cooler with slide top, 36", R600a refrigerant gas, +33/+41°C, black | 36,8"x35"x27" | 212 lb |
| 738267 | KCHBC50 | 2-door bottle cooler with slide top, 50", R600a refrigerant gas, +33/+41°C, black | 49,4"x35"x27" | 298 lb |
| 738268 | KCHBC65 | 2-door bottle cooler with slide top, 65", R600a refrigerant gas, +33/+41°C, black | 64,3"x35"x27" | 331 lb |
| 738293 | KCHBC95 | 3-door bottle cooler with slide top, 95", R600a refrigerant gas, +33/+41°C, black | 95,3"x35"x27" | 439 lb |



KCHMC34



KCHMC49



KCHMC58

Milk Coolers

| PNC | model | description | unit WxHxD | shipping weight |
|------------------------|---------|---|-----------------|-----------------|
| 738275 | KCHMC34 | 1-door school milk crate cooler, 34", R290 refrigerant gas, +33/+41°C | 34"x42"x30,6" | 225 lb |
| 738276 | KCHMC49 | 1-door school milk crate cooler, 48", R290 refrigerant gas, +33/+41°C | 49"x42"x30,6" | 277 lb |
| 738277 | KCHMC58 | 1-door school milk crate cooler, 60", R290 refrigerant gas, +33/+41°C | 58,1"x42"x30,6" | 300 lb |



KCHBB48S



KCHBB60S



KCHBB72S



KCHBB48G

Back Bar Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|------------------------|----------|--|-------------------|-----------------|
| 738269 | KCHBB48S | 2-door back bar refrigerator with black solid door, 48", R290 refrigerant gas, +33/+41°C | 49,1"x36,3"x24,4" | 265 lb |
| 738270 | KCHBB60S | 2-door back bar refrigerator with black solid door, 60", R290 refrigerant gas, +33/+41°C | 61,1"x36,3"x24,4" | 309 lb |
| 738271 | KCHBB72S | 3-door back bar refrigerator with black solid door, 72", R290 refrigerant gas, +33/+41°C | 73,1"x36,3"x24,4" | 346 lb |
| 738272 | KCHBB48G | 2-door back bar refrigerator with glass door, 48", R290 refrigerant gas, +33/+41°C | 49,1"x36,3"x24,4" | 306 lb |

Refrigerators



KCHBB60G



KCHBB72G



KCHBB48SS



KCHBB60SS



KCHBB72SS

Back Bar Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|--------|-----------|--|-------------------|-----------------|
| 738273 | KCHBB60G | 2-door back bar refrigerator with glass door, 60", R290 refrigerant gas, +33/+41°C | 61,1"x36,3"x24,4" | 317 lb |
| 738274 | KCHBB72G | 3-door back bar refrigerator with glass door, 72", R290 refrigerant gas, +33/+41°C | 73,1"x36,3"x24,4" | 417 lb |
| 738305 | KCHBB48SS | 2-door back bar refrigerator with stainless steel solid door, 48", R290 refrigerant gas, +33/+41°C | 49,1"x36,3"x24,4" | 273 lb |
| 738306 | KCHBB60SS | 2-door back bar refrigerator with stainless steel solid door, 60", R290 refrigerant gas, +33/+41°C | 61,1"x36,3"x24,4" | 320 lb |
| 738307 | KCHBB72SS | 3-door back bar refrigerator with stainless steel solid door, 72", R290 refrigerant gas, +33/+41°C | 73,1"x36,3"x24,4" | 359 lb |



KCHBBD1D1T



KCHBBD2D1T



KCHBBD2D2T



KCHBBD3D2T

Back Bar Refrigerators

| PNC | model | description | unit WxHxD | shipping weight |
|--------|------------|---|-----------------|-----------------|
| 738295 | KCHBBD1D1T | 1-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 25", R290 refrigerant gas, +33/+41°C | 24"x29,9"x33,9" | 165 lb |
| 738296 | KCHBBD2D1T | 2-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 48", R290 refrigerant gas, +33/+41°C | 49"x24,5"x36,3" | 282 lb |
| 738297 | KCHBBD2D2T | 2-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 42", R290 refrigerant gas, +33/+41°C | 49"x24,5"x36,3" | 287 lb |
| 738298 | KCHBBD3D2T | 3-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 72", R290 refrigerant gas, +33/+41°C | 73"x24,5"x36,3" | 392 lb |



KCHCB48R



KCHCB60R



KCHCB72R

Chef Bases

| PNC | model | description | unit WxHxD | shipping weight |
|------------------------|----------|--|---------------|-----------------|
| 738313 | KCHCB48R | 2-drawer chef refrigerated base, 48", R290 refrigerant gas, +33/+41°C, stainless steel | 50"x31,9"x26" | 260 lb |
| 738311 | KCHCB60R | 2-drawer chef refrigerated base, 60", R290 refrigerant gas, +33/+41°C, stainless steel | 62"x31,9"x26" | 322 lb |
| 738312 | KCHCB72R | 4-drawer chef refrigerated base, 72", R290 refrigerant gas, +33/+41°C, stainless steel | 74"x31,9"x26" | 362 lb |

Refrigerators



KCHST27.8



KCHST48.12



KCHST60.16



KCHST70.18

Sandwich/Salad Preparation Tables

| PNC | model | description | unit WxHxD | shipping weight |
|--------|------------|---|-------------------|-----------------|
| 738255 | KCHST27.8 | 1-door sandwich/salad preparation table for 6 GN 1/6+2 GN 1/9 containers, 27", R290 refrigerant gas, +33/+41°F, stainless steel | 28,9"x43,3"x29,9" | 236 lb |
| 738256 | KCHST48.12 | 2-door sandwich/salad preparation table for 12 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel | 48,3"x43,3"x29,9" | 335 lb |
| 738257 | KCHST60.16 | 2-door sandwich/salad preparation table for 16 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel | 61,3"x43,3"x29,9" | 320 lb |
| 738258 | KCHST70.18 | 3-door sandwich/salad preparation table for 18 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel | 71,7"x43,3"x29,9" | 419 lb |



KCHMT29.12



KCHMT48.18



KCHMT60.24



KCHMT70.30

Mega Top Tables

| PNC | model | description | unit WxHxD | shipping weight |
|--------|------------|---|-------------------|-----------------|
| 738259 | KCHMT29.12 | 1-door mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel | 28,9"x43,3"x31,9" | 231 lb |
| 738260 | KCHMT48.18 | 2-door mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel | 48,3"x43,3"x31,9" | 320 lb |
| 738261 | KCHMT60.24 | 2-door mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel | 61,3"x43,3"x31,9" | 364 lb |
| 738262 | KCHMT70.30 | 3-door mega top preparation table for 30 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel | 71,7"x43,3"x31,9" | 408 lb |



KCHMT29.12.2D



KCHMT48.18.2D



KCHMT60.24.2D

Mega Top Tables

| PNC | model | description | unit WxHxD | shipping weight |
|------------------------|---------------|---|-------------------|-----------------|
| 738286 | KCHMT29.12.2D | 2-drawer mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel | 28,9"x43,3"x31,9" | 231 lb |
| 738287 | KCHMT48.18.2D | 4 drawer mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel | 48,3"x43,3"x31,9" | 320 lb |
| 738288 | KCHMT60.24.2D | 4 drawer mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel | 61,3"x43,3"x31,9" | 364 lb |



KCHPT50.6



KCHPT72.9



KCHPT92.12

Pizza Preparation Tables

| PNC | model | description | unit WxHxD | shipping weight |
|------------------------|------------|---|-------------------|-----------------|
| 738252 | KCHPT50.6 | 1-door pizza preparation table, 50", R290 refrigerant gas, +33/+41°F, stainless steel | 47,4"x41,3"x32,3" | 311 lb |
| 738253 | KCHPT72.9 | 2-door pizza preparation table, 72", R290 refrigerant gas, +33/+41°F, stainless steel | 70,8"x41,3"x32,3" | 434 lb |
| 738254 | KCHPT92.12 | 3 door pizza preparation table, 92", R290 refrigerant gas, +33/+41°F, stainless steel | 94,2"x41,3"x32,3" | 564 lb |

THE FREEZERS





KCHRI25RIDFE



KCHRI27R1DFE



KCHRI27R2HDF



KCHRI54R2DFE



KCHRI81R3DF

Upright Reach in Freezers

| PNC | model | description | unit WxHxD | shipping weight |
|--------|--------------|---|-------------------|-----------------|
| 738279 | KCHRI25RIDFE | 25 cu ft. Single Door reach in freezer, Back Room Application | 30.6"x77.6"x28.8" | 275 lb |
| 738244 | KCHRI27R1DFE | 1-door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F - Energy Star | 26,8"x82,3"x32,7" | 326 lb |
| 738285 | KCHRI27R2HDF | 2-half door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F | 26,8"x82,3"x31,9" | 337 lb |
| 738245 | KCHRI54R2DFE | 2-door reach-in freezer, stainless steel, 54 cubic feet, R290 refrigerant gas, -9°F - Energy Star | 53,9"x82,3"x32,7" | 498 lb |
| 738246 | KCHRI81R3DF | 3-door reach-in freezer, stainless steel, 81 cubic feet, R290 refrigerant gas, -9°F | 81"x82,3"x32,7" | 776 lb |



KCHGM26F



KCHGM48F



KCHGM72F

Merchandiser Reach in Freezers

| PNC | model | description | unit WxHxD | shipping weight |
|--------|----------|--|-------------------|-----------------|
| 738250 | KCHGM26F | 1-glass door merchandiser freezer, black, 26 cubic feet, R290 refrigerant gas, -9°F | 28,3"x79,5"x33,9" | 353 lb |
| 738309 | KCHGM48F | 2-glass door merchandiser freezer, black, 48 cubic feet, R290 refrigerant gas, -9°F | 54"x79,5"x31,9" | 564 lb |
| 738310 | KCHGM72F | 3-glass door merchandiser freezer, black, 72 cubic feet, R404a refrigerant gas, -9°F | 81"x79,5"x31,9" | 820 lb |

Freezers



KCHUC27F



KCHUC48F

Undercounter Freezers

| PNC | model | description | unit WxHxD |
|--------|----------|---|-------------------|
| 738265 | KCHUC27F | 1-door undercounter freezer, 27", R290 refrigerant gas, -9°F, stainless steel | 32"x31"x76" |
| 738266 | KCHUC48F | 2-door undercounter freezer, 48", R290 refrigerant gas, -9°F, stainless steel | 48,2"x35,5"x29,9" |



KCHUCWT27F



KCHUCWT48F

Undercounter Freezers with worktop

| PNC | model | description | unit WxHxD |
|--------|------------|--|-------------------|
| 738303 | KCHUCWT27F | 1-door undercounter freezer with worktop, 27", R290 refrigerant gas, -9°F, stainless steel | 27,8"x39,4"x29,9" |
| 738304 | KCHUCWT48F | 2-door undercounter freezer with worktop, 48", R290 refrigerant gas, -9°F, stainless steel | 48,2"x39,4"x29,9" |

* Chest Freezers
1 Year Parts and Labor - 5 Year Compressor warranty



KCCF073WS



KCCF140WH



KCCF170WH



KCCF210WH

Chest Freezers Solid Lid

| PNC | model | description | unit WxHxD | shipping weight |
|--------|-----------|---|-------------------|-----------------|
| 738089 | KCCF073WS | 7 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 38"x22"x33" | 101 lb |
| 738230 | KCCF140WH | 14 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 51.75"x29.3"x36" | 187 lb |
| 738231 | KCCF170WH | 17 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 59.5"x29.3"x36.5" | 205 lb |
| 738232 | KCCF210WH | 21 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 71"x29.3"x36" | 240 lb |

* Novelty Glass Lid Chest Freezers
1 Year Parts and Labor - 5 Year Compressor warranty



KCNF073WS



KCNF140WH



KCNF170WH

Chest Freezers Glass Lid

| PNC | model | description | unit WxHxD | shipping weight |
|--------|-----------|---|-----------------|-----------------|
| 738090 | KCNF073WS | 7 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 38"x20.75"x33" | 115 lb |
| 738233 | KCNF140WH | 14 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 59.5"x27.3"x35" | 194 lb |
| 738234 | KCNF170WH | 18 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty. | 71"x27.3"x35" | 243 lb |



| MODEL | DESCRIPTION |
|-----------------------------------|---|
| MILK DISPENSERS | |
| SKMAJ1-ESUS4 | Milk Dispenser 1 valve, with crate |
| SKMA2-ESUS4 | Milk Dispenser 2 valve, with crates |
| SKMAJ3-ESUS4 | Milk Dispenser 3 valve, with crates |
| DISPLAY CASE | |
| SKRM48-EGUS1 | Display Case Mirrored Back |
| ICE CREAM UNITS | |
| SKRNB27-ESUS2 | Fountainette W/O Pumps & Jars |
| SKEFT15-ELUS1 | Ice Cream Freezer Two Facing |
| LETTUCE | |
| SKDL25-ESUS2 | Lettuce Crisper/Dispenser |
| PREP TABLES | |
| SKPS8A-ELUS1 | Silver King Counter Top Prep Table - Pan Rail (8) 1/6 pan capacity |
| SKPS12A-ELUS1 | Silver King Counter Top Prep Table - Pan Rail (12) 1/6 pan capacity |
| UNDERCOUNTER REFRIGERATORS | |
| SKER48-SD-1-BK1 | 48" Undercounter Refrigerator |
| SKR27A/C10 | 27" Undercounter Refrigerator |

Contact SESCO for Silver King solutions Including:
 Chef Base Solutions, Dairy Dispensers, Undercounters, Drop In Freezers,
 Mobile Freezers, Prep Tables, and Shelf Refrigerators



| MODEL | DESCRIPTION |
|------------------------|--|
| TOASTING | |
| 297-T20 | Toaster Slim Line Bun-120V |
| TIMERS | |
| 740-T2 | Timer Single Func on 2 Ch |
| 740-T4 | Timer Single Func on 4 Ch |
| 740-T8 | Timer Single Func on 8 Ch |
| 740-T12 | Timer Single Func on 12 Ch |
| HOLDING | |
| DHB-P1A | Dedicated Holding Bin, Countertop |
| 541-723E4S | Kit, Pan Cover (Pkg Of 4) |
| MODULAR HOLDING | |
| MHB100MB-NA | Main Base, Modular, 115VAC |
| MHB100HM1-SS | Single Sided Holding Module 120V |
| MHB100EB | Expansion Base, Modular |
| MHB100HM1 | Holding Module, 110V |
| SABER KING | |
| 980-000-00 | Saber King Chassis |
| 980-000-10A | Saber King Tomato Blade Pusher Set 3/16 Inch |
| 980-000-20A | Saber King Onion Blade Pusher Set 3/16 Inch |
| 980-000-33A | Saber King Lettuce Blade Pusher Set 1 x 2 Inch |
| TOMATO SABER | |
| 943-A | Tomato Saber, 3/16in (Std Line) |
| BAGEL SABER | |
| 970-A | Bagel Saber |
| CITRUS SABER | |
| CW-6 | Citrus Saber -Yellow (8 Sec on) |
| DISPENSING | |
| 136-1 | Dispenser Bottles (Case of 9) |
| 580-NMCC | Sauce Dispenser 1/3 Oz Red |
| 581-NMCC | Sauce Dispenser White 1/2 Oz |
| 582-NMCC | Sauce Dispenser Black 2/3 Oz |
| 583-NMCC | Sauce Dispenser Green 1 Oz |



DISHWASHERS by ELECTROLUX



No Hot Water Line Required
No Pressure Boost Required

Undercounter Dishwashers

| Description | Model |
|---|--------|
| Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 208V/1N/60Hz 6.85 ElekW 208 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 165 ft³ 17.68 | VLA1G8 |
| Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 240V/1N/60Hz 6.85 ElekW 240 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 174 ft³ 17.68 | VLA1G4 |



Hood Type Dishwashers

| Description | Model |
|---|---------|
| Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 1ph/ 60Hz 9.90 ElekW 208 V 1 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 304 ft³ 43.27 | VDH63-1 |
| Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 3ph/ 60Hz 12.90 ElekW 208 V 3 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 311 ft³ 43.27 | VDH63 |



Ask SESCO today about Veetsan
The best value in dishwashing!



Quick Ship PRODUCTS



522



401

Soft Serve/ Yogurt Machines *

| | | |
|-------|-----------|---|
| 401 | 208V/60/1 | five 4 oz servings per minute, 20 qt capacity |
| 407 | 115V/60/1 | two 4 oz servings per minute, 7 qt capacity |
| DF200 | 115V/60/1 | two 3 oz servings per minute, 7 qt capacity |

Twist Soft Serve/ Yogurt Machines *

| | | |
|-----|------------|---|
| 501 | 208V/60/1 | four 4 oz servings per minute per side 11 qt capacity per side - Countertop model |
| 522 | 208V/60/1* | seven 4 oz servings per minute per side 17 qt capacity per side - Floor model |

* Two separate circuits required.



Frozen Beverage Machines *

| | | |
|-----|-----------|-------------------------------------|
| 704 | 208V/60/1 | 28 gallons per hour, 35 qt capacity |
| 707 | 115V/60/1 | 8 gallons per hour, 20 qt capacity |



608S



704

Smoothie Machine *

| | | |
|------|-----------|---|
| 608S | 115V/60/1 | three 12 oz servings per minute, 20 qt capacity |
|------|-----------|---|

Flurry/ Shake Mixture

| | | |
|---------|------|--------------------------|
| Cyclone | 115V | High speed Compact mixer |
|---------|------|--------------------------|



Made in USA



ACCUFREEZE™
TECHNOLOGY

Call your **SESCO** Territory Manager for a professional consultation!

SECO SELECT

TEST OUR METAL™

SH14UA

- Fully insulated
- Patented Armor heating for quality food holding
- Holds 18" X 26" or 14" x 18 Trays & 12" x 20" Pans



Road Warrior



Contact SESCO for SECO Select solutions including Custom Serving Lines, Breakfast Carts, and much more...



QuickShip
32 sizes of walk-Ins
in 48 hours



Restaurant Coolers

Bakery & Pizza

Brewery - Walk ins

Beer Caves

Warehouse Solutions

Schools / Universities

Restaurant Coolers

Supermarket

Convenience Stores

Labs - Medical Holding

Premium Walk-Ins
In all Sizes



All custom sizes available.

Voted # 1
By Installers For
Ease Of Installation

G-2 QuickShip

- 32 sizes of quick ship walk-ins available to ship within 2 days.
- High quality, heavy duty foamed in place construction that meets all new Dept of Energy guidelines
- Heavy duty welded 12 gauge steel door for strength and rigidity
- G-10 QuickShip

More Choices...ask how
Leer Quick Ship is the most flexible in the Industry.

Add other options such as floor, ramps, membrane roof,
self contained drop-in refrigeration - for most units.
The box still ships quick - in only 10 days!



SESCO
Food Service Equipment

Call For Your Quote Today


800.222.0558
www.sesco.biz



Construction

Retrofit and replacement doors designed & constructed to fit most every application & brand of cold storage units.

Ideal for replacement or new opening requirements. Constructed to the same stringent standards as our original cold storage doors.



Door Dimensions

| Actual Door Opening | Door Swing Radius |
|---------------------|-------------------|
| 18" W x 24" H | 27" |
| 24" W x 24" H | 33 " |
| 24" W x 36" H | 33 " |
| 30" W x 78" H | 39 " |
| 36" W x 78" H | 45 " |
| 36" W x 84" H | 45 " |
| 42" W x 78" H | 51" |
| 42" W x 84" H | 51" |
| 48" W x 78" H | 57 " |
| 48" W x 84" H | 57" |

Standard Features:

- Pre-hung in jamb frame or face frame
- 26-gauge, stucco-embossed steel
- Class 1, urethane-insulated door
- Heavy-duty, brushed chrome hardware
- Cam lift spring-assisted hinges
- Lockable latch and safety release handle
- Magnetic door gasket and double-sweep gasket
- Replaceable, anti-condensate heat wire (freezer only)
- Constructed for cooler or freezer application
- Door closer



Call SESCO for details



Stainless design.
Stellar performance.
Superior value.



Arctic Air Refrigeration Products

Ask SESCO today for how Arctic Air products can help your team

Modular[®]

Foodservice Dispensers



Simpli-Flex Cup

1015023
SF2000 Cup Dispenser
23"x5"

Simpli-Flex Cone

1003846
SF1002 (1905842 gasket)
Cone Dispenser 24"x 4"

1003848
SF1002P w/ plastic tube
(1905842 gasket)
Cone Dispenser 31"x 4"

1003850
SF1002P w/ plastic tube
(1905842 gasket)
Cone Dispenser 19"x 31.13"

1007710
SF1002P w/ plastic tube
(1905842 gasket)
Cone Dispenser 31"x3.13"



Z-STAND 1008-30Z

1003865
for 3 cup/lid disp



Napkin

In-Counter Dispenser
1003971
6 1/2"D x 10 1/2"H x 8 1/4"W



Simpli-Flex Cup Dispenser

In-Counter / Cabinet Mount
1007699
CSF1003 for extra small / portion cups
24"L x 3" Dia

1015201
CSF1005 for large cups
24"L x 5" Dia



Simpli-Flex Cup Dispenser

Wall / Stand Mount
1007516
SF1003 for extra small / portion cups
16"L x 3 1/8" Dia



Countertop Adjustable Lid Dispenser

1004056
19" Wide 4 dividers

A NEW GENERATION IN STEAMING!



Boilerless 6 pan and 12 pan

Steam Generator



Quick Change Steam Generator 10 and 6 Pan Cabinets

Generators can be
be changed in minutes

- * #1 Rated Commercial Steamer
in Speed and Efficiency
- * Energy Star Approved
- * Highest Production
Fastest Recovery in the Industry



Boilerless-12 Pan



Blue Flame

Product of the Year Award Winner



For more information
Contact SESCO today

Foodservice Products Group, Inc.

Alegacy®



Contact SESCO for more details...
and many more smallware solutions!

BakeMax

Bringing Solutions since 1966

Think Quality - Think Value - Think Service - Think BakeMax



Pizza Warmer
Display Cases



Mixers



Single Pass
& Double Pass
Sheeters



Manual and Automatic
Pizza / Tortilla Presses



Deck Oven
with Proofer



Grinders

Slicers



Conveyor Toasters
& Conveyor Bakers



Heated Display Cases
& Refrigerated Display Cases



Global Refrigeration, Inc.



**MADE
IN THE
USA**

High Quality Ice Cream Cases
and Hardening Cabinets

Contact SESCO today for information
on Global Refrigeration Products



USA & GLOBAL
MANUFACTURING

75
YEARS of INNOVATION

Innovation. Experience. Quality.

Contact SESCO for information on
Winholt products and stainless
steel fabrication

Contact SESCO for Details
800.222.0558
www.sesco.biz

gti

DESIGNS



GELATO / ICE CREAM DISPLAYS



PASTRY & BAKERY DISPLAYS



CHOCOLATE DISPLAYS



PANINI DISPLAYS



HOT & BAIN MARIE DISPLAYS



PREPARED FOOD DISPLAYS



GRAB AND GO DISPLAYS



MULTIDECKS



SUPERMARKET AND GROCERY



CAFETERIA DISPLAYS



MEAT FISH & CHEESE
DISPLAYS



DELI DISPLAYS



MEAT AGING



WINE CASES



UPRIGHT GLASS DOOR
FREEZERS & REFRIGERATORS

Contact SESCO today for GTI Design solutions



arc
cardinal

Buffetware



Abert Flatware



Maria Portugal Terracota Collection

Grace Collection



Evo Azure Collection



Tempo Lamps



Stack Up Cross Collection



Exaltation Collection



Dudson Harvest Mediterranean
Moresque





DINNERWARE · DRINKWARE · FLATWARE


ACCESSORIES · SERVING

TURGLA

WWW.TURGLA.COM



WABASH VALLEY



ALWAYS there for you