

The logo for SaniServ is presented in a red, rounded rectangular frame with a silver border. The text "SaniServ" is written in a bold, white, sans-serif font with a metallic, 3D effect. A small registered trademark symbol (®) is located at the top right of the text.

SaniServ[®]

A green banner with a white dashed border and two small white stars on its ends. The text is written in a black, cursive font.

*Premier Manufacturer of
Frozen Dessert Machines*





MODEL 707

- Countertop Model
- **8 Gallons** per Hour
- **20 Quart** Capacity
- Air Cooled
- Available in **115V** electrical configuration

Product Dimensions:
31"(h) x 14"(w) x 24"(d)



MODEL 708

- Countertop Model
- **10 Gallons** per Hour
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **115V** electrical configuration

Product Dimensions:
33"(h) x 17"(w) x 24.8"(d)



MODEL 108

- Countertop Model
- **8 Gallons** per Hour
- **25 Quart** Capacity
- Air or Water Cooled
- Available in **115V** electrical configuration

Product Dimensions:
37.1"(h) x 16.6"(w) x 28.5"(d)



MODEL 108-SHO

- Countertop Model
- **15 Gallons** per Hour
- **25 Quart** Capacity
- Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:
37.1"(h) x 16.6"(w) x 28.5"(d)



MODEL 108-HP

- Countertop Model
- **10 Gallons** per Hour
- **25 Quart** Capacity
- Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

37.1"(h) x 16.6"(w) x 28.5"(d)



MODEL 108R

- Countertop Model
- **16 Gallons** per Hour
- **25 Quart** Capacity
- Required Additional Equipment: Requires a remote condensing unit (condenser & compressor) connected by two refrigeration lines.
- Available in **115V** electrical configuration

Product Dimensions:

37.1"(h) x 16.6"(w) x 34.5"(d)



MODEL 709

- Countertop Model
- **13 Gallons** per Hour
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

33"(h) x 17"(w) x 24.8"(d)





MODEL 704

- Countertop Model
- **28 Gallons** per Hour
- **35 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

32.8"(h) x 20.5"(w) x 31.1"(d)



MODEL 798

- Countertop Model
- **6 Gallons** per Hour per side
- **14 Quart** Capacity per side
- Air Cooled
- Available in **115V** electrical configuration

Product Dimensions:

33.5"(h) x 20"(w) x 28"(d)



MODEL 724

- Floor Model
- **20 Gallons** per Hour per side
- **20 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

54.6"(h) x 26"(w) x 28"(d)



MODEL 791

- Countertop Model
- **10 Gallons** per Hour per side
- **14 Quart** Capacity per side
- Air Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:
36"(h) x 21.3"(w) x 28"(d)



MODEL WB700 REMOTE

- Countertop Model
- **20 Gallons** per Hour
- **5 Quart** Capacity
- Required Additional Equipment: Requires a remote condensing unit (condenser & compressor) connected by two refrigeration lines.
- Available in **115V** electrical configuration
- Condenser is 208-230V electrical configuration

Product Dimensions:
25.7"(h) x 10.3"(w) x 26"(d)



MODEL WB700-2 REMOTE

- Countertop Model
- **20 Gallons** per Hour per side
- **7 Quart** Capacity per side
- Required Additional Equipment: Requires a remote condensing unit (condenser & compressor) connected by two refrigeration lines.
- Available in **115V** electrical configuration
- Condenser is 208-230V electrical configuration

Product Dimensions:
25.5"(h) x 19.1"(w) x 26"(d)



MODEL WB7110- REMOTE

- Countertop Model
- **25 Gallons** per Hour
- **7 Quart** Capacity
- Required Additional Equipment: Requires a remote condensing unit (condenser & compressor) connected by two refrigeration lines.
- Available in **115V** electrical configuration
- Condenser is 208-230V electrical configuration

Product Dimensions:
25.6"(h) x 11"(w) x 31.3"(d)



MODEL 407

- Countertop Model
- **Two - 4 oz.** Servings per minute
- **7 Quart** Capacity
- Air Cooled
- Available in **115V, 208-230V and 220-240V** electrical configurations

Product Dimensions:

25.4"(h) x 14"(w) x 23.7"(d)



MODEL 408

- Countertop Model
- **Four - 4 oz.** Servings per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **115V** electrical configuration

Product Dimensions:

33"(h) x 17"(w) x 24.8"(d)



MODEL 401

- Countertop Model
- **Five - 4 oz.** Servings per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

33"(h) x 17"(w) x 24.8"(d)



MODEL 404

- Countertop Model
- **Seven - 4 oz.** Servings per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

35.5"(h) x 17"(w) x 24.8"(d)



MODEL 414

- Floor Model
- **Seven – 4 oz.** Servings per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

56.5"(h) x 17"(w) x 24.8"(d)



MODEL 424

- Floor Model
- **Seven – 4 oz.** Servings per Minute per side
- **20 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

54.6"(h) x 26"(w) x 28"(d)



MODEL DF200

- Countertop Model
- **Two - 3 oz.** Servings per minute
- **7 Quart** Capacity
- Air Cooled
- Available in **115V** electrical configuration

Product Dimensions:

25.4"(h) x 14"(w) x 23.7"(d)



MODEL 824

- Floor Model
- **Seven – 4 oz.** Cones & **Five - 16 oz.** Shakes per Minute
- **20 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

54.6"(h) x 26"(w) x 28"(d)



MODEL 501

- Countertop Model
- **Four – 4 oz. Servings** per Minute per side
- **11 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

33.1"(h) x 24"(w) x 32"(d)



MODEL 527

- Floor Model
- **Four – 4 oz. Servings** per Minute per side
- **11 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

56.7"(h) x 24"(w) x 22.5"(d)



MODEL 521

- Floor Model
- **Five – 4 oz. Servings** per Minute per side
- **17 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

59.5"(h) x 26"(w) x 30"(d)



MODEL 522

- Floor Model
- **Seven – 4 oz. Servings** per Minute per side
- **17 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

59.5"(h) x 26"(w) x 30"(d)



MODEL 608

- Countertop Model
- **Two – 12 oz.** Shakes per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **115V** electrical configuration

Product Dimensions:

33"(h) x 17"(w) x 24.8"(d)



MODEL 601

- Countertop Model
- **Three - 12 oz. Shakes** per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

33"(h) x 17"(w) x 24.8"(d)



MODEL 614

- Floor Model
- **Five – 16 oz.** Servings per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

56.5"(h) x 17"(w) x 24.8"(d)



MODEL 624

- Floor Model
- **Five – 16 oz.** Servings per Minute per side
- **20 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

54.6"(h) x 26"(w) x 28"(d)



MODEL 691

- Countertop Model
- **Two - 12 oz.** Shakes per Minute per side
- **14 Quart** Capacity per side
- Air Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

36"(h) x 21.3"(w) x 28"(d)



MODEL 614 SAS

- Floor Model
- **Five - 16 oz.** Servings per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:

56.8"(h) x 17"(w) x 24.8"(d)



NEW



MODEL 608S

- Countertop Model
- **Three – 12 oz.** Smoothies per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **115V** electrical configuration

Product Dimensions:
33"(h) x 17"(w) x 24.8"(d)

NEW



MODEL 601S

- Countertop Model
- **Four - 12oz. Smoothies** per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208 - 230V** electrical configuration

Product Dimensions:
24.8"(d)x 33"(h) x 17"(w)

NEW



MODEL 614S

- Floor Model
- **Six – 16 oz. Servings** per Minute
- **20 Quart** Capacity
- Air or Water Cooled
- Available in **208 - 230V** electrical configuration

Product Dimensions:
56.5"(h) x 17"(w) x 24.8"(d)

NEW



MODEL 624S

- Floor Model
- **Five – 16 oz. Servings** per Minute per side
- **20 Quart** Capacity per side
- Air or Water Cooled
- Available in **208-230V** electrical configuration

Product Dimensions:
54.6"(h) x 26"(w) x 28"(d)

MEDIUM VOLUME MACHINE

MODEL B-5

- ◆ Batch Ice Cream
- ◆ Gelato Freezer

- Countertop Model
- **5 Quart** Capacity
- Air or Water Cooled
- Available in **208-230** electrical configuration

Product Dimensions:

29.3"(h) x 17"(w) x 23.9"(d)



HIGH VOLUME MACHINE

MODEL B-10

- ◆ Batch Ice Cream
- ◆ Gelato Freezer

- Floor Model
- **10 Quart** Capacity
- Air or Water Cooled
- Available in **208-230** electrical configuration

Product Dimensions:


50.4"(h) x 21"(w) x 32.5"(d)



AF-1 AUTO FILL KIT

- Automatically maintains mix level in reservoir from remote location
- Bag in the Box or remote bulk tank
- Optional remote transfer pump
- Recommended for frozen beverage only
- Available in 115V electrical configuration

| Machine Model | Auto Fill Kits |
|-------------------------|----------------|
| 108, 707, 708, 709, 714 | 188345 |
| 704 | 188442 |
| 798 | 188467 |



AUTO FILL SYSTEMS (SAFS)

MODEL
SAFS 12
SAFS 24

The SaniServ SAFS 12 or SAFS 24 is a Complete Integrated Auto Fill System for use with Pre-Mixed products, in any Frozen beverage application.

- Designed For High Volume Applications
- One or Two Vat Systems
- Complete Electric Pump System
- Easy Cleaning and Filling
- Available in 115V electrical configuration

Product Dimensions:



FRONT MOUNT FLAVOR DISPENSER



| Machine Model | Item Number |
|---------------|-------------|
| 708, 709, 714 | 188123 |
| 108 | 188334 |
| 724 | 188510 |
| 707 | 188620 |

LIGHTBOX



- Increase merchandising
- Front or Top mount
- Available for most units

| Machine Model | Light Box |
|---------------|-----------|
| 707 | J00227 |
| 708 | J00228 |
| 709, 714 | J00271 |
| 798 | 188437 |

DRINK SPINNER / MIXER

- Blends shakes & frozen beverage flavors
- Available on most shake & frozen beverage machines
- Front or Side Mount
- Available in 115V and 208-230V and electrical configurations



| Item Number—Description |
|---------------------------------|
| 85720— Front Mount—230V |
| 85720-01- Front Mount—230V |
| 104273-Front Mount—115V |
| 104273-01-Front Mount—115V |
| 188397-Space Saving Style— 230V |

FRONT MOUNT RAIL

Item Number
188146



SIDE MOUNT RAIL

Item Number
188409



PARTS TRAY



Item Number **108918**

- Keep track of all parts during cleaning
- Provides for air drying and storage of parts as suggested by many local Health Departments
- Available for most machines



OUR ADDRESS

451 East County Line Road Mooresville, IN 46158
TF: (800) 733-8073 Ph: (317) 831-7030 Fx: (317) 831-7036

OUR MAILING ADDRESS

P.O. Box 1089 Mooresville, IN 46158

OTHER AFFINIS COMPANIES

