



products & Guide 2025

**Western
Pennsylvania**

○ Call Mike Rykaceski
412.860.2655
miker@sesco.biz



When you need it
yesterday

Many products able to ship
same day if ordered by noon

* Call for details

* Please contact customer service to check availability
as we strive to maintain proper inventory levels.

Main: 800.222.0558
Fax: 800.251.7717



www.SESCO.BIZ



5705 Valley Belt Rd
Independence, OH 44131

Panasonic



Model	Required Power	Receptacle Required	Exterior / Interior	Cavity Dimensions (wxdxh)
1000 Watt OCS				
NE-1025F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13" x 13" x 8 1/16" "
NE-1054F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13" x 13" x 8 1/16" "
NE-1064F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Ext. & Int.	13" x 13" x 8 1/16" "
1200 Watt Pro I				
NE-12521	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
NE-12523	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
1700 Watt Pro I				
NE-17521	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
NE-17523	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
NE-17723	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
2100 Watt Pro I				
NE-21521	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
NE-21523	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7/8" "
SONIC STEAMERS				
2100 Watt				
NE-2180	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
3200 Watt				
NE-3280	208V (28.0A), 230-240V (25.3A)	30 Amp, NEMA 6-30 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
Hi-SPEED OVEN				
Convection, Broil, Microwave Combination				
NE-SCV2N	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	10-5/8" x 13" x 4-5/16"
RICE COOKER				
SR-GA321FH	120v (15.0A)		White	16 7/8" X 14 1/2 X 15"
SR-42HZP	120v (12.9A)		Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-GA42PL	120v (12.9A)		Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-2363ZW	120v (12.9A)		White Stripe Ext	16 9/10" x 14 4/5" x 14 1/5"
SR-GA721L	208V (10.8A)		Silver	21" x 19" x 14"



Quick Ship
PRODUCTS

NEW!

SONIC CHEF

Panasonic

COMMERCIAL HIGH-SPEED OVEN



Convection
Broil
Microwave

6 - Heating Patterns!



NE-SCV2NAPR

Compact
Stackable

See the Video



Powered by microwave technology

**Get an energy-saving connectionless steamer -
and for a whole lot less**

No hood, no plumbing, no de-liming

Foods The Sonic Steamer Excels in:

Vegetables	Thawing frozen soups
Seafood	Scrambled Eggs
Rice and Grains	Rethermaling all foods
Pastas	Fast boost heating



See the Video

Panasonic



NE-2180
NE-3280

**Retains up to 7X more water-soluble
nutrients in foods than conventional methods**

Instant Steam Convenient Plug-in Saves Energy

COMMERCIAL ELECTRIC RICE COOKERS



See the Video

Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.



EXCLUSIVE FEATURES



FOOD ZONE

Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.



WATER DISTRIBUTION TUBE

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



DUAL EXHAUST

Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit.



ONE-TOUCH CLEANING

One touch to sanitize, one touch to de-lime. LEDs signal when cleaning is required.



Half Cube 7/8" x 7/8" x 3/8"

Full Size Cube Style also available - Call SESCO

30" Wide Half Size Cube (W)idth x (D)epth x (H)eight inches	Model Number	Ice Production lbs (kg)/24 hr @		Condensing Unit	Voltage Characteristics	Approximate Shipping Weight lbs (kg)
		70°F Air 50°F Water	90°F Air 70°F Water			
 CIM0330 ON B55 	CIM0330HA	313	244	Air	115/60/1	145 (65.7)
	CIM0330HW	316	274	Water	115/60/1	145 (65.7)
	CIM0430HA	435	320	Air	115/60/1	155 (70.3)
	CIM0430HW	460	380	Water	115/60/1	155 (70.3)
	CIM0530HA	561	432	Air	115/60/1	155 (70.3)
	CIM0530HW	586	533	Water	115/60/1	155 (70.3)
	CIM0636HA	600	455	Air	208-230/60/1	160 (72.5)
	CIM0636HW	620	415	Water	208-230/60/1	160 (72.5)
High Production 30" Wide 30" W x 24.25"D x 26.9"H						
	CIM0836HA	896	711	Air	208-230/60/1	220 (100)
	CIM1136HA	932	762	Air	208-230/60/1	230 (105)

22" Wide Half Size Cube (W)idth x (D)epth x (H)eight inches	Model Number	Ice Production lbs (kg)/24 hr @		Condensing Unit	Voltage Characteristics	Approximate Shipping Weight lbs
		70°F Air 50°F Water	90°F Air 70°F Water			
 CIM0320 ON B42	CIM0320HA	313	244	Air	115/60/1	150
	CIM0520HA	561	432	Air	115/60/1	165

Water Filters

Ask us how a water filter can extend a CIM Series cuber evaporator warranty

Limitless

Fit for any space.

Our exclusive, groundbreaking technology is designed to discharge hot air from both the side and top of the unit, making it the ultimate solution for tight spaces regardless of air flow requirements.

Half Size Cube Model Dimensions (W)idth x (D)epth x (H)eight inches	Model Number	Ice Production lbs (kg)/24 hr @		Application Bin Storage lbs (kg)	Condensing Unit	Voltage Characteristics	Approximate Shipping Weight lbs (kg)
		70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water				
 26.2" (D) 24.54" (W) 39" (H)	ICEU220HA	238 (108)	175 (79)	70 (32)	Air	115/60/1	160 (73)
 29.9" (D) 30.34" (W) 39" (H)	ICEU300HA	309 (140)	205 (92)	97 (44)	Air	115/60/1	206 (93)

  gourmet	Model Number	Machine Height Standard/ Short Leg (in)**	Ice Production lbs / 24 hr @ 70°F Air/ 50°F Water	Ice Production lbs / 24 hr @ 90°F Air/ 70°F Water	Bin Storage (lbs)	Condensing Unit	Voltage Units	Ship Weight (lbs)
	UCG060A	30.25-32 / 27.375-27.75	63	45	17.5	Air	115/60/1	81.5
	UCG080A	32.25-34 / 29.375-29.75	95	77.8	33	Air	115/60/1	81.5
	UCG100A	36-37.75 / 33.125-33.5	114	91.7	48.5	Air	115/60/1	97
	UCG130A		121	114.3				
	UCG130GA*		121	100.5				

* Gourmet Grande

Nugget Ice Model Dimensions 14 7/8" W x 23 7/8" D x 34 3/8" H	Model Number	Ice Production lbs (kg)/24 hr @		Condensing Unit	Voltage Characteristics	Approximate Shipping Weight lbs (kg)
		70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water			
  nugget	GEMU090	85 (39)	60 (27)	Air	115/60/1	133 (60.5)
Nugget Ice Model Dimensions 21" W x 24" D x 27" H	Model Number	Ice Production lbs (kg)/24 hr @		Condensing Unit	Voltage Characteristics	Approximate Shipping Weight lbs (kg)
		70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water			
	GEMO450A	464 (210)	354 (161)	Air	115/60/1	205 (93)
	GEMO650A	740 (336)	550 (249)	Air	115/60/1	205 (93)
	GEMO956A	1053 (478)	753 (342)	Air	208-230/60/1	290 (132)
	KBT24	Bin Kit for (1) GEM or on a 22" bin				10 (5)
	KBT19	Bin Kit for GEM Series on a 30" bin				22 (10)
	KBT23	Bin Kit for (1) GEM Series on a B110				33 (15)
	KBT22	Bin Kit for (2) GEM on a B110 bin				33 (15)

Storage Bins	Model Number	Application Bin Storage lbs (kg)	Bin Dimensions (W)idth x (D)epth x (H)eight inches (mm)	Approximate Shipping Weight lbs (kg)
 (H) (D) (W)	B25	242 (110)	30 x 31 x 28 (762 x 787 x 711)	74 (34)
	B40	344 (156)	30 x 31 x 37 1/2 (762 x 787 x 953)	103 (47)
	B42	351 (160)	22 x 31 x 50 (559 x 787 x 1270)	99 (45)
	B55	510 (232)	30 x 31 x 50 (762 x 787 x 1270)	125 (57)
	B110	854 (388)	48 x 31 x 50 (1219 x 787 x 1270)	191 (87)



The Choice of Top Pizza Operators
Contact SESCO today for details

XLT Impingement conveyor ovens

Industry leading performance - at all times - and under load
Unmatched consistency
Reliability - backed by the best warranty available!
Pizza ovens with built-in hood solutions are also offered



Built-In Hood
Solutions

SESCO

Let's talk about the perfect conveyor solution for you

When Pizza is your business
- no oven does better



Pizza Conveyor Ovens & Conveyor Grills



flexeserve™
The Home of Hot-holding

**Transforming operations
Contact SESCO to unlock...**



Amazing food quality



Extend shelf Life



Diverse food range



Reduce food waste



Unmatched efficiency



Happier customers!



**Offer more food variety at
unbelievable quality**



**Manage back-of-house
operations with ease**



**Meet the
game-changers**



Gas



Electric



2 Year Warranty

Parts & Labor

* Excludes Fryers

All fryers - 1 year warranty

ROYAL
Quick Ship
Products

CONVECTION OVENS *Gas & Electric*

MODEL NUMBER	Description
RCOS-1	Single Deck gas convection oven
RECO-1	Single deck electric convection oven - 208 or 240 volt only
RCOD-1	Single deck extra deep gas conv oven
RECOD-1	Single deck extra deep electric conv oven - 208 or 240 volt only
RCOS-2	Double Deck gas convection oven
RECO-2	Double deck electric convection oven - 208 or 240 volt only
RCOD-2	Double deck extra deep gas conv oven
RECOD-2	Double deck extra deep electric conv oven - 208



STOCK POTS, GRIDDLES, BROILERS, CHEESEMELTERS

MODEL NUMBER	Description
RSP-18-24	18" stock pot range
RSB-36	36" gas salamander
RTG-24	24" thermostatic griddle
RTG-36	36" thermostatic griddle
RRB-24	24" radiant charbroiler
RRB-36	36" radiant charbroiler



Mobility Kit for Single and Double Convection Ovens

COCMK-1	Single Conv Oven –
COCMK-2	Double Conv Oven – casters, 1 point gas manifold kit, 48" gas hose and restrain cable

Casters for Convection Ovens

COC	Deck Convection Oven
COC-2	Casters only, Double Deck Convection Oven



Phone: 800.222.0558

Ask SESCO about the Award Winning
High Efficiency Fryers and Fryer Filter Systems



ROYAL Quick Ship Products

2 Year Warranty

Parts & Labor

* Excludes Fryers

All fryers - 1 year warranty



RANGES *Gas & Electric*

MODEL NUMBER	Description
RR-4	4 burner gas range with standard oven
RR-6	6 burner gas range with standard oven
RRE-4	4 burner electric range - 208 or 240 volt only
RRE-6	6 burner electric range - 208 or 240 volt only
RR-6C	6 burner gas range - with convection oven
RRE-6C	6 burner electric range with convection oven 208v or 240v
RR-6G24	60" gas range - 6 burners, 24" manual griddle
RR-6RG24	60" gas range - 6 burners, 24" raised griddle/broiler
RR-10	60" gas range - 10 burners
RR-4G36	60" gas range - 4 burners, 36" manual griddle



FRYERS & PASTA COOKER

MODEL NUMBER	Description
RFT-50	50 lb gas fryer 1Yr Wty
RFT-60	60 lb gas fryer 1 Yr Wty
RFT-75	75 lb gas fryer 1 Yr Wty
REEF-35	40 lb high efficiency gas fryer
RCF-25	25 lb countertop gas fryer
RPC-14	Royal Pasta Cooker, Gas



Mobility Kits for Ranges, Fryers

RMK-243648	- 24", 36" & 48", includes casters (4), 48" gas hose & restrain cable
RMK-6072	Range- 60" and 72", includes casters (6), 48" gas hose & restrain cable
FMK	- includes casters, 48" gas hose and restrain cable

Casters for Ranges, Fryers

RC-243648	Casters (4) only, 24", 36" and 48" ranges
RC-6072	Casters (6) only, 60" and 72" ranges
FC	Casters only, Gas Fryer



SESCO

800.222.0558

**AsK SESCO about the Award Winning
High Efficiency Fryers and Fryer Filter Systems**





RF Hunter™

pure oil filtration

Model	Description
ECCO ONE P	Filter Machine Up To 65 Lbs Oil Capacity
HF80P	Filter Machine Up To 80 Lbs Oil Capacity
HF130P	Filter Machine Up To 130 Lbs Oil Capacity
Filter Paper	
FE02	Filter Envelopes 14 X 15.5
FE09	Filter Envelopes 17.5 X 18.5
Filter Powder	
FP22	Filter Powder Bulk 22 lb. Box
FP22C	Filter Powder Packets 3.2 oz
FP40100	Fryer Boil-Out Puck 4 oz Tablet



HF SERIES



ECCO ONE P



RM1424

Model	Description
Pancake Griddles (Low Grease)	
RM1220-8	12"X20" 10 ga 2-burner indoor/outdoor
RM1423-8	14"X23" 7 ga 2-burner rest./outdoor
RM1424	14"X24" 7 ga 2-burner restaurant
RM2323-8	23"X23" 7 ga 4-burner restaurant
RM2424	24"X24" 7 ga 4-burner restaurant
Add-On Griddles (High Grease)	
MC12-8	12"X24"X1.5" deep 7 ga
	2-burner commercial griddle w/ grease tray
MC24-8	24"X24"X1.5" deep 7 ga
	4-burner commercial griddle w/ grease tray
Add-On Broilers	
MB12-8	2-burner commercial w/ grease tray
MB24-8	4-burner commercial w/ grease tray



MC12



MB12

Quick Ship PRODUCTS

blendtec
COMMERCIAL



Connoisseur
825 Pkgs

C825C11Q-B1GB1A
Includes (2) 75 oz FourSide™ jars
C825C11Q-B1GB1D
Includes (2) 90 oz WildSide™ jars



Stealth
885 Pkgs
World's Quietest
Commercial Blender

S885C2901-B1GB1A
Includes (2) 75 oz FourSide™ jars
S885C2901-B1GB1D
Includes (2) 90 oz WildSide™ jars

STEALTH NITRO X



SNBS2C2901-B1K
Includes (2) Micronizers & Stands 41-605-03
(1) set of adapter rings 12, 16, 24, 32 oz
World's Quietest
Commercial Blender

**No Waste - By the Cup
Blending
Stealth Nitro - by Blendtec**



Four Side



Wild Side



JRE-610



JRE-612



Hard Lid



Soft Lid

ACCESSORIES

40-609-60	(FourSide-V) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black vented Gripper™ lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators, Eastman Tritan™ copolyester construction, SPA-free, clear
40-609-61	(FourSide-S) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black soft lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear
40-609-62	(FourSide-H) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black hard lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear
40-630-61	(WildSide-S) WildSide™ Jar. 90 oz. capacity jar with measurements up to 44 oz. includes black soft lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear
40-630-62	(WildSide-H) WildSide™ Jar. 90 oz. capacity jar with measurements up to 44oz., includes: black hard lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, BPA-free, clear
JRE-610	(RR) Rapid Rinser™ Sprayer ONLY, includes: 6' flexible nylon-reinforced tubing with 3/8" compression fitting for water hook-up (minimum 60psi recommended)
JRE-612	(RRS) Rapid Rinser™ Station Complete Unit includes: Rapid Rinser™ sprayer & base, 6' flexible nylon-reinforced tubing with 3/8" compression fitting for water hook-up (minimum 30psi recommended), stainless steel nozzle, 120° spray nozzle coverage
40-209-01-SRV	(HardLid-BL) Hard Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)
40-210-02-SRV	Soft Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)

Kelvinator 

COMMERCIAL

Trusted by operators for decades....
Kelvinator's top build quality and
reliable designs make it the
smart choice




SESCO

Contact SESCO today for details

800-222-0558



DISHWASHERS by ELECTROLUX



No Hot Water Line Required
No Pressure Boost Required

Undercounter Dishwashers

Description	Model
Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 208V/1N/60Hz 6.85 ElekW 208 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 165 ft³ 17.68	VLA1G8
Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 240V/1N/60Hz 6.85 ElekW 240 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 174 ft³ 17.68	VLA1G4



Hood Type Dishwashers

Description	Model
Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 1ph/ 60Hz 9.90 ElekW 208 V 1 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 304 ft³ 43.27	VDH63-1
Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 3ph/ 60Hz 12.90 ElekW 208 V 3 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 311 ft³ 43.27	VDH63



Ask SESCO today about Veetsan
The best value in dishwashing!



Quick Ship PRODUCTS



522



401

Soft Serve/ Yogurt Machines *

401	208V/60/1	five 4 oz servings per minute, 20 qt capacity
407	115V/60/1	two 4 oz servings per minute, 7 qt capacity
DF200	115V/60/1	two 3 oz servings per minute, 7 qt capacity

Twist Soft Serve/ Yogurt Machines *

501	208V/60/1	four 4 oz servings per minute per side 11 qt capacity per side - Countertop model
522	208V/60/1*	seven 4 oz servings per minute per side 17 qt capacity per side - Floor model

* Two separate circuits required.



Frozen Beverage Machines *

704	208V/60/1	28 gallons per hour, 35 qt capacity
707	115V/60/1	8 gallons per hour, 20 qt capacity



608S



704

Smoothie Machine *

608S	115V/60/1	three 12 oz servings per minute, 20 qt capacity
------	-----------	---

Flurry/ Shake Mixture

Cyclone	115V	High speed Compact mixer
---------	------	--------------------------



ACCUFREEZE™
TECHNOLOGY

Call your **SESCO** Territory Manager for a professional consultation!

SECO SELECT

TEST OUR METAL™

SH14UA

- Fully insulated
- Patented Armor heating for quality food holding
- Holds 18" X 26" or 14" x 18 Trays & 12" x 20" Pans



Road Warrior



Contact SESCO for SECO Select solutions including Custom Serving Lines, Breakfast Carts, and much more...



QuickShip

32 sizes of walk-Ins
in 48 hours



Restaurant Coolers

Bakery & Pizza

Brewery - Walk ins

Beer Caves

Warehouse Solutions

Schools / Universities

Restaurant Coolers

Supermarket

Convenience Stores

Labs - Medical Holding

Premium Walk-Ins
In all Sizes



All custom sizes available.

Voted # 1
By Installers For
Ease Of Installation

G-2 QuickShip

- 32 sizes of quick ship walk-ins available to ship within 2 days.
- High quality, heavy duty foamed in place construction that meets all new Dept of Energy guidelines
- Heavy duty welded 12 gauge steel door for strength and rigidity
- G-10 QuickShip

More Choices...ask how
Leer Quick Ship is the most flexible in the Industry.

Add other options such as floor, ramps, membrane roof,
self contained drop-in refrigeration - for most units.
The box still ships quick - in only 10 days!



SESCO
Food Service Equipment

Call For Your Quote Today


800.222.0558
www.sesco.biz



Construction

Retrofit and replacement doors designed & constructed to fit most every application & brand of cold storage units.

Ideal for replacement or new opening requirements. Constructed to the same stringent standards as our original cold storage doors.



Door Dimensions

Actual Door Opening	Door Swing Radius
18" W x 24" H	27"
24" W x 24" H	33 "
24" W x 36" H	33 "
30" W x 78" H	39 "
36" W x 78" H	45 "
36" W x 84" H	45 "
42" W x 78" H	51"
42" W x 84" H	51"
48" W x 78" H	57 "
48" W x 84" H	57"

Standard Features:

- Pre-hung in jamb frame or face frame
- 26-gauge, stucco-embossed steel
- Class 1, urethane-insulated door
- Heavy-duty, brushed chrome hardware
- Cam lift spring-assisted hinges
- Lockable latch and safety release handle
- Magnetic door gasket and double-sweep gasket
- Replaceable, anti-condensate heat wire (freezer only)
- Constructed for cooler or freezer application
- Door closer



Call SESCO for details



Stainless design.
Stellar performance.
Superior value.



Arctic Air Refrigeration Products

Ask SESCO today for how Arctic Air products can help your team



Prática

HIGH SPEED OVENS

Expanding your menu

NO HOOD, NO CHEF
NO WORRIES -

ADD HOT ITEMS EASILY-
PANINIS, PIZZA, WINGS, APPETIZERS,
BREAKFAST SANDWICHES AND
MUCH MORE



PANINI PRESS FOR THE FIT LINE

Maximizing your area

...MAKING THE MOST
OF YOUR SPACE

ZERO Clearance on Three Models

Fit XL, Rocket, Fit

1" Clearance - Right side on Two Models

Forza Sti, Fit ST

Minimize Operation Costs

...EASY TO REMOVE AIR FILTERS,
EASY TO REMOVE CATALYTIC CONVERTER
Keeping Maintenance Simple
and Service Costs Low

Schedule your demo today!

 **SESCO**

Modular[®]

Foodservice Dispensers



Simpli-Flex Cup

1015023
SF2000 Cup Dispenser
23"x5"

Simpli-Flex Cone

1003846
SF1002 (1905842 gasket)
Cone Dispenser 24"x 4"

1003848
SF1002P w/ plastic tube
(1905842 gasket)
Cone Dispenser 31"x 4"

1003850
SF1002P w/ plastic tube
(1905842 gasket)
Cone Dispenser 19"x 31.13"

1007710
SF1002P w/ plastic tube
(1905842 gasket)
Cone Dispenser 31"x3.13"



Z-STAND 1008-30Z

1003865
for 3 cup/lid disp



Napkin

In-Counter Dispenser
1003971
6 1/2"D x 10 1/2"H x 8 1/4"W



Simpli-Flex Cup Dispenser

In-Counter / Cabinet Mount
1007699
CSF1003 for extra small / portion cups
24"L x 3" Dia

1015201
CSF1005 for large cups
24"L x 5" Dia



Simpli-Flex Cup Dispenser

Wall / Stand Mount
1007516
SF1003 for extra small / portion cups
16"L x 3 1/8" Dia



Countertop Adjustable Lid Dispenser

1004056
19" Wide 4 dividers

BakeMax

Bringing Solutions since 1966

Think Quality - Think Value - Think Service - Think BakeMax



Pizza Warmer
Display Cases



Mixers



Single Pass
& Double Pass
Sheeters



Manual and Automatic
Pizza / Tortilla Presses



Deck Oven
with Proofer



Grinders

Slicers



Conveyor Toasters
& Conveyor Bakers



Heated Display Cases
& Refrigerated Display Cases



Global Refrigeration, Inc.



**MADE
IN THE
USA**

High Quality Ice Cream Cases
and Hardening Cabinets

Contact SESCO today for information
on Global Refrigeration Products



USA & GLOBAL
MANUFACTURING

75
YEARS of INNOVATION

Innovation. Experience. Quality.

Contact SESCO for information on
Winholt products and stainless
steel fabrication

Contact SESCO for Details
800.222.0558
www.sesco.biz

gti

DESIGNS



GELATO / ICE CREAM DISPLAYS



PASTRY & BAKERY DISPLAYS



CHOCOLATE DISPLAYS



PANINI DISPLAYS



HOT & BAIN MARIE DISPLAYS



PREPARED FOOD DISPLAYS



GRAB AND GO DISPLAYS



MULTIDECKS



SUPERMARKET AND GROCERY



CAFETERIA DISPLAYS



MEAT FISH & CHEESE
DISPLAYS



DELI DISPLAYS



MEAT AGING



WINE CASES



UPRIGHT GLASS DOOR
FREEZERS & REFRIGERATORS

Contact SESCO today for GTI Design solutions



arc
cardinal

Buffetware



Abert Flatware



Maria Portugal Terracota Collection

Grace Collection



Evo Azure Collection



Tempo Lamps



Stack Up Cross Collection



Exaltation Collection



Dudson Harvest Mediterranean
Moresque





DINNERWARE • DRINKWARE • FLATWARE

ACCESSORIES


TURGLA

SERVING

WWW.TURGLA.COM



WABASH VALLEY



ALWAYS there for you