



# products & Guide 2026

**Western  
Pennsylvania**

**Call Mike Rykaceski**  
**412.860.2655**  
[miker@sesco.biz](mailto:miker@sesco.biz)



When you need it  
**yesterday**

Many products able to ship  
same day if ordered by noon

\* Call for details

\* Please contact customer service to check availability  
as we strive to maintain proper inventory levels.

**Main: 800.222.0558**  
**Fax: 800.251.7717**



[www.SESCO.BIZ](http://www.SESCO.BIZ)



**5705 Valley Belt Rd**  
**Independence, OH 44131**

# Panasonic



| Model                                           | Required Power                 | Receptacle Required        | Exterior / Interior        | Cavity Dimensions (wxdxh)    |
|-------------------------------------------------|--------------------------------|----------------------------|----------------------------|------------------------------|
| <b>1000 Watt OCS</b>                            |                                |                            |                            |                              |
| NE-1025F                                        | 120v (13.4A)                   | NEMA 5-15 R or NEMA 5-20 R | S/S Door, Steel Ext & Int. | 13" x 13" x 8 1/16" "        |
| NE-1054F                                        | 120v (13.4A)                   | NEMA 5-15 R or NEMA 5-20 R | S/S Door, Steel Ext & Int. | 13" x 13" x 8 1/16" "        |
| NE-1064F                                        | 120v (13.4A)                   | NEMA 5-15 R or NEMA 5-20 R | S/S Ext. & Int.            | 13" x 13" x 8 1/16" "        |
| <b>1200 Watt Pro I</b>                          |                                |                            |                            |                              |
| NE-12521                                        | 120v (17.7A)                   | NEMA 5-20 R                | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| NE-12523                                        | 120v (17.7A)                   | NEMA 5-20 R                | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| <b>1700 Watt Pro I</b>                          |                                |                            |                            |                              |
| NE-17521                                        | 208V (14.3A), 230-240V (13.1A) | NEMA 6-15 or NEMA 6-20 R   | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| NE-17523                                        | 208V (14.3A), 230-240V (13.1A) | NEMA 6-15 or NEMA 6-20 R   | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| NE-17723                                        | 208V (14.3A), 230-240V (13.1A) | NEMA 6-15 or NEMA 6-20 R   | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| <b>2100 Watt Pro I</b>                          |                                |                            |                            |                              |
| NE-21521                                        | 208V (16.6A), 230-240V (15.3A) | NEMA 6-20 R                | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| NE-21523                                        | 208V (16.6A), 230-240V (15.3A) | NEMA 6-20 R                | S/S Ext. & Int.            | 13" x 12" x 6 7/8" "         |
| <b>SONIC STEAMERS</b>                           |                                |                            |                            |                              |
| <b>2100 Watt</b>                                |                                |                            |                            |                              |
| NE-2180                                         | 208V (20.0A), 230-240V (18.0A) | 30 Amp, NEMA 6-20 R        | S/S Ext. & Int.            | 21-1/16 x 13" x 9-7/8" "     |
| <b>3200 Watt</b>                                |                                |                            |                            |                              |
| NE-3280                                         | 208V (28.0A), 230-240V (25.3A) | 30 Amp, NEMA 6-30 R        | S/S Ext. & Int.            | 21-1/16 x 13" x 9-7/8" "     |
| <b>Hi-SPEED OVEN</b>                            |                                |                            |                            |                              |
| <b>Convection, Broil, Microwave Combination</b> |                                |                            |                            |                              |
| NE-SCV2N                                        | 208V (20.0A), 230-240V (18.0A) | 30 Amp, NEMA 6-20 R        | S/S Ext. & Int.            | 10-5/8" x 13" x 4-5/16"      |
| <b>RICE COOKER</b>                              |                                |                            |                            |                              |
| SR-GA321FH                                      | 120v (15.0A)                   |                            | White                      | 16 7/8" X 14 1/2 X 15"       |
| SR-42HZP                                        | 120v (12.9A)                   |                            | Silver                     | 16 7/8" x 10 1/2" x 11 7/8"  |
| SR-GA42PL                                       | 120v (12.9A)                   |                            | Silver                     | 16 7/8" x 10 1/2" x 11 7/8"  |
| SR-2363ZW                                       | 120v (12.9A)                   |                            | White Stripe Ext           | 16 9/10" x 14 4/5" x 14 1/5" |
| SR-GA721L                                       | 208V (10.8A)                   |                            | Silver                     | 21" x 19" x 14"              |



**Quick Ship**  
**PRODUCTS**

**NEW!**

SONIC CHEF

**Panasonic**

## COMMERCIAL HIGH-SPEED OVEN



Convection  
Broil  
Microwave

6 - Heating Patterns!



NE-SCV2NAPR

Compact  
Stackable

See the Video



**Powered by microwave technology**

**Get an energy-saving connectionless steamer -  
and for a whole lot less**

**No hood, no plumbing, no de-liming**

Foods The Sonic Steamer Excels in:

|                 |                        |
|-----------------|------------------------|
| Vegetables      | Thawing frozen soups   |
| Seafood         | Scrambled Eggs         |
| Rice and Grains | Rethermaling all foods |
| Pastas          | Fast boost heating     |



See the Video

**Panasonic**



NE-2180  
NE-3280

**Retains up to 7X more water-soluble  
nutrients in foods than conventional methods**

**Instant Steam   Convenient Plug-in   Saves Energy**

## COMMERCIAL ELECTRIC RICE COOKERS



See the Video

Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.





### EXCLUSIVE FEATURES



#### FOOD ZONE

Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.



#### WATER DISTRIBUTION TUBE

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



#### DUAL EXHAUST

Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit.



#### ONE-TOUCH CLEANING

One touch to sanitize, one touch to de-lime. LEDs signal when cleaning is required.



Half Cube 7/8" x 7/8" x 3/8"

Full Size Cube Style also available - Call SESCO

| 30" Wide<br>Half Size Cube<br>(W)idth x (D)epth x (H)eight<br>inches | Model<br>Number | Ice Production<br>lbs (kg)/24 hr @ |                        | Condensing<br>Unit | Voltage<br>Characteristics | Approximate<br>Shipping<br>Weight<br>lbs (kg) |
|----------------------------------------------------------------------|-----------------|------------------------------------|------------------------|--------------------|----------------------------|-----------------------------------------------|
|                                                                      |                 | 70°F Air<br>50°F Water             | 90°F Air<br>70°F Water |                    |                            |                                               |
| <p>CIM0330 ON B55</p>                                                | CIM0330HA       | 313                                | 244                    | Air                | 115/60/1                   | 145 (65.7)                                    |
|                                                                      | CIM0330HW       | 316                                | 274                    | Water              | 115/60/1                   | 145 (65.7)                                    |
|                                                                      | CIM0430HA       | 435                                | 320                    | Air                | 115/60/1                   | 155 (70.3)                                    |
|                                                                      | CIM0430HW       | 460                                | 380                    | Water              | 115/60/1                   | 155 (70.3)                                    |
|                                                                      | CIM0530HA       | 561                                | 432                    | Air                | 115/60/1                   | 155 (70.3)                                    |
|                                                                      | CIM0530HW       | 586                                | 533                    | Water              | 115/60/1                   | 155 (70.3)                                    |
|                                                                      | CIM0636HA       | 600                                | 455                    | Air                | 208-230/60/1               | 160 (72.5)                                    |
|                                                                      | CIM0636HW       | 620                                | 415                    | Water              | 208-230/60/1               | 160 (72.5)                                    |
| High Production 30" Wide 30" W x 24.25"D x 26.9"H                    |                 |                                    |                        |                    |                            |                                               |
|                                                                      | CIM0836HA       | 896                                | 711                    | Air                | 208-230/60/1               | 220 (100)                                     |
|                                                                      | CIM1136HA       | 932                                | 762                    | Air                | 208-230/60/1               | 230 (105)                                     |

| 22" Wide<br>Half Size Cube<br>(W)idth x (D)epth x (H)eight<br>inches | Model<br>Number | Ice Production<br>lbs (kg)/24 hr @ |                        | Condensing<br>Unit | Voltage<br>Characteristics | Approximate<br>Shipping<br>Weight<br>lbs |
|----------------------------------------------------------------------|-----------------|------------------------------------|------------------------|--------------------|----------------------------|------------------------------------------|
|                                                                      |                 | 70°F Air<br>50°F Water             | 90°F Air<br>70°F Water |                    |                            |                                          |
| <p>CIM0320 ON B42</p>                                                | CIM0320HA       | 313                                | 244                    | Air                | 115/60/1                   | 150                                      |
|                                                                      | CIM0520HA       | 561                                | 432                    | Air                | 115/60/1                   | 165                                      |

### Limitless

Fit for any space.

Our exclusive, groundbreaking technology is designed to discharge hot air from both the side and top of the unit, making it the ultimate solution for tight spaces regardless of air flow requirements.

### Water Filters

Ask us how a water filter can extend a CIM Series cuber evaporator warranty

IT'S IN STOCK -

Many other sizes available - including 48" Wide Sizes, Full Size Cube, Remote Systems, and Flaker units also. Call SESCO for details.



| Half Size Cube<br>Model Dimensions<br>(W)idth x (D)epth x (H)eight<br>inches                                         | Model<br>Number | Ice Production<br>lbs (kg)/24 hr @   |                                      | Application<br>Bin<br>Storage<br>lbs (kg) | Condensing<br>Unit | Voltage<br>Characteristics | Approximate<br>Shipping<br>Weight<br>lbs (kg) |
|----------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|--------------------------------------|-------------------------------------------|--------------------|----------------------------|-----------------------------------------------|
|                                                                                                                      |                 | 70°F (21°C) Air<br>50°F (10°C) Water | 90°F (32°C) Air<br>70°F (21°C) Water |                                           |                    |                            |                                               |
|  26.2" (D)<br>24.54" (W)<br>39" (H) | ICEU220HA       | 238 (108)                            | 175 (79)                             | 70 (32)                                   | Air                | 115/60/1                   | 160 (73)                                      |
|  29.9" (D)<br>30.34" (W)<br>39" (H) | ICEU300HA       | 309 (140)                            | 205 (92)                             | 97 (44)                                   | Air                | 115/60/1                   | 206 (93)                                      |

| <br> gourmet | Model<br>Number | Machine Height<br>Standard/<br>Short Leg (in)** | Ice Production<br>lbs / 24 hr @<br>70°F Air/<br>50°F Water | Ice Production<br>lbs / 24 hr @<br>90°F Air/<br>70°F Water | Bin<br>Storage<br>(lbs) | Condensing<br>Unit | Voltage<br>Units | Ship<br>Weight<br>(lbs) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|-------------------------|--------------------|------------------|-------------------------|
|                                                                                                                                                                                | UCG060A         | 30.25-32 /<br>27.375-27.75                      | 63                                                         | 45                                                         | 17.5                    | Air                | 115/60/1         | 81.5                    |
|                                                                                                                                                                                | UCG080A         | 32.25-34 /<br>29.375-29.75                      | 95                                                         | 77.8                                                       | 33                      | Air                | 115/60/1         | 81.5                    |
|                                                                                                                                                                                | UCG100A         | 36-37.75 /<br>33.125-33.5                       | 114                                                        | 91.7                                                       | 48.5                    | Air                | 115/60/1         | 97                      |
|                                                                                                                                                                                | UCG130A         |                                                 | 121                                                        | 114.3                                                      |                         |                    |                  |                         |
|                                                                                                                                                                                | UCG130GA*       |                                                 | 121                                                        | 100.5                                                      |                         |                    |                  |                         |

\* Gourmet Grande

| Nugget Ice<br>Model Dimensions<br>14 7/8" W x 23 7/8" D x 34 3/8" H                                                                                                               | Model<br>Number | Ice Production<br>lbs (kg)/24 hr @   |                                      | Condensing<br>Unit | Voltage<br>Characteristics | Approximate<br>Shipping<br>Weight<br>lbs (kg) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------|--------------------------------------|--------------------|----------------------------|-----------------------------------------------|
|                                                                                                                                                                                   |                 | 70°F (21°C) Air<br>50°F (10°C) Water | 90°F (32°C) Air<br>70°F (21°C) Water |                    |                            |                                               |
| <br> nugget | GEMU090         | 85 (39)                              | 60 (27)                              | Air                | 115/60/1                   | 133 (60.5)                                    |

| Nugget Ice<br>Model Dimensions<br>21" W x 24" D x 27" H                             | Model<br>Number | Ice Production<br>lbs (kg)/24 hr @   |                                      | Condensing<br>Unit | Voltage<br>Characteristics | Approximate<br>Shipping<br>Weight<br>lbs (kg) |
|-------------------------------------------------------------------------------------|-----------------|--------------------------------------|--------------------------------------|--------------------|----------------------------|-----------------------------------------------|
|                                                                                     |                 | 70°F (21°C) Air<br>50°F (10°C) Water | 90°F (32°C) Air<br>70°F (21°C) Water |                    |                            |                                               |
|  | GEMO450A        | 464 (210)                            | 354 (161)                            | Air                | 115/60/1                   | 205 (93)                                      |
|                                                                                     | GEMO650A        | 740 (336)                            | 550 (249)                            | Air                | 115/60/1                   | 205 (93)                                      |
|                                                                                     | GEMO956A        | 1053 (478)                           | 753 (342)                            | Air                | 208-230/60/1               | 290 (132)                                     |
|                                                                                     | KBT24           | Bin Kit for (1) GEM or on a 22" bin  |                                      |                    |                            | 10 (5)                                        |
|                                                                                     | KBT19           | Bin Kit for GEM Series on a 30" bin  |                                      |                    |                            | 22 (10)                                       |
|                                                                                     | KBT23           | Bin Kit for (1) GEM Series on a B110 |                                      |                    |                            | 33 (15)                                       |
|                                                                                     | KBT22           | Bin Kit for (2) GEM on a B110 bin    |                                      |                    |                            | 33 (15)                                       |

| Storage Bins                                                                        | Model<br>Number | Application Bin<br>Storage<br>lbs (kg) | Bin Dimensions<br>(W)idth x (D)epth x (H)eight<br>inches (mm) | Approximate<br>Shipping Weight<br>lbs (kg) |
|-------------------------------------------------------------------------------------|-----------------|----------------------------------------|---------------------------------------------------------------|--------------------------------------------|
|  | B25             | 242 (110)                              | 30 x 31 x 28 (762 x 787 x 711)                                | 74 (34)                                    |
|                                                                                     | B40             | 344 (156)                              | 30 x 31 x 37 1/2 (762 x 787 x 953)                            | 103 (47)                                   |
|                                                                                     | B42             | 351 (160)                              | 22 x 31 x 50 (559 x 787 x 1270)                               | 99 (45)                                    |
|                                                                                     | B55             | 510 (232)                              | 30 x 31 x 50 (762 x 787 x 1270)                               | 125 (57)                                   |
|                                                                                     | B110            | 854 (388)                              | 48 x 31 x 50 (1219 x 787 x 1270)                              | 191 (87)                                   |





The Choice of Top Pizza Operators  
Contact SESCO today for details

XLT Impingement conveyor ovens

Industry leading performance - at all times - and under load  
Unmatched consistency  
Reliability - backed by the best warranty available!  
Pizza ovens with built-in hood solutions are also offered



Built-In Hood  
Solutions

**SESCO**

Let's talk about the perfect conveyor solution for you

When Pizza is your business  
- no oven does better



Pizza Conveyor Ovens & Conveyor Grills






retigo®

*Combi Cooking Events*

Join Us

See how Retigo  
simplifies operations  
providing unparalleled  
consistency and value



## YOU ARE INVITED!

Join us for a FREE Live Cooking Event & Open House with Retigo and SESCO  
See, taste, and feel how Retigo combi ovens save you valuable time, cuts costs, and provides exceptional food quality

- Watch speed, precision, and flavor come together
- Simple to cook - wide variety of products with little supervision
- Cut cooking times in half (vs conventional pieces of equipment)



LET US SHOW YOU THE POSSIBILITIES

Contact SESCO today to reserve your seat

**800.222.0558** [sesco.biz](http://sesco.biz)







**flexeserve™**  
The Home of Hot-holding

**Transforming operations  
Contact SESCO to unlock...**



Amazing food quality



Extend shelf Life



Diverse food range



Reduce food waste



Unmatched efficiency



Happier customers!



**Offer more food variety at  
unbelievable quality**



**Manage back-of-house  
operations with ease**



**Meet the  
game-changers**



# The Choice of Top Pizza Operators

**Automated  
Dough Processing Solutions**

## INSITU

DOUGH PROCESSOR

**2-in-1 Dough Divider / Rounder**

**Dough Prep  
in 3- 5 Seconds**



**Automation divides  
rounds dough balls  
to exact weights**



**Accuracy of +/- 0.1oz**



**Simplifying operations - Industry's most consistent processor  
Streamlining pizza dough prep so you can focus on the customer**

**When Pizza is your business  
- choose the ultimate dough processor**

**Contact SESCO today for details**

**[www.sesco.biz](http://www.sesco.biz)**



# ROYAL

## Quick Ship Products

2 Year Parts Warranty

1 Year Labor Warranty

\* Excludes RFT Series Fryers,  
RCF Series, and REEF Series fryers  
- 1 year warranty



### RANGES Gas & Electric

| MODEL NUMBER | Description                                               |
|--------------|-----------------------------------------------------------|
| RR-4         | 4 burner gas range with standard oven                     |
| RR-6         | 6 burner gas range with standard oven                     |
| RRE-4        | 4 burner electric range - 208 or 240 volt only            |
| RRE-6        | 6 burner electric range - 208 or 240 volt only            |
| RR-6C        | 6 burner gas range - with convection oven                 |
| RRE-6C       | 6 burner electric range with convection oven 208v or 240v |
| RR-6G24      | 60" gas range - 6 burners, 24" manual griddle             |
| RR-6RG24     | 60" gas range - 6 burners, 24" raised griddle/broiler     |
| RR-10        | 60" gas range - 10 burners                                |
| RR-4G36      | 60" gas range - 4 burners, 36" manual griddle             |



### FRYERS & PASTA COOKER

| MODEL NUMBER | Description                     |
|--------------|---------------------------------|
| RFT-50       | 50 lb gas fryer 1Yr Wty         |
| RFT-60       | 60 lb gas fryer 1 Yr Wty        |
| RFT-75       | 75 lb gas fryer 1 Yr Wty        |
| REEF-35      | 40 lb high efficiency gas fryer |
| RCF-25       | 25 lb countertop gas fryer      |
| RPC-14       | Royal Pasta Cooker, Gas         |



### Mobility Kits for Ranges, Fryers

|            |                                                                         |
|------------|-------------------------------------------------------------------------|
| RMK-243648 | - 24", 36" & 48", includes casters (4), 48" gas hose & restrain cable   |
| RMK-6072   | Range- 60" and 72", includes casters (6), 48" gas hose & restrain cable |
| FMK        | - includes casters, 48" gas hose and restrain cable                     |

### Casters for Ranges, Fryers

|           |                                           |
|-----------|-------------------------------------------|
| RC-243648 | Casters (4) only, 24", 36" and 48" ranges |
| RC-6072   | Casters (6) only, 60" and 72" ranges      |
| FC        | Casters only, Gas Fryer                   |



Phone: 800.222.0558

Ask SESCO about the Award Winning  
High Efficiency Fryers and Fryer Filter Systems





Gas



Electric



**2 Year Parts Warranty**  
**1 Year Labor Warranty**

\* Excludes RFT Series Fryers,  
RCF Series, and REEF Series fryers  
- 1 year warranty

**ROYAL**  
**Quick Ship**  
**Products**

## CONVECTION OVENS *Gas & Electric*

| MODEL NUMBER | Description                                                      |
|--------------|------------------------------------------------------------------|
| RCOS-1       | Single Deck gas convection oven                                  |
| RECO-1       | Single deck electric convection oven - 208 or 240 volt only      |
| RCOD-1       | Single deck extra deep gas conv oven                             |
| RECOD-1      | Single deck extra deep electric conv oven - 208 or 240 volt only |
| RCOS-2       | Double Deck gas convection oven                                  |
| RECO-2       | Double deck electric convection oven - 208 or 240 volt only      |
| RCOD-2       | Double deck extra deep gas conv oven                             |
| RECOD-2      | Double deck extra deep electric conv oven - 208                  |



## STOCK POTS, GRIDDLES, BROILERS, CHEESEMELTERS

| MODEL NUMBER | Description              |
|--------------|--------------------------|
| RSP-18-24    | 18" stock pot range      |
| RSB-36       | 36" gas salamander       |
| RTG-24       | 24" thermostatic griddle |
| RTG-36       | 36" thermostatic griddle |
| RRB-24       | 24" radiant charbroiler  |
| RRB-36       | 36" radiant charbroiler  |



### Mobility Kit for Single and Double Convection Ovens

|         |                                                                                       |
|---------|---------------------------------------------------------------------------------------|
| COCMK-1 | Single Conv Oven –                                                                    |
| COCMK-2 | Double Conv Oven – casters, 1 point gas manifold kit, 48" gas hose and restrain cable |

### Casters for Convection Ovens

|       |                                           |
|-------|-------------------------------------------|
| COC   | Casters only, Single Deck Convection Oven |
| COC-2 | Casters only, Double Deck Convection Oven |



Phone: 800.222.0558

Ask SESCO about the Award Winning  
High Efficiency Fryers and Fryer Filter Systems







# RF Hunter™

pure oil filtration

| Model                | Description                               |
|----------------------|-------------------------------------------|
| ECCO ONE P           | Filter Machine Up To 65 Lbs Oil Capacity  |
| HF80P                | Filter Machine Up To 80 Lbs Oil Capacity  |
| HF130P               | Filter Machine Up To 130 Lbs Oil Capacity |
| <b>Filter Paper</b>  |                                           |
| FE02                 | Filter Envelopes 14 X 15.5                |
| FE09                 | Filter Envelopes 17.5 X 18.5              |
| <b>Filter Powder</b> |                                           |
| FP22                 | Filter Powder Bulk 22 lb. Box             |
| FP22C                | Filter Powder Packets 3.2 oz              |
| FP40100              | Fryer Boil-Out Puck 4 oz Tablet           |



HF SERIES



ECCO ONE P



RM1424

| Model                                | Description                                |
|--------------------------------------|--------------------------------------------|
| <b>Pancake Griddles (Low Grease)</b> |                                            |
| RM1220-8                             | 12"X20" 10 ga 2-burner indoor/outdoor      |
| RM1423-8                             | 14"X23" 7 ga 2-burner rest./outdoor        |
| RM1424                               | 14"X24" 7 ga 2-burner restaurant           |
| RM2323-8                             | 23"X23" 7 ga 4-burner restaurant           |
| RM2424                               | 24"X24" 7 ga 4-burner restaurant           |
| <b>Add-On Griddles (High Grease)</b> |                                            |
| MC12-8                               | 12"X24"X1.5" deep 7 ga                     |
|                                      | 2-burner commercial griddle w/ grease tray |
| MC24-8                               | 24"X24"X1.5" deep 7 ga                     |
|                                      | 4-burner commercial griddle w/ grease tray |
| <b>Add-On Broilers</b>               |                                            |
| MB12-8                               | 2-burner commercial w/ grease tray         |
| MB24-8                               | 4-burner commercial w/ grease tray         |



MC12



MB12

## Quick Ship PRODUCTS



**Connoisseur**  
825 Pkgs

C825C11Q-B1GB1A  
Includes (2) 75 oz FourSide™ jars  
C825C11Q-B1GB1D  
Includes (2) 90 oz WildSide™ jars



**Stealth**  
885 Pkgs  
World's Quietest  
Commercial Blender

S885C2901-B1GB1A  
Includes (2) 75 oz FourSide™ jars  
S885C2901-B1GB1D  
Includes (2) 90 oz WildSide™ jars

### STEALTH NITRO X



**SNBS2C2901-B1K**  
Includes (2) Micronizers & Stands 41-605-03  
(1) set of adapter rings 12, 16, 24, 32 oz  
World's Quietest  
Commercial Blender

**No Waste - By the Cup  
Blending  
Stealth Nitro - by Blendtec**



Four Side



Wild Side



JRE-610



JRE-612



Hard Lid



Soft Lid

#### ACCESSORIES

|                      |                                                                                                                                                                                                                                                                                   |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>40-609-60</b>     | (FourSide-V) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black vented Gripper™ lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators, Eastman Tritan™ copolyester construction, SPA-free, clear                            |
| <b>40-609-61</b>     | (FourSide-S) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black soft lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear |
| <b>40-609-62</b>     | (FourSide-H) FourSide™ Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black hard lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear |
| <b>40-630-61</b>     | (WildSide-S) WildSide™ Jar. 90 oz. capacity jar with measurements up to 44 oz. includes black soft lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, SPA-free, clear   |
| <b>40-630-62</b>     | (WildSide-H) WildSide™ Jar. 90 oz. capacity jar with measurements up to 44oz., includes: black hard lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan™ copolyester construction, BPA-free, clear  |
| <b>JRE-610</b>       | (RR) Rapid Rinser™ Sprayer ONLY, includes: 6' flexible nylon-reinforced tubing with 3/8" compression fitting for water hook-up (minimum 60psi recommended)                                                                                                                        |
| <b>JRE-612</b>       | (RRS) Rapid Rinser™ Station Complete Unit includes: Rapid Rinser™ sprayer & base, 6' flexible nylon-reinforced tubing with 3/8" compression fitting for water hook-up (minimum 30psi recommended), stainless steel nozzle, 120° spray nozzle coverage                             |
| <b>40-209-01-SRV</b> | (HardLid-BL) Hard Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)                                                                  |
| <b>40-210-02-SRV</b> | Soft Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)                                                                               |



**Kelvinator** 

## COMMERCIAL

Trusted by operators for decades....  
Kelvinator's top build quality and  
reliable designs make it the  
smart choice



  
**SESCO**

Contact SESCO today for details

**800-222-0558**



## DISHWASHERS by ELECTROLUX



No Hot Water Line Required  
No Pressure Boost Required

### Undercounter Dishwashers

| Description                                                                                                                                                                                                 | Model  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Undercounter Dishwasher and Glasswasher,<br>Atmospheric boiler, Energy Star 2.0, 30<br>racks/hour - 208V/1N/60Hz<br><br>6.85 ElekW 208 V 1 60 Hz<br>WxDxH 23 5/8"x 26 1/16"x 32 1/4" in<br>lb 165 ft³ 17.68 | VLA1G8 |
| Undercounter Dishwasher and Glasswasher,<br>Atmospheric boiler, Energy Star 2.0, 30<br>racks/hour - 240V/1N/60Hz<br><br>6.85 ElekW 240 V 1 60 Hz<br>WxDxH 23 5/8"x 26 1/16"x 32 1/4" in<br>lb 174 ft³ 17.68 | VLA1G4 |



### Hood Type Dishwashers

| Description                                                                                                                                                                                                             | Model   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| Hood type insulated dishwasher with double<br>skin hood, detergent and rinse aid dispenser,<br>63 racks/h, 208V/ 1ph/ 60Hz<br><br>9.90 ElekW 208 V 1 60 Hz<br>WxDxH 29 5/8"x 29 3/4"x 61 11/16" in<br>lb 304 ft³ 43.27  | VDH63-1 |
| Hood type insulated dishwasher with double<br>skin hood, detergent and rinse aid dispenser,<br>63 racks/h, 208V/ 3ph/ 60Hz<br><br>12.90 ElekW 208 V 3 60 Hz<br>WxDxH 29 5/8"x 29 3/4"x 61 11/16" in<br>lb 311 ft³ 43.27 | VDH63   |



Ask SESCO today about Veetsan  
The best value in dishwashing!





## Quick Ship PRODUCTS



522



401

### Soft Serve/ Yogurt Machines \*

|       |           |                                               |
|-------|-----------|-----------------------------------------------|
| 401   | 208V/60/1 | five 4 oz servings per minute, 20 qt capacity |
| 407   | 115V/60/1 | two 4 oz servings per minute, 7 qt capacity   |
| DF200 | 115V/60/1 | two 3 oz servings per minute, 7 qt capacity   |

### Twist Soft Serve/ Yogurt Machines \*

|     |            |                                                                                             |
|-----|------------|---------------------------------------------------------------------------------------------|
| 501 | 208V/60/1  | four 4 oz servings per minute per side<br>11 qt capacity per side - <b>Countertop model</b> |
| 522 | 208V/60/1* | seven 4 oz servings per minute per side<br>17 qt capacity per side - <b>Floor model</b>     |

\* Two separate circuits required.



### Frozen Beverage Machines \*

|     |           |                                     |
|-----|-----------|-------------------------------------|
| 704 | 208V/60/1 | 28 gallons per hour, 35 qt capacity |
| 707 | 115V/60/1 | 8 gallons per hour, 20 qt capacity  |



608S



704

### Smoothie Machine \*

|      |           |                                                 |
|------|-----------|-------------------------------------------------|
| 608S | 115V/60/1 | three 12 oz servings per minute, 20 qt capacity |
|------|-----------|-------------------------------------------------|

### Flurry/ Shake Mixture

|         |      |                          |
|---------|------|--------------------------|
| Cyclone | 115V | High speed Compact mixer |
|---------|------|--------------------------|



Made in USA



ACCUFREEZE™  
TECHNOLOGY

Call your **SESCO** Territory Manager for a professional consultation!

**SECO** SELECT

TEST OUR METAL™

SH14UA

- Fully insulated
- Patented Armor heating for quality food holding
- Holds 18" X 26" or 14" x 18 Trays & 12" x 20" Pans



Road Warrior



Contact SESCO for SECO Select solutions including Custom Serving Lines, Breakfast Carts, and much more...





**QuickShip**  
32 sizes of walk-Ins  
in 48 hours



Restaurant Coolers

Bakery & Pizza

Brewery - Walk ins

Beer Caves

Warehouse Solutions

Schools / Universities

Restaurant Coolers

Supermarket

Convenience Stores

Labs - Medical Holding

**Premium Walk-Ins**  
In all Sizes



All custom sizes available.

**Voted # 1**  
**By Installers For**  
**Ease Of Installation**

## G-2 QuickShip

- 32 sizes of quick ship walk-ins available to ship within 2 days.
- High quality, heavy duty foamed in place construction that meets all new Dept of Energy guidelines
- Heavy duty welded 12 gauge steel door for strength and rigidity
- G-10 QuickShip

More Choices...ask how  
Leer Quick Ship is the most flexible in the Industry.

Add other options such as floor, ramps, membrane roof,  
self contained drop-in refrigeration - for most units.  
The box still ships quick - in only 10 days!



**SESCO**  
Food Service Equipment

**Call For Your Quote Today**


**800.222.0558**  
[www.sesco.biz](http://www.sesco.biz)



## Construction

Retrofit and replacement doors designed & constructed to fit most every application & brand of cold storage units.

Ideal for replacement or new opening requirements. Constructed to the same stringent standards as our original cold storage doors.



## Door Dimensions

| Actual Door Opening | Door Swing Radius |
|---------------------|-------------------|
| 18" W x 24" H       | 27"               |
| 24" W x 24" H       | 33 "              |
| 24" W x 36" H       | 33 "              |
| 30" W x 78" H       | 39 "              |
| 36" W x 78" H       | 45 "              |
| 36" W x 84" H       | 45 "              |
| 42" W x 78" H       | 51"               |
| 42" W x 84" H       | 51"               |
| 48" W x 78" H       | 57 "              |
| 48" W x 84" H       | 57"               |

### Standard Features:

- Pre-hung in jamb frame or face frame
- 26-gauge, stucco-embossed steel
- Class 1, urethane-insulated door
- Heavy-duty, brushed chrome hardware
- Cam lift spring-assisted hinges
- Lockable latch and safety release handle
- Magnetic door gasket and double-sweep gasket
- Replaceable, anti-condensate heat wire (freezer only)
- Constructed for cooler or freezer application
- Door closer



Call SESCO for details





Stainless design.  
Stellar performance.  
Superior value.



## Arctic Air Refrigeration Products

Ask SESCO today for how Arctic Air products can help your team



# Prática

HIGH SPEED OVENS

## Expanding your menu

NO HOOD, NO CHEF  
NO WORRIES -

ADD HOT ITEMS EASILY-  
PANINIS, PIZZA, WINGS, APPETIZERS,  
BREAKFAST SANDWICHES AND  
MUCH MORE



## PANINI PRESS FOR THE FIT LINE

## Maximizing your area

...MAKING THE MOST  
OF YOUR SPACE

## ZERO Clearance on Three Models

Fit XL, Rocket, Fit

## 1" Clearance - Right side on Two Models

Forza Sti, Fit ST

## Minimize Operation Costs

...EASY TO REMOVE AIR FILTERS,  
EASY TO REMOVE CATALYTIC CONVERTER  
Keeping Maintenance Simple  
and Service Costs Low

Schedule your demo today!

 **SESCO**





## Afinox Blast Chillers & All-In-One

The smart solution for modern foodservice.

Rapid blast chilling, shock freezing,  
thaw, and more with - Multilevel function

Saves valuable time & labor

Preserves taste, texture, & nutrition

Superior yields

Automated programs & digital controls

HACCP- data capture & traceability

Faster cycles = higher productivity

All-In-One versatility



Automating processing steps  
Improving quality  
Exceptional value



800.222.0558  
[sesco.biz](http://sesco.biz)



# Modular<sup>®</sup>

## Foodservice Dispensers



### Simpli-Flex Cup

1015023  
SF2000 Cup Dispenser  
23"x5"

### Simpli-Flex Cone

1003846  
SF1002 (1905842 gasket)  
Cone Dispenser 24"x 4"  
  
1003848  
SF1002P w/ plastic tube  
(1905842 gasket)  
Cone Dispenser 31"x 4"  
  
1003850  
SF1002P w/ plastic tube  
(1905842 gasket)  
Cone Dispenser 19"x 31.13"  
  
1007710  
SF1002P w/ plastic tube  
(1905842 gasket)  
Cone Dispenser 31"x3.13"



### Z-STAND 1008-30Z

1003865  
for 3 cup/lid disp



### Napkin

In-Counter Dispenser  
1003971  
6 1/2"D x 10 1/2"H x 8 1/4"W



### Simpli-Flex Cup Dispenser

In-Counter / Cabinet Mount  
1007699  
CSF1003 for extra small / portion cups  
24"L x 3" Dia

1015201  
CSF1005 for large cups  
24"L x 5" Dia



### Simpli-Flex Cup Dispenser

Wall / Stand Mount  
1007516  
SF1003 for extra small / portion cups  
16"L x 3 1/8" Dia



### Countertop Adjustable Lid Dispenser

1004056  
19" Wide 4 dividers



# BakeMax

Bringing Solutions since 1966

Think Quality - Think Value - Think Service - Think BakeMax



Pizza Warmer  
Display Cases



Mixers



Single Pass  
& Double Pass  
Sheeters



Manual and Automatic  
Pizza / Tortilla Presses



Deck Oven  
with Proofer



Grinders

Slicers



Conveyor Toasters  
& Conveyor Bakers



Heated Display Cases  
& Refrigerated Display Cases



# Global Refrigeration, Inc.



**MADE  
IN THE  
USA**

High Quality Ice Cream Cases  
and Hardening Cabinets

Contact SESCO today for information  
on Global Refrigeration Products





USA & GLOBAL  
MANUFACTURING



**Innovation. Experience. Quality.**

Contact SESCO for information on  
Winholt products and stainless  
steel fabrication

Contact SESCO for Details  
800.222.0558  
[www.sesco.biz](http://www.sesco.biz)



gti

DESIGNS



GELATO / ICE CREAM DISPLAYS



PASTRY & BAKERY DISPLAYS



CHOCOLATE DISPLAYS



PANINI DISPLAYS



HOT & BAIN MARIE DISPLAYS



PREPARED FOOD DISPLAYS



GRAB AND GO DISPLAYS



MULTIDECKS



SUPERMARKET AND GROCERY



CAFETERIA DISPLAYS



MEAT FISH & CHEESE  
DISPLAYS



DELI DISPLAYS



MEAT AGING



WINE CASES



UPRIGHT GLASS DOOR  
FREEZERS & REFRIGERATORS

Contact SESCO today for GTI Design solutions





arc  
cardinal

Buffetware



Abert Flatware



Maria Portugal Terracota Collection



Grace Collection



Evo Azure Collection



Tempo Lamps



Stack Up Cross Collection



Exaltation Collection



Dudson Harvest Mediterranean  
Moresque







DINNERWARE • DRINKWARE • FLATWARE

ACCESSORIES

**TURGLA**


SERVING

WWW.TURGLA.COM






**WABASH VALLEY**



ALWAYS there for you





# ABCrosby & Company

Foodservice Furniture

Tabletops

Table bases - wood and metal

Booth seating

Dining tables and chairs

Chairs and bar stools

Casegood furniture

... much more



**SESCO**

Contact us today!

800.222.0558