

### PRODUCT Guide 2025

When you need it **yesterday** 



### Many products able to ship same day if ordered by noon

\* Call for details

Call Mike Rykaceski 412.860.2655 miker@sesco.biz

WWW.SESCO.BIZ

\* Please contact customer service to check availability as we strive to maintain proper inventory levels. SESCO 5705 Valley Belt Rd Independence, OH 44131

Main: 800.222.0558 Fax: 800.251.7717

West

Virginia



Model	Required Power	Receptical Required	Exterior / Interior	Cavity Dimensions (wxdxh)
1000 Watt OCS				
NE-1025F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1054F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1064F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Ext. & Int.	13 x 13"x 8 1 16" "
1200 Watt Pro I				
NE-12521	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-12523	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
1700 Watt Pro I				
NE-17521	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17523	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17723	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
2100 Watt Pro I				
NE-21521	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-21523	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
SONIC STEAMERS				
2100 Watt				
NE-2180	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
3200 Watt				
NE-3280	208V (28.0A), 230-240V (25.3A)	30 Amp, NEMA 6-30 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
Hi-SPEED OVEN				
Convection, Broil, M	icrowave Combination			
NE-SCV2NAPR	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	10-5/8 "x 13" x 4-5/16"
RICE COOKER		Cup / Servings		
SR-GA721L	208V (10.8A)	80-cup 168 Servings	Silver	21" x 19" x 14"
SR-GA541H	120v (15.0A)	60-cup 123 Servings	Silver	16 9/10" x 14 4/6" x 14 1/6"
SR-GA541FH	120v (15.0A)	60-cup 123 Servings	Silver	16 9/10" x 14 4/6" x 14 1/6"
SR-GA421FH	120v (12.9A)	46-cup 94 Servings	White	16 7/8" x 10 1/2" x 11 7/8"
SR-42HZP	120v (12.9A)	46-cup 94 Servings	Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-2363ZW	120v (12.9A)	40-cup 70 Servings	White Stripe Ext	16 9/10" x 14 4/5" x 14 1/5"



Convection Broil Microwave 6 - Heating Patterns!



NE-SCV2NAPR Compact

Stackable

See the Video

### Panasonic



SONIC STEAMER

#### Powered by microwave technology

Get an energy-saving connectionless steamer -

and for a whole lot less

No hood, no plumbing, no de-liming

Foods The Sonic Steamer Excels in:

Vegetables	Thawing frozen soups			
Seafood	Scrambled Eggs			
Rice and Grains Rethermaling all foods				
Pastas	Fast boost heating			

Retains up to 7X more water-soluble nutrients in foods than conventional methods



#### COMMERCIAL ELECTRIC RICE COOKERS



Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.









See the Video





#### **EXCLUSIVE FEATURES**



#### FOOD ZONE Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.





30 Ha

21.25

24.25

#### DUAL EXHAUST

Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit.



#### Quick Ship PRODUCTS

#### WATER DISTRIBUTION TUBE

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.

ONE-TOUCH CLEANING

cleaning is required.

One touch to sanitize, one touch

to de-lime. LEDs signal when



Half Cube 7/8"x 7/8" x 3/8"

Full Size Cube Style also available - Call SESCO

)" Wide alf Size Cube			duction /24 hr @			Approximate Shipping
)idth x (D)epth x (H)eight inches	Model Number	70'F Air 50'F Water			Voltage Characteristics	Weight Ibs (kg)
	CIM0330HA	313	244	Air	115/60/1	145 (65.7)
	CIM0330HW	316	274	Water	115/60/1	145 (65.7)
	CIM0430HA	435	320	Air	115/60/1	155 (70.3)
	CIM0430HW	460	380	Water	115/60/1	155 (70.3)
	CIM0530HA	561	432	Air	115/60/1	155 (70.3)
	CIM0530HW	586	533	Water	115/60/1	155 (70.3)
$\Gamma = \Gamma$	CIM0636HA	600	455	Air	208-230/60/1	160 (72.5)
10330 ON 855	CIM0636HW	620	415	Water	208-230/60/1	160 (72.5)
	High Produ	uction 30" Wide	30" W x 24.25"D	x 26.9″H		
26.9	CIM0836HA	896	711	Air	208-230/60/1	220 (100)
	CIM1136HA	932	762	Air	208-230/60/1	230 (105)

22" Wide Half Size Cube			luction 24 hr @			Approximate Shipping
(W)idth x (D)epth x (H)eight inches	Model Number	70'F Air 50'F Water	90'F Air 70'F Water	Condensing Unit	Voltage Characteristics	Weight Ibs
24.25	CIM0320HA	313	244	Air	115/60/1	150
	CIM0520HA	561	432	Air	115/60/1	165
Fi	mitless t for any space. Dur exclusive, groundbrea echnology is designed to not air from both the side he unit, making it the ulti solution for tight spaces ro of air flow requirements.	aking discharge and top of mate			ater filter can e r evaporator w	

IT'SINSTOCK -

Many other sizes available - including 48" Wide Sizes, Full Size Cube, Remote Systems, and Flaker units also. Call SESCO for details.



Half Size Cube		lce Proc lbs (kg)/		Application Bin			Approximate Shipping
(W)idth x (D)epth x (H)eight inches	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water	Storage Ibs (kg)	Condensing Unit	Voltage Characteristics	Weight Ibs (kg)
	ICEU220HA	238 (108)	175(79)	70 (32)	Air	115/60/1	160 (73)
16-54 (W)	half cube						
39 (H)	ICEU300HA	309 (140)	205 (92)	97 (44)	Air	115/60/1	206 (93)
***** (W)	half						

-	Model Number	Machine Height Standard/ Short Leg (in)**	Ice Production Ibs / 24 hr @ 70°F Air/ 50°F Water	Ice Production Ibs / 24 hr @ 90°F Air/ 70°F Water	Bin Storage (Ibs)	Condensing Unit	Voltage Units	Ship Weight (Ibs)
	UCG060A	30.25-32 / 27.375-27.75	63	45	17.5	Air	115/60/1	81.5
	UCG080A	32.25-34 / 29.375-29.75	95	77.8	33	Air	115/60/1	81.5
<b></b>	UCG100A		114	91.7				
gournet	UCG130A	36-37.75 / 33.125-33.5	121	114.3	48.5	Air	115/60/1	97
	UCG130GA*		121	100.5				

Gou	rmet	Gra	nd

(0)

Nugget Ice		Ice Proo Ibs (kg)/				Approximate	
Model Dimensions 14 7/8" W x 23 7/8" D x 34 3/8" H	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70 °F (21°C) Water	Condensing Unit	Voltage Characteristics	Shipping Weight Ibs (kg)	
	GEMUO90	85 (39)	60 (27)	Air	115/60/1	133 (60.5)	
Nugget Ice		lce Proe Ibs (kg)/	duction /24 hr @			Approximate	
Model Dimensions 21" W × 24" D × 27" H	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Shipping Weight Ibs (kg)	
	GEMO450A	464 (210)	354 (161)	Air	115/60/1	205 (93)	
Kee O Marke	GEMO650A	740 (336)	550 (2 49)	Air	115/60/1	205 (93)	
	GEMO956A	1053 (478)	753 ( 342 )	Air	208-230/60/1	290 (132)	
	KBT24	Bin Kit for (1) GEM	or on a 22" bin			10 (5)	
	KBT19	Bin Kit for GEM Se	ries on a 30" bin			22 (10)	
	KBT23	Bin Kit for (1) GEM	Series on a B110			33 (15)	
	KBT22	Bin Kit for (2) GEM	on a B110 bin			33 (15)	
Storage Bins	Model Number	Application Bin Bin Dimensions Approxi Storage (W)idth x (D)epth x (H)eight Shipping Ibs (kg) inches (mm) Ibs (k				Veight	
	B25	242 (110)	30 x 31 x 28 (76	2 x 787 x 711)	74 (34	4)	
(H)	B40	344 (156)	30 x 31 x 37½ (76	2 x 787 x 953)	103 (4	7)	
	B42	351 (160)	22 x 31 x 50 (559	x 787 x 1270)	99 (4	5)	

510 (232)

854 (388)

30 x 31 x 50 (762 x 787 x 1270)

48 x 31 x 50 (1219 x 787 x 1270)

125 (57)

191 (87)

B55

B110



#### The Choice of Top Pizza Operators Contact SESCO today for details

#### XLT Impingement conveyor ovens

Industry leading performance - at all times - and under load Unmatched consistency Reliability - backed by the best warranty available! Pizza ovens with built-in hood solutions are also offered

Built-In Hood Solutions

Let's talk about the perfect conveyor solution for you

- no oven does better

SESCO

When Pizza is your business

Pizza Conveyor Ovens & Conveyor Grills



#### **flexeserve**<sup>™</sup> The Home of Hot-holding

Transforming operations Contact SESCO to unlock...

- Amazing food quality
- Extend shelf Life

Diverse food range

**T** Reduce food waste

Unmatched efficiency

Happier customers!



### Offer more food variety at unbelievable quality





### Manage back-of-house operations with ease





. LIGHT

#### **2** Year Warranty Parts & Labor \* Excludes Fryers All fryers - 1 year warranty

#### **ROYAL Quick Ship** Products

#### CONVECTION OVENS Gas & Electric

MODEL	Description	
NUMBER		1
RCOS-1 🞽	Single Deck gas convection oven	
RECO-1	Single deck electric convection oven - 208 or 240 volt only	
RCOD-1	Single deck extra deep gas conv oven	
RECOD-1	Single deck extra deep electric conv oven - 208 or 240 volt only	1
RCOS-2	Double Deck gas convection oven	and the second
RECO-2	Double deck electric convection oven - 208 or 240 volt only	
RCOD-2	Double deck extra deep gas conv oven	
RECOD-2	Double deck extra deep electric conv oven - 208	



#### **STOCK POTS, GRIDDLES, BROILERS, CHEESEMELTERS**

FAN

MODEL		Description	
NUMBER			
RSP-18-24	18" stock pot range		
RSB-36	36" gas salamander		
RTG-24	24" thermostatic griddle		HHHHHHORO
RTG-36	36" thermostatic griddle		a /////////
RRB-24	24" radiant charbroiler		THURSDAY TO THE
RRB-36	36" radiant charbroiler		

#### Mobility Kit for Single and Double Convectio

noomity m					
COCMK-1	Single	Conv Oven –			
СОСМК-2		Double Conv Oven – casters, 1 point gas manifold kit, 48" gas hose and restrain cable			
Caste	ers for (	Convection Ovens			
	COC	Deck Convection Oven			
A STREET	COC-2	Casters only. Double Deck Convection Oven			

AsK SESCO about the Award Winning **High Efficiency Fryers and Fryer Filter Systems** 



0 · 0 · 0 0.0 0.0 0.0

Gas

Electric

1



Phone: 800.222.0558

#### **ROYAL** Quick Ship Products

2 Year Warranty Parts & Labor \* Excludes Fryers All fryers - 1 year warranty

127 12 2012

OYAL

ROYAL

0

#### RANGES Gas & Electric

To de Co

MODEL	Description
NUMBER	
RR-4	4 burner gas range with standard oven
RR-6	6 burner gas range with standard oven
RRE-4 🦸	4 burner electric range - 208 or 240 volt only
RRE-6 🐓	6 burner electric range - 208 or 240 volt only
RR-6C	6 burner gas range – with convection oven
RRE-6C	6 burner electric range with convection oven 208v or 240v
RR-6G24	60" gas range - 6 burners, 24" manual griddle
RR-6RG24	60" gas range - 6 burners, 24" raised griddle/broiler
RR-10	60" gas range - 10 burners
RR-4G36	60" gas range - 4 burners, 36" manual griddle

NΔ

RANGE OF CALIFORNIA, INC.

#### **FRYERS & PASTA COOKER**

MODEL		Description	
NUMBER			
RFT-50	50 lb gas fryer	1Yr Wty	
RFT-60	60 lb gas fryer	1 Yr Wty	
RFT-75	75 lb gas fryer	1 Yr Wty	
REEF-35	40 lb high efficie	ency gas fryer	A A A
RCF-25	25 lb countertop	o gas fryer	ROYAL
RPC-14	Royal Pasta Coo	ker, Gas	

#### Mobility Kits for Ranges, Fryers

RMK-243648	- 24", 36" & 48", includes casters (4), 48" gas hose & restrain cable
RMK-6072	Range- 60" and 72", includes casters (6), 48" gas hose & restrain cable
FMK	<ul> <li>– includes casters, 48" gas hose and restrain cable</li> </ul>

#### Casters for Ranges, Fryers

RC-243648	Casters (4) only, 24", 36" and 48" ranges
RC-6072	Casters (6) only, 60" and 72" ranges
FC	Casters only. Gas Fryer

800.222.0558

**SESCO** 

AsK SESCO about the Award Winning High Efficiency Fryers and Fryer Filter Systems







ECCO ONE P







Model	Description	
Pancake Griddles	(Low Grease)	
RM1220-8	12"X20" 10 ga 2-burner indoor/outdoor	
RM1423-8	14"X23" 7 ga 2-burner rest./outdoor	
RM1424	14"X24" 7 ga 2-burner restaurant	MC12
RM2323-8	23"X23" 7 ga 4-burner restaurant	MC12
RM2424	24"X24" 7 ga 4-burner restaurant	
Add-On Griddles (	(High Grease)	
MC12-8	12"X24"X1.5" deep 7 ga	
	2-burner commercial griddle w/ grease tray	111111
MC24-8	24"X24"X1.5" deep 7 ga	
	4-burner commercial griddle w/ grease tray	
Add-On Broilers		
MB12-8	2-burner commerial w/ grease tray	MB12
MB24-8	4-burner commerial w/ grease tray	

#### Quick Ship PRODUCTS

### **Sommercial**

ACCESSORIES



C825C11Q-B1GB1A Includes (2) 75 oz FourSide™ jars

C825C11Q-B1GB1D Includes (2) 90 oz WildSide™ jars



Stealth 885 Pkgs World's Ouietest Commercial Blender

S885C2901-B1GB1A Includes (2) 75 oz FourSide™ jars

S885C2901-B1GB1D Includes (2) 90 oz WildSide™ jars



**SNBS2C2901-B1K** Includes (2) Micronizers & Stands 41-605-03 (1) set of adapter rings 12, 16, 24, 32 oz

> World's Quietest Commercial Blender

No Waste - By the Cup Blending Stealth Nitro - by Blendtec



40-609-60 (FourSide-V) FourSide" Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black vented Gripper" lid, small tuned wingtip blade, jar markings in oz.. ml. and cup indicators, Eastman Tritan" copolyester construction, SPA-free, cear 40-609-61 (FourSide-S) FourSide" Jar, 75 oz. capacity jar with measurements up to 32 oz., includes: black soft lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan" copolyester construction, SPA-free, clear 40-609-62 (FourSide-H) FourSide" Jar, 75 oz. capacity jarwith measurements up to 32 oz., includes: black hard lid, small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan" copolyester construction, SPA-free, clear 40-630-61 (WildSide-S) WildSide" Jar, 90 oz. capacity jar with measurements up to 44 oz. includes black soft lid, large tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure), Eastman Tritan" copolyester construction, SPA-free, clear 40-630-62 (WildSide-H) WildSide" Jar. 90 oz. capacity jarwith measurements up to 44oz., includes: black hard lid, large tuned wingtip blade, jar markings in oz., ml, and cup indicators (for use ONLY within sound enclosure), Eastman Tritan" copolyester construction, BPA-free, clear JRE-610 (RR) Rapid Rinser" Sprayer ONLY, includes: 6' flexible nylon-reinforced tubing with 3/8' compression fitting for water hook-up (minimum ó0psi recommended) **JRE-612** (RRS) Rapid Rinser" Station Complete Unit indudes: Rapid Rinser"sprayer & base, 6' flexible nylonreinforced tubing with 3/8' compression fitting for water hook-up (minimum 30psi recommended), stainless steel nozzle, 120° spray nozzle coverage 40-209-01-SRV (HardLid-BL) Hard Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Foursidejars), (10 per pack) 40-210-02-SRV Soft Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)

Soft Lid





# KCHRI25RIDRE









KCHRI54R2DRE

#### Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738251	KCHRI25RIDRE	25 cu ft. Single Door Reach In Refrigerator, Back Room Application	30.6"x77.6"x28.8"	295 lb
738241	KCHRI27R1DRE	1-door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,8"x82,3"x32,7"	306 lb
738280	KCHRI27R2HDR	2-half door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F	26,8"x82,3"x31,9"	315 lb
738242	KCHRI54R2DRE	2-door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x32,7"	489 lb



KCHRI54R4HDR





KCHRI27R1GDR



KCHRI54R2GDR

#### Upright Reach in Refrigerators

PNC	model	description	unit WxHxD	shipping weight
738282	KCHRI54R4HDR	4-half door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F	53,9"x82,3"x31,9"	525 lb
738243	KCHRI81R3DR	3-door reach-in refrigerator, stainless steel, 81 cubic feet, R290 refrigerant gas, +33/+41°F	81"x82,3"x32,7"	668 lb
738278	KCHRI27R1GDR	1-glass door reach-in refrigerator, stainless steel, 27 cubic feet, R290 refrigerant gas, +33/+41°F - Energy star	26,6"x82,3"x31,9"	366 lb
738281	KCHRI54R2GDR	2-glass door reach-in refrigerator, stainless steel, 54 cubic feet, R290 refrigerant gas, +33/+41°F - Energy Star	53,9"x82,3"x31,9"	562 lb



COMMERCIAL

### Refrigerators







KCHGM48R



KCHGM72R

#### Merchandiser Refrigerators

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738248	KCHGM26R	1-glass door merchandiser refrigerator, black, 26 cubic feet, R290 refrigerant gas, +33/+41°F	28,3"x79,5"x33,9"	342 lb
738247	KCHGM12R	1-glass door merchandiser refrigerator, black, 12 cubic feet, R290 refrigerant gas, +33/+41°F	25″x61,8″x26″	254 lb
738249	KCHGM48R	2-glass door merchandiser refrigerator, black, 48 cubic feet, R290 refrigerant gas, +33/+41°F	54″x79,5″x31,9″	540 lb
738308	KCHGM72R	3-glass door merchandiser refrigerator, black, 72 cubic feet, R290 refrigerant gas, +33/+41°F	81"x79,5"x31,9"	732 lb











KCHUC27R

KCHUC48R

KCHUC60R



#### Undercounter Refrigerators

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738263	KCHUC27R	1-door undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x35,5"x29,9"	185 lb
738264	KCHUC48R	2-door undercounter refrigerator, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x35,5"x29,9"	278 lb
738291	KCHUC60R	2-door undercounter refrigerator, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x35,5"x29,9"	313 lb
738292	KCHUC72R	3-door undercounter refrigerator, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x35,5"x29,9"	368 lb
738290	KCHUC27.2DR	2-drawer undercounter refrigerator, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,6"x35,5"x29,9"	185 lb



KCHUCWT27R









Undercounter Refrigerators with worktops

PNC	model	description	unit WxHxD	shipping weight
738299	KCHUCWT27R	1-door undercounter refrigerators with worktop, 27", R600a refrigerant gas, 33/+41°F, stainless steel	27,8"x39,4"x29,9"	190 lb
738300	KCHUCWT48R	2-door undercounter refrigerators with worktop, 48", R600a refrigerant gas, 33/+41°F, stainless steel	48,2"x39,4"x29,9"	284 lb
738301	KCHUCWT60R	2-door undercounter refrigerators with worktop, 60", R600a refrigerant gas, 33/+41°F, stainless steel	61,3"x39,4"x29,9"	320 lb
738302	KCHUCWT72R	3-door undercounter refrigerators with worktop, 72", R600a refrigerant gas, 33/+41°F, stainless steel	71,5"x39,4"x29,9"	379 lb









#### KCHBC36

КСНВС50

KCHBC65



PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738294	КСНВС36	1-door bottle cooler with slide top, 36", R600a refrigerant gas, +33/+41°C, black	36,8″x35″x27″	212 lb
738267	KCHBC50	2-door bottle cooler with slide top, 50", R600a refrigerant gas, +33/+41°C, black	49,4"x35"x27"	298 lb
738268	KCHBC65	2-door bottle cooler with slide top, 65", R600a refrigerant gas, +33/+41°C, black	64,3"x35"x27"	331 lb
738293	KCHBC95	3-door bottle cooler with slide top, 95", R600a refrigerant gas, +33/+41°C, black	95,3"x35"x27"	439 lb





KCHMC34



KCHMC49



KCHMC58

#### Milk Coolers

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738275	KCHMC34	1-door school milk crate cooler, 34", R290 refrigerant gas, +33/+41°C	34"x42"x30,6"	225 lb
738276	KCHMC49	1-door school milk crate cooler, 48", R290 refrigerant gas, +33/+41°C	49"x42"x30,6"	277 lb
738277	KCHMC58	1-door school milk crate cooler, 60", R290 refrigerant gas, +33/+41°C	58,1"x42"x30,6"	300 lb





1





KCHBB48G

#### **Back Bar Refrigerators**

PNC	model	description	unit WxHxD	shipping weight
738269	KCHBB48S	2-door back bar refrigerator with black solid door, 48", R290 refrigerant gas, +33/+41℃	49,1"x36,3"x24,4"	265 lb
738270	KCHBB60S	2-door back bar refrigerator with black solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	309 lb
738271	KCHBB72S	3-door back bar refrigerator with black solid door, 72", R290 refrigerant gas, +33/+41°C	73,1"x36,3"x24,4"	346 lb
738272	KCHBB48G	2-door back bar refrigerator with glass door, 48", R290 refrigerant gas, +33/+41°C	49,1"x36,3"x24,4"	306 lb







KCHBB72G



KCHBB4855





KCHBB60G

Back Bar Refrigerators

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738273	KCHBB60G	2-door back bar refrigerator with glass door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	317 lb
738274	KCHBB72G	3-door back bar refrigerator with glass door, 72", R290 refrigerant gas, +33/+41°C	73,1″x36,3″x24,4″	417 lb
738305	KCHBB48SS	2-door back bar refrigerator with stainless steel solid door, 48", R290 refrigerant gas, +33/+41℃	49,1"x36,3"x24,4"	273 lb
738306	KCHBB60SS	2-door back bar refrigerator with stainless steel solid door, 60", R290 refrigerant gas, +33/+41°C	61,1"x36,3"x24,4"	320 lb
738307	KCHBB72SS	3-door back bar refrigerator with stainless steel solid door, 72", R290 refrigerant gas, +33/+41°C	73,1″x36,3″x24,4″	359 lb





KCHBBD2D1T



KCHBBD2D2T



KCHBBD3D2T

#### **Back Bar Refrigerators**

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738295	KCHBBD1D1T	1-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 25", R290 refrigerant gas, $+33/+41^{\circ}$ C	24″x29,9″x33,9″	165 lb
738296	KCHBBD2D1T	2-door back bar beer dispenser refrigerator with 1 beer columns, black solid door, 48″, R290 refrigerant gas, +33/+41℃	49″x24,5″x36,3″	282 lb
738297	KCHBBD2D2T	2-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 42″, R290 refrigerant gas, +33/+41℃	49″x24,5″x36,3″	287 lb
738298	KCHBBD3D2T	3-door back bar beer dispenser refrigerator with 2 beer columns, black solid door, 72″, R290 refrigerant gas, +33/+41℃	73″x24,5″x36,3″	392 lb



#### COMMERCIAL

### Refrigerators





KCHCB60R

KCHCB72R

-

#### Chef Bases

KCHCB48R

PNC	model	description	unit WxHxD	shipping weight
738313	KCHCB48R	2-drawer chef refrigerated base, 48", R290 refrigerant gas, +33/+41°C, stainless steel	50″x31,9″x26″	260 lb
738311	KCHCB60R	2-drawer chef refrigerated base, 60", R290 refrigerant gas, +33/+41°C, stainless steel	62″x31,9″x26″	322 lb
738312	KCHCB72R	4-drawer chef refrigerated base, 72", R290 refrigerant gas, +33/+41°C, stainless steel	74″x31,9″x26″	362 lb







KCHST27.8

KCHST48.12



KCHST60.16



KCHST70.18

Sandwich/Salad Preparation Tables

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738255	KCHST27.8	1-door sandwich/salad preparation table for 6 GN 1/6+2 GN 1/9 containers, 27", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x29,9"	236 lb
738256	KCHST48.12	2-door sandwich/salad preparation table for 12 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3″x43,3″x29,9″	335 lb
738257	KCHST60.16	2-door sandwich/salad preparation table for 16 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x29,9"	320 lb
738258	KCHST70.18	3-door sandwich/salad preparation table for 18 GN 1/6 containers, 70", R290 refrigerant gas, +33/+41°F, stainless steel	71,7″x43,3″x29,9″	419 lb



KCHMT29.12





KCHMT60.24



KCHMT70.30

#### Mega Top Tables

PNC	model	description	unit WxHxD	shipping weight
738259	KCHMT29.12	1-door mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
738260	KCHMT48.18	2-door mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
738261	KCHMT60.24	2-door mega top preparation table for 24 GN 1/6 containers, 60'', R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9	364 lb
738262	KCHMT70.30	3-door mega top preparation table for 30 GN 1/6 containers, 70'', R290 refrigerant gas, +33/+41°F, stainless steel	71,7"x43,3"x31,9"	408 lb





KCHMT29.12.2D



KCHMT48.18.2D



KCHMT60.24.2D

#### Mega Top Tables

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738286	KCHMT29.12.2D	2-drawer mega top preparation table for 9 GN 1/6+3 GN 1/9 containers, 29", R290 refrigerant gas, +33/+41°F, stainless steel	28,9"x43,3"x31,9"	231 lb
738287	KCHMT48.18.2D	4 drawer mega top preparation table for 18 GN 1/6 containers, 48", R290 refrigerant gas, +33/+41°F, stainless steel	48,3"x43,3"x31,9"	320 lb
738288	KCHMT60.24.2D	4 drawer mega top preparation table for 24 GN 1/6 containers, 60", R290 refrigerant gas, +33/+41°F, stainless steel	61,3"x43,3"x31,9"	364 lb



KCHPT50.6



KCHPT72.9



KCHPT92.12

#### Pizza Preparation Tables

PNC	model	description	unit WxHxD	shipping weight
738252	KCHPT50.6	1-door pizza preparation table, 50", R290 refrigerant gas, +33/+41°F, stainless steel	47,4"x41,3"x32,3"	311 lb
738253	KCHPT72.9	2-door pizza preparation table, 72", R290 refrigerant gas, +33/+41°F, stainless steel	70,8"x41,3"x32,3"	434 lb
738254	KCHPT92.12	3 door pizza preparation table, 92", R290 refrigerant gas, +33/+41°F, stainless steel	94,2"x41,3"x32,3"	564 lb



#### COMMERCIAL

### Freezers









KCHRI54R2DFE



KCHRI81R3DF

#### **Upright Reach in Freezers**

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738279	KCHRI25RIDFE	25 cu ft. Single Door reach in freezer, Back Room Application	30.6″x77.6″x28.8″	275 lb
738244	KCHRI27R1DFE	1-door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F - Energy Star	26,8"x82,3"x32,7"	326 lb
738285	KCHRI27R2HDF	2-half door reach-in freezer, stainless steel, 27 cubic feet, R290 refrigerant gas, -9°F	26,8"x82,3"x31,9"	337 lb
738245	KCHRI54R2DFE	2-door reach-in freezer, stainless steel, 54 cubic feet, R290 refrigerant gas, -9°F - Energy Star	53,9"x82,3"x32,7"	498 lb
738246	KCHRI81R3DF	3-door reach-in freezer, stainless steel, 81 cubic feet, R290 refrigerant gas, -9°F	81"x82,3"x32,7"	776 lb







#### Merchandiser Reach in Freezers

PNC	model	description	unit WxHxD	shipping w <u>eight</u>
738250	KCHGM26F	1-glass door merchandiser freezer, black, 26 cubic feet, R290 refrigerant gas, -9°F	28,3"x79,5"x33,9"	353 lb
738309	KCHGM48F	2-glass door merchandiser freezer, black, 48 cubic feet, R290 refrigerant gas, -9°F	54″x79,5″x31,9″	564 lb
738310	KCHGM72F	3-glass door merchandiser freezer, black, 72 cubic feet, R404a refrigerant gas, -9°F	81″x79,5″x31,9″	820 lb









KCHUC27F



PNC	model	description	unit WxHxD
738265	KCHUC27F	1-door undercounter freezer, 27", R290 refrigerant gas, -9°F, stainless steel	32″x31″x76″
738266	KCHUC48F	2-door undercounter freezer, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x35,5"x29,9"



KCHUCWT27F



KCHUCWT48F

#### Undercounter Freezers with worktop

PNC	model	description	unit WxHxD
738303	KCHUCWT27F	1-door undercounter freezer with worktop, 27", R290 refrigerant gas, -9°F, stainless steel	27,8"x39,4"x29,9"
738304	KCHUCWT48F	2-door undercounter freezer with worktop, 48", R290 refrigerant gas, -9°F, stainless steel	48,2"x39,4"x29,9"



### **Freezers**

#### \* Chest Freezers

1 Year Parts and Labor - 5 Year Compressor warranty





KCCF073WS

KCCF140WH



KCCF170WH



#### **Chest Freezers Solid Lid**

PNC	model	description	unit WxHxD	shipping weight
738089	KCCF073WS	7 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38″x22″x33″	101 lb
738230	KCCF140WH	14 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	51.75″x29.3″x36″	187 lb
738231	KCCF170WH	17 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5″x29.3″x36.5″	205 lb
738232	KCCF210WH	21 cu. ft. Solid Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71″x29.3″x36″	240 lb

\* Novelty Glass Lid Chest Freezers

1 Year Parts and Labor - 5 Year Compressor warranty



KCNF073W5





KCNF170WH

#### **Chest Freezers Glass Lid**

PNC	model	description	unit WxHxD	shipping weight
738090	KCNF073WS	7 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	38″x20.75″x33″	115 lb
738233	KCNF140WH	14 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	59.5″x27.3″x35″	194 lb
738234	KCNF170WH	18 cu. ft. Glass Lid Chest Freezer, 1 Wire Basket. 1 year parts & labor / 5 year compressor warranty.	71"x27.3"x35"	243 lb



Lettuce Crisper/Dispenser

48" Undercounter Refrigerator

27" Undercounter Refrigerator

Chef Base Solutions, Dairy Dispensers, Undercounters, Drop In Freezers,

Contact SESCO for Silver King solutions Including:

Mobile Freezers, Prep Tables, and Shelf Refrigerators

SKDL25-ESUS2

SKPS12A-ELUS1

SKER48-SD-1-BK1

SKR27A/C10

UNDERCOUNTER REFRIGERATORS

PREP TABLES SKPS8A-ELUS1



Silver King Counter Top Prep Table - Pan Rail (8) 1/6 pan capacity

Silver King Counter Top Prep Table - Pan Rail (12) 1/6 pan capacity

MODEL	DESCRIPTION
TOASTING	
297-T20	Toaster Slim Line Bun-120V
TIMERS	
740-T2	Timer Single Func on 2 Ch
740-T4	Timer Single Func on 4 Ch
740-T8	Timer Single Func on 8 Ch
740-T12	Timer Single Func on 12 Ch
HOLDING	
DHB-P1A	Dedicated Holding Bin, Countertop
541-723E4S	Kit, Pan Cover (Pkg Of 4)
MODULAR HOLDING	
MHB100MB-NA	Main Base, Modular, 115VAC
MHB100HM1-SS	Single Sided Holding Module 120V
MHB100EB	Expansion Base, Modular
MHB100HM1	Holding Module, 110V
SABER KING	
980-000-00	Saber King Chassis
980-000-10A	Saber King Tomato Blade Pusher Set 3/16 Inch
980-000-20A	Saber King Onion Blade Pusher Set 3/16 Inch
980-000-33A	Saber King Lettuce Blade Pusher Set 1 x 2 Inch
TOMATO SABER	
943-A	Tomato Saber, 3/16in (Std Line)
BAGEL SABER	
970-A	Bagel Saber
CITRUS SABER	
CW-6	Citrus Saber - Yellow (8 Sec on)
DISPENSING	
136-1	Dispenser Bottles (Case of 9)
580-NMCC	Sauce Dispenser 1/3 Oz Red
581-NMCC	Sauce Dispenser White 1/2 Oz
582-NMCC	Sauce Dispenser Black 2/3 Oz
583-NMCC	Sauce Dispenser Green 1 Oz







No Hot Water Line Required No Pressure Boost Required

#### Undercounter Dishwashers

	Description	Model	8 2
	Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 208V/1N/60Hz 6.85 ElekW 208 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in Ib 165 ft <sup>3</sup> 17.68	VLAI1G8	Torres .
	Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 240V/1N/60Hz 6.85 ElekW 240 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in Ib 174 ft <sup>3</sup> 17.68	VLAI1G4	0
Hood Ty	pe Dishwashers		
	Description	Model	2. C.
	Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 1ph/ 60Hz 9.90 ElekW 208 V 1 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in Ib 304 ft <sup>3</sup> 43.27	VDH63-1	
	Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 3ph/ 60Hz 12.90 ElekW 208 V 3 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in Ib 311 ft <sup>3</sup> 43.27	VDH63	
	SCO today about Veetsan st value in dishwashing!		

Sar	niS	Serv		
Quick Ship PRODUC	TS 🖕			
				401
9 3 3 3 9			'ogurt Machines *	
<b>e e</b>	401	208V/60/1	five 4 oz servings per minute, 20 qt capacity	
	407	115V/60/1	two 4 oz servings per minute, 7 qt capacity	
	DF200	115V/60/1	two 3 oz servings per minute, 7 qt capacity	
Twist Soft Serve/ Yogurt Machines *			rve/Yogurt Machines *	
	501	208V/60/1	four 4 oz servings per minute per side	
Concession of the local division of the loca			11 qt capacity per side - Countertop model	
CONTRACTOR OF THE OWNER.	522	208/v/60/1*	seven 4 oz servings per minute per side	
			17 qt capacity per side - Floor model	
			* Two separate circuits required.	



	Frozen Beverage Machines *				
704	208V/60/1	28 gallons per hour, 35 qt capacity			
707	115V/60/1	8 gallons per hour, 20 qt capacity			

522







Smoothie Machine \* 115V/60/1 three 12 oz servings per minute, 20 qt capacity 608S

	Flurry/S	e Mixure		
Cyclone	115V	High speed Compact mixer		






Contact SESCO for SECO Select solutions including Custom Serving Lines, Breakfast Carts, and much more...







Bakery & Pizza

Brewery - Walk ins

Beer Caves

Warehouse Solutions

Voted # 1 By Installers For Ease Of Installation Schools / Universities


**Restaurant Coolers** 

Supermarket

**Convenience Stores** 

#### Labs - Medical Holding

Premium Walk-Ins In all Sizes



All custom sizes available.

#### G-2 QuickShip

- 32 sizes of quick ship walk-ins available to ship within 2 days.
- High quality, heavy duty foamed in place construction that meets all new Dept of Energy guidelines
- Heavy duty welded 12 gauge steel door for strength and rigidity
- G-10 QuickShip

10 Year Warranty Door & Panel

SESCO

#### Call For Your Quote Today

The box still ships quick - in only 10 days!

Leer Quick Ship is the most flexible in the Industry. Add other options such as floor, ramps, membrane roof, self contained drop-in refrigeration - for most units.

More Choices...ask how

800.222.0558 www.sesco.biz



Stainless design. Stellar performance. Superior value.





### Arctic Air Refrigeration Products

Ask SESCO today for how Arctic Air products can help your team



### **Modular R** Foodservice Dispensers



#### Simpli-Flex Cone

1003846 SF1002 (1905842 gasket) Cone Dispenser 24"x 4"

1003848 SF1002P w/ plastic tube (1905842 gasket) Cone Dispenser 31"x 4"

1003850 SF1002P w/ plastic tube (1905842 gasket) Cone Dispenser 19"x 31.13"

1007710 SF1002P w/ plastic tube (1905842 gasket) Cone Dispenser 31"x3.13"

#### Simpli-Flex Cup

1015023 SF2000 Cup Dispenser 23"x5"

> **Z-STAND 1008-30Z** 1003865 for 3 cup/lid disp

#### Napkin

In-Counter Dispenser 1003971 6 1/2"D x 10 1/2H x 8 1/4"W

#### Simpli-Flex Cup Dipsenser

In-Counter / Cabinet Mount 1007699 CSF1003 for extra small / portion cups 24"L x 3" Dia

1015201 CSF1005 for large cups 24"L x 5" Dia

#### Simpli-Flex Cup Dipsenser

Wall / Stand Mount 1007516 SF1003 for extra small / portion cups 16"L x 3 1/8" Dia

### rups

Countertop Adjustable Lid Dispenser 1004056 19" Wide 4 dividers

#### A NEW GENERATION IN STEAMING!





#### Boilerless 6 pan and 12 pan

- \* #1 Rated Commercial Steamer in Speed and Efficiency
- \* Energy Star Approved

MADE IN USA

\* Highest Production Fastest Recovery in the Industry



**Boilerless-12 Pan** 

Blue Flame Product of the Year Award Winner



For more information Contact SESCO today

#### **Steam Generator**

STEELING

STERUNG

#### Quick Change Steam Generator 10 and 6 Pan Cabinets

Generators can be be changed in minutes



Contact SESCO for more details... and many more smallware solutions!



## Refrigeration, inc.



High Quality Ice Cream Cases and Hardening Cabinets

> Contact SESCO today for information on Global Refrigeration Products















#### Innovation. Experience. Quality. Contact SESCO for information on Winholt products and stainless steel fabrication

Contact SESCO for Details 800.222.0558 www.sesco.biz









GELATO / ICE CREAM DISPLAYS



PASTRY & BAKERY DISPLAYS



CHOCOLATE DISPLAYS



PANINI DISPLAYS



HOT & BAIN MARIE DISPLAYS



PREPARED FOOD DISPLAYS



GRAB AND GO DISPLAYS



CAFETERIA DISPLAYS



MEAT AGING



MULTIDECKS



MEAT FISH & CHEESE DISPLAYS



WINE CASES



SUPERMARKET AND GROCERY



DELI DISPLAYS



UPRIGHT GLASS DOOR FREEZERS & REFRIGERATORS

Contact SESCO today for GTI Design solutions











Maria Portugal Terracota Collection








Stack Up Cross Collection

















ALWAYS there for you