

PRODUCT Guide 2025

When you need it **yesterday**



Many products able to ship same day if ordered by noon

* Call for details

West Virginia

Call Mike Rykaceski 412.860.2655 miker@sesco.biz

* Please contact customer service to check availability as we strive to maintain proper inventory levels.

SESCO 5705 Valley Belt Rd Independence, OH 44131

Main: 800.222.0558
Fax: 800.251.7717

Revised 7-2025

WWW.SESCO.BIZ



Model	Required Power	Receptical Required	Exterior / Interior	Cavity Dimensions (wxdxh)
1000 Watt OCS				
NE-1025F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1054F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Door, Steel Ext & Int.	13 x 13"x 8 1 16" "
NE-1064F	120v (13.4A)	NEMA 5-15 R or NEMA 5-20 R	S/S Ext. & Int.	13 x 13"x 8 1 16" "
1200 Watt Pro I				
NE-12521	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-12523	120v (17.7A)	NEMA 5-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
1700 Watt Pro I				
NE-17521	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17523	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-17723	208V (14.3A), 230-240V (13.1A)	NEMA 6-15 or NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
2100 Watt Pro I				
NE-21521	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
NE-21523	208V (16.6A), 230-240V (15.3A)	NEMA 6-20 R	S/S Ext. & Int.	13" x 12" x 6 7 8"
SONIC STEAMERS				
2100 Watt				
NE-2180	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
3200 Watt				
NE-3280	208V (28.0A), 230-240V (25.3A)	30 Amp, NEMA 6-30 R	S/S Ext. & Int.	21-1/16 x 13" x 9-7/8" "
li-SPEED OVEN				
onvection, Broil, M	icrowave Combination			
NE-SCV2NAPR	208V (20.0A), 230-240V (18.0A)	30 Amp, NEMA 6-20 R	S/S Ext. & Int.	10-5/8 "x 13" x 4-5/16"
RICE COOKER		Cup / Servings		
SR-GA721L	208V (10.8A)	80-cup 168 Servings	Silver	21" x 19" x 14"
SR-GA541H	120v (15.0A)	60-cup 123 Servings	Silver	16 9/10" x 14 4/6" x 14 1/6"
SR-GA541FH	120v (15.0A)	60-cup 123 Servings	Silver	16 9/10" x 14 4/6" x 14 1/6"
SR-GA421FH	120v (12.9A)	46-cup 94 Servings	White	16 7/8" x 10 1/2" x 11 7/8"
SR-42HZP	120v (12.9A)	46-cup 94 Servings	Silver	16 7/8" x 10 1/2" x 11 7/8"
SR-2363ZW	120v (12.9A)	40-cup 70 Servings	White Stripe Ext	16 9/10" x 14 4/5" x 14 1/5"



Convection Broil Microwave

6 - Heating Patterns!



NE-SCV2NAPR

Compact Stackable

See the Video



Powered by microwave technology

Get an energy-saving connectionless steamer and for a whole lot less

No hood, no plumbing, no de-liming

Foods The Sonic Steamer Excels in:

Vegetables Thawing frozen soups Seafood Scrambled Eggs Rice and Grains Rethermaling all foods Fast boost heating

See the Video



Instant Steam Convenient Plug-in **Saves Energy**

NE-2180 NE-3280

Retains up to 7X more water-soluble nutrients in foods than conventional methods

COMMERCIAL ELECTRIC RICE COOKERS



See the Video

Designed for quantity and convenience, the Panasonic commercial rice cooker series comes in a choice of capacities from approximately 75 to 168 max 3 oz. portions in 40 minutes or less. All are fully UL and NSF approved for durability and safety certification for commercial use.











THE ELEVATION SERIES.

Quick Ship PRODUCTS

EXCLUSIVE FEATURES



FOOD ZONE

Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.



WATER DISTRIBUTION TUBE

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



ONE-TOUCH CLEANING

One touch to sanitize, one touch to de-lime. LEDs signal when cleaning is required.

Half Cube 7/8" x 7/8" x 3/8" Full Size Cube Style also available - Call SESCO

Half S

DUAL EXHAUST


Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit.



ide ize Cube			duction '24 hr @			Approximate Shipping
(D)epth x (H)eight inches	Model Number	70'F Air 50'F Water	90'F Air 70'F Water	Condensing Unit	Voltage Characteristics	Weight Ibs (kg)
30.25 ——24.25 —	CIM0330HA	313	244	Air	115/60/1	145 (65.7)
	CIM0330HW	316	274	Water	115/60/1	145 (65.7)
	CIM0430HA	435	320	Air	115/60/1	155 (70.3)
	CIM0430HW	460	380	Water	115/60/1	155 (70.3)
ш.	CIM0530HA	561	432	Air	115/60/1	155 (70.3)
	CIM0530HW	586	533	Water	115/60/1	155 (70.3)
1	CIM0636HA	600	455	Air	208-230/60/1	160 (72.5)
ON B55 — 30.25 (768) — — — — — — — — — — — — — — — — — — —	CIM0636HW	620	415	Water	208-230/60/1	160 (72.5)
	High Produ	ction 30" Wide	30" W x 24.25"D >	(26.9"H		
597	CIM0836HA	896	711	Air	208-230/60/1	220 (100)
	CIM1136HA	932	762	Air	208-230/60/1	230 (105)

22" Wide Half Size Cube			duction '24 hr @			Approximat
(W)idth x (D)epth x (H)eight inches	Model Number	70'F Air 90'F Air 50'F Water 70'F Water		Condensing Unit	Voltage Characteristics	Shipping Weight Ibs
24.25 22.25	CIM0320HA	313	244	Air	115/60/1	150
- 21.25	CIM0520HA	561	432	Air	115/60/1	165
F	mitless t for any space. Our exclusive, groundbre technology is designed to thot air from both the side the unit, making it the ult solution for tight spaces r of air flow requirements.	discharge and top of imate			ater filter can e r evaporator w	





	Model Number	Machine Height Standard/ Short Leg (in)**	Ice Production Ibs / 24 hr @ 70°F Air/ 50°F Water	Ice Production Ibs / 24 hr @ 90°F Air/ 70°F Water	Bin Storage (lbs)	Condensing Unit	Voltage Units	Ship Weight (lbs)
	UCG060A	30.25-32 / 27.375-27.75	63	45	17.5	Air	115/60/1	81.5
	UCG080A	32.25-34 / 29.375-29.75	95	77.8	33	Air	115/60/1	81.5
gourmet	UCG100A		114	91.7				
	UCG130A	36-37.75 / 33.125-33.5	121	114.3	48.5	Air	115/60/1	97
	UCG130GA*		121	100.5				

^{*} Gourmet Grande

Nugget Ice		Ice Proo Ibs (kg)/				Approximate
Model Dimensions 14 7/8" W x 23 7/8" D x 34 3/8" H	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70 °F (21°C) Water	Condensing Unit	Voltage Characteristics	Shipping Weight Ibs (kg)
	GEMUO90	05 (20)	60 (27)	A:	115 60/1	122 (60 5)
	andidate	85 (39)	60 (27)	Air	115/60/1	133 (60.5)
Nugget Ice		Ice Prod Ibs (kg)/				Approximate
Model Dimensions 21" W x 24" D x 27" H	Model Number	70°F (21°C) Air 50°F (10°C) Water	90°F (32°C) Air 70°F (21°C) Water	Condensing Unit	Voltage Characteristics	Shipping Weight Ibs (kg)
	GEMO450A	464 (210)	354 (161)	Air	115/60/1	205 (93)
Re-O Matic	GEMO65OA	740 (336)	550 (2 49)	Air	115/60/1	205 (93)
	GEMO956A	1053 (478)	753 (342)	Air	208-230/60/1	290 (132)
	KBT24	Bin Kit for (1) GEM or on a 22" bin				10 (5)
	КВТ19	Bin Kit for GEM Se	ries on a 30" bin			22 (10)
	KBT23	Bin Kit for (1) GEM	Series on a B110			33 (15)
	KBT22	Bin Kit for (2) GEM	on a B110 bin			33 (15)
Storage Bins	Model Number	Application Bin Storage Ibs (kg)	Bin Dimer (W)idth x (D)ept inches (i	h x (H)eight	Approxin Shipping V Ibs (kg	Weight
	B25	242 (110)	30 x 31 x 28 (76	2 x 787 x 711)	74 (34	4)
(H)	B40	344 (156)	30 x 31 x 37 ¹ / ₂ (76	2 x 787 x 953)	103 (4	17)
	B42	351 (160)	22 x 31 x 50 (559	x 787 x 1270)	99 (4:	5)
(0)	B55	510 (232)	30 x 31 x 50 (762	x 787 x 1270)	125 (5	57)
/ (w) 1	B110	854 (388)	48 x 31 x 50 (121	9 x 787 x 1270)	191 (8	B7)



The Choice of Top Pizza Operators

Contact SESCO today for details

XLT Impingement conveyor ovens

Industry leading performance - at all times - and under load Unmatched consistency Reliability - backed by the best warranty available!

Pizza ovens with built-in hood solutions are also offered

oad

Built-In Hood Solutions





SESCO

Let's talk about the perfect conveyor solution for you

When Pizza is your business
- no oven does better







flexeserve™

The Home of Hot-holding

Transforming operations Contact SESCO to unlock...

Amazing food quality

Extend shelf Life

Diverse food range

Reduce food waste

Unmatched efficiency

Happier customers!



Offer more food variety at

unbelievable quality



BAKEN I freshly

Manage back-of-house operations with ease











Meet the game-changers



ROYAL RANGE OF CALIFORNIA, INC.

2 Year Warranty
Parts & Labor

* Excludes Fryers All fryers - 1 year warranty

ROYAL Quick Ship Products

CONVECTION OVENS Gas & Electric

MODEL	Description	
NUMBER		
RCOS-1	Single Deck gas convection oven	
RECO-1	Single deck electric convection oven - 208 or 240 volt only	
RCOD-1	Single deck extra deep gas conv oven	
RECOD-1	Single deck extra deep electric conv oven - 208 or 240 volt only	
RCOS-2	Double Deck gas convection oven	
RECO-2	Double deck electric convection oven - 208 or 240 volt only	
RCOD-2	Double deck extra deep gas conv oven	
RECOD-2	Double deck extra deep electric conv oven - 208	

STOCK POTS, GRIDDLES, BROILERS, CHEESEMELTERS

MODEL	Description	
NUMBER		
RSP-18-24	18" stock pot range	-00000000000000000000000000000000000000
RSB-36	36" gas salamander	
RTG-24	24" thermostatic griddle	HHHHHHHH
RTG-36	36" thermostatic griddle	a /////////////
RRB-24	24" radiant charbroiler	THE PARTY OF THE P
RRB-36	36" radiant charbroiler	

Mobility Kit for Single and Double Convection Ovens

COCMK-1	Single Conv Oven –
COCMK-2	Double Conv Oven – casters, 1 point gas manifold kit, 48" gas hose and restrain cable

Casters for Convection Ovens

COC	Deck Convection Oven	
COC-2	Casters only Double Deck Convection Oven	

SESCO

Phone: 800.222.0558

Electric

Ask SESCO about the Award Winning
High Efficiency Fryers and Fryer Filter Systems



ROYAL

Quick Ship Products







RANGES Gas & Electric

MODEL	Description
NUMBER	
RR-4	4 burner gas range with standard oven
RR-6	6 burner gas range with standard oven
RRE-4	4 burner electric range - 208 or 240 volt only
RRE-6 🧩	6 burner electric range - 208 or 240 volt only
RR-6C	6 burner gas range – with convection oven
RRE-6C	6 burner electric range with convection oven 208v or 240v
RR-6G24	60" gas range - 6 burners, 24" manual griddle
RR-6RG24	60" gas range - 6 burners, 24" raised griddle/broiler
RR-10	60" gas range - 10 burners
RR-4G36	60" gas range - 4 burners, 36" manual griddle

FRYERS & PASTA COOKER

MODEL	Description
NUMBER	
RFT-50	50 lb gas fryer 1Yr Wty
RFT-60	60 lb gas fryer 1 Yr Wty
RFT-75	75 lb gas fryer 1 Yr Wty
REEF-35	40 lb high efficiency gas fryer
RCF-25	25 lb countertop gas fryer
RPC-14	Royal Pasta Cooker, Gas

Mobility Kits for Ranges, Fryers

RMK-243648	- 24", 36" & 48", includes casters (4), 48" gas hose & restrain cable
RMK-6072	Range- 60" and 72", includes casters (6), 48" gas hose & restrain cable
FMK	- includes casters, 48" gas hose and restrain cable

Casters for Ranges, Fryers

RC-243648	Casters (4) only, 24", 36" and 48" ranges
RC-6072	Casters (6) only, 60" and 72" ranges
FC	Casters only, Gas Fryer

800.222.0558

SESCO

ROYAL

Ask SESCO about the Award Winning High Efficiency Fryers and Fryer Filter Systems





Model	Description	
ECCO ONE P	Filter Machine Up To 65 Lbs Oil Capacity	
HF80P	Filter Machine Up To 80 Lbs Oil Capacity	
HF130P	Filter Machine Up To 130 Lbs Oil Capacity	
Filter Paper		
FE02	Filter Envelopes 14 X 15.5	
FE09	Filter Envelopes 17.5 X 18.5	
Filter Powder		
FP22	Filter Powder Bulk 22 lb. Box	
FP22C	Filter Powder Packets 3.2 oz	
FP40100	Fryer Boil-Out Puck 4 oz Tablet	







ECCO ONE P





Model	Description
Pancake Griddles (Lo	w Grease)
RM1220-8	12"X20" 10 ga 2-burner indoor/outdoor
RM1423-8	14"X23" 7 ga 2-burner rest./outdoor
RM1424	14"X24" 7 ga 2-burner restaurant
RM2323-8	23"X23" 7 ga 4-burner restaurant
RM2424	24"X24" 7 ga 4-burner restaurant
Add-On Griddles (Hig	gh Grease)
MC12-8	12"X24"X1.5" deep 7 ga
	2-burner commercial griddle w/ grease tray
MC24-8	24"X24"X1.5" deep 7 ga
	4-burner commercial griddle w/ grease tray
Add-On Broilers	
MB12-8	2-burner commerial w/ grease tray
MB24-8	4-burner commerial w/ grease tray





Quick Ship PRODUCTS

Sommer CIAL



Connoisseur 825 Pkgs

C825C11Q-B1GB1A Includes (2) 75 oz FourSide™ jars

C825C11Q-B1GB1D Includes (2) 90 oz WildSide™ jars



Stealth 885 Pkgs

World's Quietest Commercial Blender

S885C2901-B1GB1A Includes (2) 75 oz FourSide™ jars

S885C2901-B1GB1D Includes (2) 90 oz WildSide™ jars



SNBS2C2901-B1K

Includes (2) Micronizers & Stands 41-605-03 (1) set of adapter rings 12, 16, 24, 32 oz

World's Quietest Commercial Blender

No Waste - By the Cup Blending Stealth Nitro - by Blendtec





JRE-612

ACCESSORIES	
40-609-60	(FourSide-V) FourSide" Jar. 75 oz. capacity jar with measurements up to 32 oz., includes: black vented
	Gripper" lid, small tuned wingtip blade, jar markings in oz ml. and cup indicators, Eastman Tritan"
	copolyester construction, SPA-free, cear
40-609-61	(FourSide-S) FourSide" Jar, 75 oz. capacity jar with measurements up to 32 oz., includes: black soft lid, small
	tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, SPA-free, clear
40-609-62	(FourSide-H) FourSide" Jar, 75 oz. capacity jarwith measurements up to 32 oz., includes: black hard lid,
	small tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, SPA-free, clear
40-630-61	(WildSide-S) WildSide" Jar, 90 oz. capacity jar with measurements up to 44 oz. includes black soft lid, large
	tuned wingtip blade, jar markings in oz., ml. and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, SPA-free, clear
40-630-62	(WildSide-H) WildSide" Jar. 90 oz. capacity jarwith measurements up to 44oz., includes: black hard lid,
	large tuned wingtip blade, jar markings in oz., ml, and cup indicators (for use ONLY within sound enclosure),
	Eastman Tritan" copolyester construction, BPA-free, clear
JRE-610	(RR) Rapid Rinser" Sprayer ONLY, includes: 6' flexible nylon-reinforced tubing with 3/8' compression
	fitting for water hook-up (minimum ó0psi recommended)
JRE-612	(RRS) Rapid Rinser" Station Complete Unit indudes: Rapid Rinser"sprayer & base, 6' flexible nylon-
	reinforced tubing with 3/8' compression fitting for water hook-up (minimum 30psi recommended), stainless
	steel nozzle, 120° spray nozzle coverage
40-209-01-SRV	(HardLid-BL) Hard Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used
	on jars within sound enclosures, black, (fits both Wildside+ and Foursidejars), (10 per pack)
40-210-02-SRV	Soft Lid, built to produce an air tight seal, for smoothies, frozen drinks, slushes, etc. to be used on jars within
	sound enclosures, black, (fits both Wildside+ and Fourside jars), (10 per pack)

Kelvinator ຊ

COMMERCIAL

Trusted by operators for decades.... Kelvinator's top build quality and reliable designs make it the smart choice





































140051	PECCENTER
MODEL	DESCRIPTION
MILK DISPENSERS	
SKMAJ1-ESUS4	Milk Dipsenser 1 valve, with crate
SKMA2-ESUS4	Milk Dispenser 2 valve, with crates
SKMAJ3-ESUS4	Milk Dispenser 3 valve, with crates
DISPLAY CASE	
SKRM48-EGUS1	Display Case Mirrored Back
ICE CREAM UNITS	
SKRNB27-ESUS2	Fountainette W/O Pumps & Jars
SKEFT15-ELUS1	Ice Cream Freezer Two Facing
LETTUCE	
SKDL25-ESUS2	Lettuce Crisper/Dispenser
PREP TABLES	
SKPS8A-ELUS1	Silver King Counter Top Prep Table - Pan Rail (8) 1/6 pan capacity
SKPS12A-ELUS1	Silver King Counter Top Prep Table - Pan Rail (12) 1/6 pan capacity
UNDERCOUNTER REFRIGE	RATORS
SKER48-SD-1-BK1	48" Undercounter Refrigerator
SKR27A/C10	27" Undercounter Refrigerator

Contact SESCO for Silver King solutions Including: Chef Base Solutions, Dairy Dispensers, Undercounters, Drop In Freezers, Mobile Freezers, Prep Tables, and Shelf Refrigerators





MODEL	DESCRIPTION
TOASTING	PAC 17 1892 31N 901 1995001
297-T20	Toaster Slim Line Bun-120V
TIMERS	
740-T2	Timer Single Func on 2 Ch
740-T4	Timer Single Func on 4 Ch
740-T8	Timer Single Func on 8 Ch
740-T12	Timer Single Func on 12 Ch
HOLDING	
DHB-P1A	Dedicated Holding Bin, Countertop
541-723E4S	Kit, Pan Cover (Pkg Of 4)
MODULAR HOLDING	
MHB100MB-NA	Main Base, Modular, 115VAC
MHB100HM1-SS	Single Sided Holding Module 120V
MHB100EB	Expansion Base, Modular
MHB100HM1	Holding Module, 110V
SABER KING	
980-000-00	Saber King Chassis
980-000-10A	Saber King Tomato Blade Pusher Set 3/16 Inch
980-000-20A	Saber King Onion Blade Pusher Set 3/16 Inch
980-000-33A	Saber King Lettuce Blade Pusher Set 1 x 2 Inch
TOMATO SABER	
943-A	Tomato Saber, 3/16in (Std Line)
BAGEL SABER	
970-A	Bagel Saber
CITRUS SABER	
CW-6	Citrus Saber - Yellow (8 Sec on)
DISPENSING	
136-1	Dispenser Bottles (Case of 9)
580-NMCC	Sauce Dispenser 1/3 Oz Red
581-NMCC	Sauce Dispenser White 1/2 Oz
582-NMCC	Sauce Dispenser Black 2/3 Oz
583-NMCC	Sauce Dispenser Green 1 Oz





No Hot Water Line Required No Pressure Boost Required

Underco

Underco	unter Dishwashers		
	Description	Model	® □ ■# ØN
	Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 208V/1N/60Hz 6.85 ElekW 208 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 165 ft³ 17.68	VLAI1G8	Times*
	Undercounter Dishwasher and Glasswasher, Atmospheric boiler, Energy Star 2.0, 30 racks/hour - 240V/1N/60Hz 6.85 ElekW 240 V 1 60 Hz WxDxH 23 5/8"x 26 1/16"x 32 1/4" in lb 174 ft³ 17.68	VLAI1G4	
Hood Ty	pe Dishwashers		
	Description	Model	A. C.
	Hood type insulated dishwasher with double	No.	740

skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/ 1ph/ 60Hz VDH63-1 9.90 ElekW 208 V 1 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 304 ft³ 43.27 Hood type insulated dishwasher with double skin hood, detergent and rinse aid dispenser, 63 racks/h, 208V/3ph/60Hz VDH63 12.90 ElekW 208 V 3 60 Hz WxDxH 29 5/8"x 29 3/4"x 61 11/16" in lb 311 ft³ 43.27

Ask SESCO today about Veetsan The best value in dishwashing!



Quick Ship PRODUCTS







Soft Serve/ Yogurt Machines *		
401	208V/60/1	five 4 oz servings per minute, 20 qt capacity
407	115V/60/1	two 4 oz servings per minute, 7 qt capacity
DF200	115V/60/1	two 3 oz servings per minute, 7 qt capacity

	Twist Soft Se	rve/Yogurt Machines *
501	208V/60/1	four 4 oz servings per minute per side
		11 qt capacity per side - Countertop model
522	208/v/60/1*	seven 4 oz servings per minute per side
		17 qt capacity per side - Floor model
		* Two separate circuits required.



		Frozen Beve	erage Machines *	To the supplement
ĺ	704	208V/60/1	28 gallons per hour, 35 qt capacity	
	707	115V/60/1	8 gallons per hour, 20 gt capacity	







Smoothie Machine *		lachine *
608S	115V/60/1	three 12 oz servings per minute, 20 qt capacity

NSF. UL

Made in USA



	Flurry/ Shake Mixure		
Cyclone	115V	High speed Compact mixer	



SH14UA

- Fully insulated
- Patented Armor heating for quality food holding
- Holds 18" X 26" or 14" x 18 Trays & 12" x 20" Pans









Contact SESCO for SECO Select solutions including Custom Serving Lines, Breakfast Carts, and much more...





in 48 hours



Restaurant Coolers

Bakery & Pizza

Brewery - Walk ins

Beer Caves

Warehouse Solutions

Voted # 1
By Installers For
Ease Of Installation

Schools / Universities

Restaurant Coolers

Supermarket

Convenience Stores

Labs - Medical Holding

Premium Walk-Ins In all Sizes



All custom sizes available.

G-2 QuickShip

- 32 sizes of quick ship walk-ins available to ship within 2 days.
- High quality, heavy duty foamed in place construction that meets all new Dept of Energy guidelines
- Heavy duty welded 12 gauge steel door for strength and rigidity
- G-10 QuickShip More Choices...ask how

More Choices...ask how Leer Quick Ship is the most flexible in the Industry.

Add other options such as floor, ramps, membrane roof, self contained drop-in refrigeration - for most units. The box still ships quick - in only 10 days!









Stainless design.
Stellar performance.
Superior value.





Arctic Air Refrigeration Products

Ask SESCO today for how Arctic Air products can help your team

Modular®

Foodservice Dispensers



Simpli-Flex Cup

1015023 SF2000 Cup Dispenser 23"x5"



1003846

SF1002 (1905842 gasket)

Cone Dispenser 24"x 4"

1003848

SF1002P w/ plastic tube (1905842 gasket)

Cone Dispenser 31"x 4"

1003850

SF1002P w/ plastic tube (1905842 gasket)

(1905042 gasket)

Cone Dispenser 19"x 31.13"

1007710

SF1002P w/ plastic tube (1905842 gasket)

Cone Dispenser 31"x3.13"



Z-STAND 1008-30Z 1003865

for 3 cup/lid disp



In-Counter Dispenser 1003971

6 1/2"D x 10 1/2H x 8 1/4"W



Simpli-Flex Cup Dipsenser

In-Counter / Cabinet Mount 1007699 CSF1003 for extra small / portion cups

24"L x 3" Dia

1015201 CSF1005 for large cups 24"L x 5" Dia



Simpli-Flex Cup Dipsenser

Wall / Stand Mount 1007516

1007516 SF1003 for extra small / portion cups 16"L x 3 1/8" Dia



Countertop Adjustable Lid Dispenser

1004056 19" Wide 4 dividers A NEW GENERATION IN STEAMING!





Boilerless 6 pan and 12 pan

- * #1 Rated Commercial Steamer in Speed and Efficiency
- * Energy Star Approved
- * Highest Production Fastest Recovery in the Industry

Boilerless-12 Pan









Steam Generator

STERLING

Generators can be be changed in minutes





For more information Contact SESCO today





Bringing Solutions since 1966

Think Quality - Think Value - Think Service - Think BakeMax



Pizza Warmer Display Cases



Mixers



Single Pass & Double Pass Sheeters



Manual and Automatic Pizza / Tortilla Presses



Deck Oven with Proofer



Slicers



Grinders



Conveyor Toasters & Conveyor Bakers



Heated Display Cases & Refrigerated Display Cases

















YEARS OF INNOVATION



Contact SESCO for information on Winholt products and stainless

Contact SESCO for Details 800.222.0558 www.sesco.biz











GELATO / ICE CREAM DISPLAYS



PASTRY & BAKERY DISPLAYS



CHOCOLATE DISPLAYS



PANINI DISPLAYS



HOT & BAIN MARIE DISPLAYS



PREPARED FOOD DISPLAYS



GRAB AND GO DISPLAYS



MULTIDECKS



SUPERMARKET AND GROCERY



CAFETERIA DISPLAYS



MEAT FISH & CHEESE DISPLAYS



DELI DISPLAYS



MEAT AGING



WINE CASES




UPRIGHT GLASS DOOR FREEZERS & REFRIGERATORS















Stack Up Cross Collection



















