

USA & GLOBAL
MANUFACTURING



CORRECTIONAL EQUIPMENT SOLUTIONS



800.444.3595 fax: 516.921.0538

www.winholt.com



Order Status



BIM | CAD | MOBILE

HEATER



PROOFERS

Heater Proofers Forced air design provide even heat distribution. Clear Lexan Door. Easy dual proof/heat control: "Proof/Humidity" mode up to 95% humidity at 110°F(43°C), "Heat" mode: Maximum temperatures up to 180°F (82°C),Electrical: 120 VAC-60 Hz, 14 amps- 1440 Watts- Standard 110 outlet.



UNIVERSAL RUNNER HEATER PROOFER

MODEL NHPL-1825-UNC-DGT

Non-Insulated Unit
Digital Drawer, Corner Bumpers
Pan Capacity: (28) 18" x 26"
Dimensions: 26"W x 32"L x 72"H

MODEL INHPL-1836C-DGT

Insulated Unit
Digital Drawer
Pan Capacity: (35) 18" x 26"
Dimensions: 24"W x 34"L x 68H



STANDARD HEATER PROOFER

MODEL NHPL-1836C-DGT

Non-Insulated Unit, Corner Bumpers
Digital Drawer
Pan Capacity: (35) 18" x 26"
Dimensions: 21"W x 30¾"L x 66½"H



HALF HEIGHT HEATER PROOFER

MODEL NHPL-1810HHC

Non-Insulated Unit, Poly Top Work Surface
Analog Drawer, Corner Bumpers
Pan Capacity: (10) 18" x 26"
Dimensions: 21"W x 30¾"L x 30½"H
FOB CA



USA & GLOBAL
MANUFACTURING



YEARS of INNOVATION

ENCLOSED MOBILE



CABINETS

Aluminum enclosed mobile cabinets stores and transports goods, perfect for meal delivery, sanitary and rustproof.

ENCLOSED MOBILE CABINETS

All welded reinforced non-insulated aluminum. 1-1/2" spacing between runners. Maneuverable on (4) 5" polyurethane swivel plate double ball race casters. Prison package (PP) is designed for correctional institutions with tamper resistant hardware.



MODEL EC1840-C-PP

21" W x 27" L x 68" H
Capacity 40 18" x 26" Trays

MODEL EC1816-C-PP

21" W x 27" L x 32" H
Capacity 16 18" x 26" Trays

MODEL EC1824-C-PP

21" W x 27" L x 44" H
Capacity 24 18" x 26" Trays

MODEL EC1832-C-PP

21" W x 27" L x 56" H
Capacity 32 18" x 26" Trays



MODEL EC1816-C-PP
Holds 16 Trays



MODEL EC1824-C-PP
Holds 24 Trays



MODEL EC1832-C-PP
Holds 32 Trays



MODEL EC1840-C-PP
Holds 40 Trays



CAN & TRAY STORAGE



RACKS

Cross bars add pan capacity



MODEL D2027A-BPC-PP

SHEET PAN TRUCKS ALUMINUM, MEDIUM DUTY

MODEL D2027-BPC-PP
MODEL D2027A-BPC-PP



CAPACITY 300LBS
Dimensions: 22"W x 27"L x 32"H

All welded aluminum construction. Storing and transporting 18" x 26" trays. D2027A-BPC-PP has top cross bars for added tray capacity. Side rails securely hold trays in place. Prison package (PP) is designed for correctional institutions with tamper resistant hardware. Other sizes available.

SHEET PAN TRUCKS ALUMINUM, HEAVY DUTY

MODEL D2027-BPC-51H-PP



CAPACITY 400LBS
Dimensions: 22^{1/2}"W x 27"L x 51"H

All welded aluminum construction. Storing and transporting 18" x 26" trays. D2027A-BPC-PP has top cross bars for added tray capacity. This unit has higher side rails that increases capacity and securely hold trays in place. Prison package (PP) is designed for correctional institutions with tamper resistant hardware.



MODEL D2027-BPC-PP



MODEL D2027-BPC-51-HD-PP

USA & GLOBAL
MANUFACTURING



YEARS of INNOVATION



Organizes can stock and maximizes available space. Self-feeding feature keeps stock rotated. Vertical uprights and cross braces are constructed of 1-1/2" aluminum tubing. Prison package (PP) is designed for correctional institutions with tamper resistant hardware.



CAN DISPENSING RACK

Full Size

MODEL CR-162-PP

All welded aluminum, CR-162 units hold 162 #10 cans or 216 # 5 cans. Dimensions:

25^{1/4}"W x 35"L x 71"H



CAN DISPENSING RACK

Full Size, Mobile

MODEL CR-162M-PP

All welded aluminum, CR-162M units hold 162 #10 cans or 216 # 5 cans. Mobile unit has 5" polyurethane casters, two with brakes.

Dimensions: 27^{1/2}"W x 35"L x 76"H



orders@winholt.com

PAN

RACKS



PAN RACK ALL WELDED

MODEL AL-1820B-PP

Heavy duty aluminum frame with welded angle slides, 3" spacing between runners. 5" polyurethane swivel stem casters. Capacity: (20) 18" x 26" sheet pans, Wt. capacity per runner 30lbs, rolling capacity 800lbs
Dimensions: 21"W x 26"L x 69¾"H



PAN RACK REINFORCED UPRIGHTS

MODEL AL-1820B-XB-PP

Heavy duty aluminum frame with welded angle slides, 3" spacing between runners. 5" polyurethane swivel stem casters. Capacity: (20) 18" x 26" sheet pans, Wt. capacity per runner 60lbs, rolling capacity 800lbs
Dimensions: 21"W x 26"L x 69¾"H



EXTRA HEAVY DUTY PAN RACK

MODEL AL-1820HD-PP

Heavy duty aluminum frame with welded angle slides, 3" spacing between runners. 5" polyurethane swivel stem casters. Capacity: (20) 18" x 26" sheet pans, Wt. capacity per runner 80lbs, rolling capacity 1,000lbs
Dimensions: 21"W x 26"L x 69¾"H

Prison package (PP) is designed for correctional institutions with tamper resistant hardware. Other sizes and options available with prison packages.

PAN RACK & FREEZER COVERS

MODEL SRC-58FC-3Z

Heavy duty reinforced blue vinyl to withstand freezer temperatures down to -20° F, 3 zippers.



MODEL SRC-58-3Z

Heavy duty clear plastic, with 3 zippers.



PLASTIC DUNNAGE RACKS

Solid one piece plastic construction. 12" height meets all sanitary health codes. All weight capacities are 2,200lbs.



Colors



MODEL DPLSQ-3-1222-BK

22" W x 36" L, Black

MODEL DPLSQ-4-1222-BK

22" W x 48" L, Black

MODEL DPLSQ-5-1222-BK

22" W x 60" L, Black

MODEL PLSQ-3-1222-GY

22" W x 36" L, Gray, NSF

MODEL PLSQ-4-1222-GY

22" W x 48" L, Gray, NSF

MODEL PLSQ-5-1222-GY

22" W x 60" L, Gray, NSF



ALUMINUM DUNNAGE RACKS

HEAVY DUTY

All welded 1-3/4" x 1-1/2" aluminum tube construction. Mitered edge for safety, with welded bottom legs.

MODEL ALSQ-3-1220-PP

20" W x 36" L x 12" H, capacity 3000lbs

MODEL ALSQ-4-1220-PP

20" W x 48" L x 12" H, capacity 2500lbs

MODEL ALSQ-5-1220-PP

20" W x 60" L x 12" H, capacity 2000lbs

24" width also available

ECONOMY

All welded 1-1/2" x 1-1/2" aluminum tube construction. Mitered edge for safety, with welded bottom legs.

MODEL DASQ-3-1220-PP

20" W x 36" L x 12" H, capacity 2100lbs

MODEL DASQ-4-1220-PP

20" W x 48" L x 12" H, capacity 1800lbs

MODEL ALSQ-4-1220-PP

20" W x 60" L x 12" H, capacity 1500lbs



Prison package (PP) is designed for correctional institutions with tamper resistant hardware .



orders@winholt.com

CORRECTIONAL SHELVING



All welded aluminum shelving for maximum weight capacities. Mitered corners help reduce contraband smuggling in correctional environments and increase strength and weight capacities. Welded bottom leg.




ALSCS - Tubular Shelving model numbers shown. Great in freezers for increased air flow and where large boxes are stored. Shelf spacing on a 3 shelf unit is 22" and on a 4 shelf unit is 18". Capacity per shelf is 1500 lbs.

Also available:

ALSTB - T-Bar Shelving Great in cooler areas where small boxes and small food items may be stored. Shelf Spacing on a 3 shelf unit is 22" and on a 4 shelf unit is 18". Capacity per shelf is 1000 lbs.

ALSCH - E Channel Shelving This design gives you the best in strength and functionality. Stores boxes or small food items. Works great in dry storage, coolers and freezers. Shelf spacing on a 3 shelf unit is 22" and on a 4 shelf unit is 18". Capacity per shelf is 1500 lbs.



Mitered edges are contraband proof corners



Model Number	# of Shelves	Dimensions (WxDxH)		Approx. Ship Weight	
		(in)	(mm)	(lbs)	(kg)
3 Shelves, 20" Deep					
ALSCS-36-320-CM	3	36 x 20 x 60	914 x 508 x 1524	26	12
ALSCS-42-320-CM	3	42 x 20 x 60	1067 x 508 x 1524	28	13
ALSCS-48-320-CM	3	48 x 20 x 60	1219 x 508 x 1524	31	14
ALSCS-52-320-CM	3	52 x 20 x 60	1321 x 508 x 1524	33	15
ALSCS-60-320-CM	3	60 x 20 x 60	1524 x 508 x 1524	36	16
ALSCS-72-320-CM	3	72 x 20 x 60	1829 x 508 x 1524	41	19
3 Shelves, 24" Deep					
ALSCS-36-324-CM	3	36 x 24 x 60	914 x 610 x 1524	31	14
ALSCS-42-324-CM	3	42 x 24 x 60	1067 x 610 x 1524	34	15
ALSCS-48-324-CM	3	48 x 24 x 60	1219 x 610 x 1524	37	17
ALSCS-52-324-CM	3	52 x 24 x 60	1321 x 610 x 1524	40	18
ALSCS-60-324-CM	3	60 x 24 x 60	1524 x 610 x 1524	44	20
ALSCS-72-324-CM	3	72 x 24 x 60	1829 x 610 x 1524	51	23
4 Shelves, 20" Deep					
ALSCS-36-420-CM	4	36 x 20 x 72	914 x 508 x 1829	41	18
ALSCS-42-420-CM	4	42 x 20 x 72	1067 x 508 x 1829	45	20
ALSCS-48-420-CM	4	48 x 20 x 72	1219 x 508 x 1829	49	22
ALSCS-52-420-CM	4	52 x 20 x 72	1321 x 508 x 1829	53	24
ALSCS-60-420-CM	4	60 x 20 x 72	1829 x 508 x 1829	57	26
ALSCS-72-420-CM	4	72 x 20 x 72	1829 x 508 x 1829	65	29
4 Shelves, 24" Deep					
ALSCS-36-424-CM	4	36 x 24 x 72	914 x 610 x 1829	48	22
ALSCS-42-424-CM	4	42 x 24 x 72	1067 x 610 x 1829	53	24
ALSCS-48-424-CM	4	48 x 24 x 72	1219 x 610 x 1829	58	26
ALSCS-52-424-CM	4	52 x 24 x 72	1321 x 610 x 1829	63	28
ALSCS-60-424-CM	4	60 x 24 x 72	1829 x 610 x 1829	68	31
ALSCS-72-424-CM	4	72 x 24 x 72	1829 x 610 x 1829	77	35



STAINLESS STEEL UTILITY CARTS



All welded design for correctional facilities. 16 Gauge shelves and tubing. Units have rolling capacity of 1200lbs. Prison package (PP) is designed for correctional institutions with tamper resistant hardware. Dimensions: 26 $\frac{1}{8}$ "W x 24"L x 44"H. Picture shown with two shelves.

Two Shelves

MODEL UC-2-1832SS-PP

18" W x 38" L x 37 $\frac{1}{2}$ " H

MODEL UC-2-2133SS-PP

21" W x 39" L x 37 $\frac{1}{2}$ " H

MODEL UC-2-2149SS-PP

21" W x 55" L x 37 $\frac{1}{2}$ " H

Three Shelves

MODEL UC-3-1832SS-PP

18" W x 38" L x 37 $\frac{1}{2}$ " H

MODEL UC-3-2133SS-PP

21" W x 39" L x 37 $\frac{1}{2}$ " H

MODEL UC-3-2149SS-PP

21" W x 55" L x 37 $\frac{1}{2}$ " H

Heavy duty reinforced
construction.



ALUMINUM UTILITY CART



All welded design, for universal applications. Heavy duty channel construction all welded aluminum cart. Two shelf storage rolls easily on 5" polyurethane casters, two swivel and two rigid. Dimensions: 20"W x 42"L x 36"H. Prison package (PP) is designed for correctional institutions with tamper resistant hardware. Other sizes available.

MODEL ALUC-2-2036-36H-PP



orders@winholt.com

STAINLESS STEEL PRODUCTS



STAINLESS STEEL MOBILE HAND SINK



5 Gallon clean water storage and 6 gallon waste water storage. Faucet blends hot and cold water. 110° F water supplied at .32 GPM

Efficient solution for areas with restricted or limited availability of plumbing to ensure appropriate levels of hygiene. Faucet blends hot and cold water. UL listed water heater and pump. 5 gallon clean water storage and 6 gallon waste water storage. Soap dispenser and paper towel holder. Prison package (PP) is designed for correctional institutions with tamper resistant hardware.



Model STCT-BHD2426PUMP-KG-PP

Model STCT-BHD2426PUMP-AEF-KT-PP
Unit with Electronic Eye Faucet



Model STCT-BHD2426PUMP-WH-PP
Economy Mobile Hand Sink

6" boxed back splash, 5 Gallon clean water storage and 6 gallon waste water storage. Faucet blends hot and cold water. 110° F water supplied at .32 GPM, UL listed water heater and pump.

Custom Stainless Steel Fabrication

We offer a full line of stainless steel sinks and tables, in addition to custom stainless steel fabrication - if you do not see it, contact us and we will design and build it for you!



STAINLESS STEEL WORK TABLES

All welded stainless steel 16 gauge construction. All TIG welded and shipped set up. High polish finish. Stainless steel hat channels deaden sound and reinforce the top to maintain a level work surface. Prison package (PP) is designed for correctional institutions with tamper resistant hardware. Other sizes available.

Work Table, 16/304 stainless steel top, open with cross-rails & legs with clad bullet feet

MODEL DTR-3036-PP 36"W x 30"D x 34"H

MODEL DTR-3048-PP 48"W x 30"D x 34"H

MODEL DTR-3060-PP 60"W x 30"D x 34"H

Work Table, 16/304 stainless steel top, fixed open under-shelf & legs with clad bullet feet

MODEL DTS-3036-PP 36"W x 30"D x 34"H

MODEL DTS-3048-PP 48"W x 30"D x 34"H


MODEL DTS-3060-PP 60"W x 30"D x 34"H

16/304 stainless steel top with 6"H backsplash, fixed open under-shelf & legs with adjustable clad bullet feet

MODEL DTSBB-3036-PP 36"W x 30"D x 34"H

MODEL DTSBB-3048-PP 48"W x 30"D x 34"H

MODEL DTSBB-3060-PP 60"W x 30"D x 34"H



orders@winholt.com

FOOD HANDLING & STORAGE



Wrap foods to keep them fresh and safe!

FILM WRAPPER

MODEL WHSS-1

Aluminum and stainless steel construction. Sanitary and easily maintained. Temperature controlled Teflon covered hot plate prevents sticking. Seals film to ensure food stays fresh and protected. Electrical loop rated @8AMPS, 115 volts; overall watts 750. Dimensions: 22^{1/4}"W x 24"L x 5"H



TRIPLE INGREDIENT BIN

MODEL 148PIB-PP

Aluminum frame construction. Ideal height conveniently fits under work tables, saving valuable space. Includes 3 clear covers. Total capacity 55lbs flour, 75lbs sugar. Dimensions: 17" W x 31^{1/2}" L x 28^{3/4}" H



USA & GLOBAL
MANUFACTURING



UTILITY & MATERIAL HANDLING CARTS

Winholt offers a full line of utility and material handling carts, in both steel and aluminum for the correctional industry as well as custom design to meet your exact requirements. All of the designs for correctional institutions have tamper resistant hardware.

Many models and designs available!

MODEL SC-2-2149-MO-PP

Dimensions: 21"W x 50"L x 71½"H



MODEL SC-1836-6W-RD-PP

Dimensions: 18"W x 43"L x 40"H



MODEL ALMCS-36-224-RCUH-HF-PP

Dimensions: 24"W x 45¾"L x 26¼"H

Custom Design

If you do not see it, contact us and we will design and build it for you!

FLAT BED CARTS ALUMINUM

MODEL ALFC-2865-42H

Dimensions: 30"W x 66"L x 42"H

MODEL ALFC-2851-42H

Dimensions: 30"W x 52"L x 42"H

MODEL ALFC-2836-42H

Dimensions: 30"W x 37"L x 42"H



All welded aluminum construction. Solid deck with turned up lip to prevent slippage. (4) bumpers to protect walls and fixtures. Prison package (PP) is designed for correctional institutions with tamper resistant hardware. Capacity 800lbs.



orders@winholt.com

USA & GLOBAL
MANUFACTURING



CORRECTIONAL EQUIPMENT SOLUTIONS



800.444.3595
sales@winholt.com



CONTACT US FOR ALL OF YOUR CUSTOM DESIGN REQUIREMENTS. IF YOU DO NOT SEE IT,
CONTACT US, WE WILL DESIGN AND BUILD IT FOR YOU!

VISIT US AT WWW.WINHOLT.COM