bROK

2025
Product Catalog

FEATURED PRODUCTS

bROK Adjustable

bROK ADJUSTABLES deliver resilience, toughness, and versatility with height adjustable designs and multiple hitch ball sizes. Built from heavy-duty steel, they stow neatly beneath your vehicle and tackle any towing challenge.

bROK Heavy Duty

bROK HEAVY DUTY PRODUCTS deliver strength, durability, and reliability for any towing task. Built for performance, bROK Heavy Duty is ready for weekend adventures or tough jobs—so you can focus on the moment, not the tow.

bROK Channel Mount

The **bROK CHANNEL MOUNT SYSTEM** delivers adaptability and strength. With solid steel shanks, height adjustments, dual-hole adjustability, and stylish design, it works smoothly with tri-balls, pintles, and more.

PRODUCT INDEX

03 Hitch Balls

07 Ball Mounts

12 Pintles

13 Locks

16 Pins & Clips

17 Couplers

18 Jacks

19 Ramps

20 Starter & Security Kits

22 Channel Mounts

25 Accessories & Adapters

26 Recovery

CHOOSE THE RIGHT HITCH BALL

Match the Ball Size

- Hitch balls come in standard sizes: 1-7/8", 2", and 2-5/16".
- Make sure the ball on the mount matches the size of your trailer's coupler.

Check the Weight Rating

- Find the weight limits in your vehicle's owner manual and on the trailer's identification plate.
- Ensure the ball mount can handle both the Gross Trailer Weight (GTW) and Tongue Weight (TW).

Match the Hitch Ball Shank

- Ensure the hitch ball shank diameter fits the hole in your ball mount. Standard shank diameters include 3/4", 1", and 1-1/4".
- The shank length must be long enough to securely attach the hitch ball to the ball mount with the nut fully tightened.



STANDARD HITCH BALLS

Part #	Product	Finish	Ball Dia. (D)	Shank Dia. (d)	Shank Len. (L)	GTW
15939	Hitch Ball ATV, Lawn & Garden 4pk	Chrome	1-7/8"	5/8"	1-3/4"	2000 lb
32912	Hitch Ball ATV Plastic Base	Chrome	1-7/8"	5/8"	1-3/4"	2000 lb
15950	Hitch Ball Long Step Bumper 4pk	Chrome	1-7/8"	3/4"	2-3/8"	2000 lb
15951	Hitch Ball Long Step Bumper 4pk	Chrome	2"	3/4"	2-3/8"	3500 lb
57615	Hitch Ball Pintle Litho Base	Chrome	2"	1-1/8"	2-1/8"	7000 lb
57616	Hitch Ball Pintle Litho Base	Chrome	2-5/16"	1-1/8"	2-1/8"	12000 lb

ONE WRENCH SYSTEM

bROK ONE-WRENCH

WIDE-BASE HITCH BALL

- Improves towing stability and durability with a wide hitch ball base
- Enhances load distribution and supports the bROK One-Wrench system
- Works with bROK One-Wrench Mount Pin and Hex Recessed Ball Mounts

SINGLE TOOL CONVENIENCE

- Requires only one wrench for tightening compatible hitch balls
- Saves time and effort by eliminating extra tools

ONE-WRENCH MOUNT PIN

- Specialized pin secures hitch balls and ensures a tight lock
- Works with all bROK wide-base and Hexbased hitch bals

ONE-WRENCH HITCH BALLS

Part #	Product	Finish	Ball Dia. (D)	Shank Dia. (d)	Shank Len. (L)	GTW
15962	Hitch Ball 4pk	Chrome	1-7/8″	3/4″	1-1/2″	2000 lb
32940	Hitch Ball Plastic Base	Chrome	1-7/8″	3/4″	1-1/2″	2000 lb
32939	Hitch Ball Plastic Base	Chrome	1-7/8″	3/4″	2-3/8″	2000 lb
15963	Hitch Ball 4pk	Chrome	1-7/8″	1″	1-1/2″	2000 lb
32937	Hitch Ball Plastic Base	Chrome	1-7/8″	1″	2″	2000 lb
15964	Hitch Ball 4pk	Chrome	2″	3/4″	1-1/2″	3500 lb
32947	Hitch Ball Plastic Base	Chrome	2″	3/4″	1-1/2″	3500 lb
32948	Hitch Ball Plastic Base	Chrome	2″	3/4″	2-3/8″	3500 lb
15961	Hitch Ball 4pk	Stainless Steel	2″	1″	2″	6000 lb
15965	Hitch Ball 4pk	Chrome	2″	1″	2″	6000 lb
15944	Hitch Ball Plastic Base	Stainless Steel	2″	1″	2″	6000 lb
32945	Hitch Ball Plastic Base	Chrome	2″	1″	2″	6000 lb
32946	Hitch Ball Plastic Base	Chrome	2″	1″	3-1/4″	6000 lb
15966	Hitch Ball 4pk	Chrome	2-5/16″	1″	2″	6000 lb
32944	Hitch Ball Plastic Base	Chrome	2-5/16″	1″	2″	6000 lb
32943	Hitch Ball Long Plastic Base	Chrome	2-5/16″	1-1/4″	2-1/2″	12000 lb
15967	Hitch Ball 4pk	Chrome	2-5/16″	1-1/4″	2-3/4″	14000 lb
15956	Hitch Ball Long Plastic Base	Zinc	2-5/16″	1-1/4″	2-3/4″	17000 lb

Chrome-plated

4pk BULK TAG

PLASTIC BASE

Stainless steel

4pk BULK TAG

PLASTIC BASE

Zinc

PLASTIC BASE

HEAVY DUTY
HITCH BALLS

ONE-WRENCH COMPATABLE

Part #	Product	Finish	Ball Dia. (D)	Shank Dia. (d)	Shank Len. (L)	GTW
15945	Hitch Ball Plastic Base	HD Zinc	1-7/8"	3/4"	1-1/2"	3500 lb
15946	Hitch Ball Long Plastic Base	HD Zinc	1-7/8"	1"	2"	8000 lb
15911	Hitch Ball Plastic Base	HD Zinc	2"	3/4"	2-3/8"	5000 lb
15948	Hitch Ball Long Plastic Base	HD Zinc	2"	1"	2"	10000 lb
15926	Hitch Ball	HD Zinc	2"	1-1/4"	2-3/8"	10000 lb
15949	Hitch Ball Long Plastic Base	HD Zinc	2-5/16"	1"	2"	10000 lb



CHOOSING A **BALL MOUNT**

VERSATILITY

Choose a fixed ball mount with the right drop/rise or a height adjustable one for more flexibility.

Adjustable mounts offer multiple height positions, perfect for towing trailers with different coupler heights.

STRENGTH & CAPACITY

Forged steel mounts provide superior strength for heavy loads.

Check **Tongue Weight** (TW) and **Gross Trailer Weight** (GTW) ratings to ensure your mount can handle the load.

STANDARD
BALL MOUNTS

Part #	Product	Finish	Receiver Size	Drop	Rise	Ball Hole Size	GTW
15970	Ball Mount	Gloss Black	1-1/4″	1-1/4″	3/4″	3/4″	3500 lb
15971	Ball Mount	Gloss Black	1-1/4″	2-1/2″	2″	3/4″	3500 lb
15975	Ball Mount	Gloss Black	2″	2″	3/4″	3/4″	3500 lb
15973	Ball Mount	Gloss Black	2″	3″	1-3/4″	1″	6000 lb
15972	Ball Mount	Gloss Black	2″	5″	3-3/4″	1″	5000 lb
15974	Ball Mount	Gloss Black	2″	8″	6-3/4″	1″	5000 lb
32954	Ball Mount	Gloss Black	2-1/2″	3″	1-1/2″	1-1/4″	13000 lb
32953	Ball Mount	Gloss Black	2-1/2″	5″	3-1/2″	1-1/4″	13000 lb

ONE-WRENCH
BALL MOUNTS

Part #	Product	Finish	Receiver Size	Drop	Rise	Ball Hole Size	GTW
32951	Ball Mount bROK Design	Gloss Black	1-1/4″	1-1/4″	3/4″	3/4″	3500 lb
32952	Ball Mount bROK Design	Gloss Black	1-1/4″	2-1/2″	2″	3/4″	3500 lb
32960	Ball Mount bROK Design	Gloss Black	2″	2″	3/4″	1″	6000 lb
32956	Ball Mount bROK Design	Gloss Black	2″	3″	1-3/4″	1″	6000 lb
32955	Ball Mount bROK Design	Gloss Black	2″	5″	3-3/4″	1″	5000 lb
32958	Ball Mount bROK Design	Gloss Black	2″	8″	6-3/4″	1″	5000 lb

HEAVY DUTY
BALL MOUNTS

Part #	Product	Finish	Receiver Size	Drop	Rise	Ball Hole Size	GTW
57686	Ball Mount Heavy Duty	Textured Flat- Black	2"	2"	3/4"	1"	7500 lb
57685	Ball Mount Heavy Duty	Textured Flat- Black	2"	4"	2-3/4"	1"	7500 lb
57687	Ball Mount Heavy Duty	Textured Flat- Black	2"	6"	4-3/4"	1"	7500 lb
57671	Ball Mount Heavy Duty	Textured Flat- Black	2-1/2"	3"	1-1/2"	1-1/4"	18000 lb
57689	Ball Mount Heavy Duty	Textured Flat- Black	2-1/2"	5"	3-1/2"	1-1/4"	18000 lb

STANDARD FORGED
BALL MOUNTS

Part #	Product	Finish	Receiver Size	Drop	Rise	Ball Hole Size	GTW
32963	Ball Mount Forged	Gloss Black Powder Coat	2"	2"	1"	1-1/4"	16000 lb
32964	Ball Mount Forged	Gloss Black Powder Coat	2"	4"	3"	1-1/4"	16000 lb
32962	Ball Mount Forged	Gloss Black Powder Coat	2"	6"	5"	1-1/4"	16000 lb

STANDARD TRI-BALL MOUNTS

Part #	Name	Finish	1-7/8" Ball Capacity	2" Ball Capacity	2-5/16" Ball Capacity	Tow Hook Capacity	Receiver Size
32967	Ball Mount Tri Ball	Gloss Black	2000 lb	6000 lb	10000 lb	N/A	2"
32968	Ball Mount Tri Ball w/Hook	Gloss Black w/ Chrome Balls	2000 lb	6000 lb	10000 lb	10,000 lb	2"
57663	Ball Mount Tri Ball **HD**	Textured Flat Black w/ HD Zinc Balls	3500 lb	10000 lb	16000 lb	N/A	2"
57665	Ball Mount Tri Ball w/Hook **HD**	Textured Flat Black w/ HD Zinc Balls	3500 lb	10000 lb	16000 lb	10,000 lb	2"
32966	Ball Mount Tri Ball	Gloss Black	2000 lb	6000 lb	10000 lb	N/A	2-1/2"
57670	Ball Mount Tri Ball **HD**	Textured Flat Black	3500 lb	10000 lb	16000 lb	N/A	2-1/2"

ADJUSTABLE BALL MOUNTS



Part #	Name	Finish	1-7/8" Ball Capacity	2" Ball Capacity	2-5/16" Ball Capacity	Max Drop	Max Rise	Receiver Size
51075	Adjustable Ball Mount Rotating Tri-Ball	Flat Black	3500 lb	8000 lb	10000 lb	5"	5-1/2"	2"
51076	Adjustable Ball Mount Rotating Tri-Ball	Flat Black	3500 lb	8000 lb	10000 lb	7"	7-1/2"	2"
51398	Adjustable Ball Mount Dual-Ball	Flat Black	N/A	8000 lb	10000 lb	5"	5-1/2"	2"
57643	Adjustable Flip Ball Mount	Flat Black	N/A	7500 lb	N/A	3"	1"	2"
57644	Adjustable Flip Ball Mount	Flat Black	N/A	3500 lb	N/A	2"	1"	1-1/4"
51054	Starter Kit Flip Quick Store	Flat Black	N/A	7500 lb	N/A	3"	1"	2"
15976	Adjustable Ball Mount	Gloss Black	N/A	5000 lb	N/A	7-1/2"	6-1/4"	2"

CHOOSING A PINTLE MOUNT

Articulation & Alignment

- Pintles typically have a greater deal of manuverability, pivot, and adaptability.
- Larger target area of pintle alignment assists with speed and efficiancy when necessary

High-Capacity Towing

- Pintle hitches handle heavier loads than standard ball mounts, making them ideal for farming, construction, and landscaping use.

STANDARD PINTLES

Part #	Product	Finish	Capacity	Receiver Size	Ball Diameter (d)
15904	Pintle Mount		10000 lb	2"	N/A
15903	Pintle Mount		12000 lb	2"	N/A
32926	Pintle Hook		20000 lb	N/A	N/A
32927	Pintle Hook		30000 lb	N/A	N/A
32928	Pintle & Ball Combo Shank		12000 lb	2"	2"
32929	Pintle & Ball Combo Shank		12000 lb	2"	2-5/16"
32941	Pintle & Ball Combo		16000 lb	N/A	2"
32942	Pintle & Ball Combo		16000 lb	N/A	2-5/16"
15933	Pin Clasp with Chain		N/A	N/A	N/A
57646	Lunette Ring C-Mount		24000 lb	N/A	N/A

CHOOSING THE RIGHT LOCK

Vehicle Receiver Locks:

- Ensure the lock shank diameter matches with the diameter of your vehicles hitch receiver pin hole.
- Check the diameter of your hitch receiver opening to ensure the usable lock length is appropriate.

Trailer Coupler Locks:

- For universal coupler locks, ensure the ball insert matches the hitch ball size of your trailer coupler.
- For coupler latch locks, ensure the lock shank diameter and usable length matches the diameter and width of the pin hole in your coupler latch.

STANDARD RECEIVER LOCKS

Part #	Product	Pin/Shaft Diameter	Receiver Size	Span
15921	Anti Towing Lock Kit	1/2" & 5/8"	1-1/4" & 2"	2" & 2-3/4"
15943	Lock, Dual Bent Pin	1/2” & 5/8”	1-1/4" & 2"	2" & 2-3/4"
32905	Lock EZ Access Sleeved Receiver	1/2” & 5/8”	1-1/4" & 2"	2-3/4"
32989	Lock Draw Bar Bent Pin	1/2"	1-1/4"	2"
32990	Lock Dogbone Pushbotton lock	5/8"	2"	2-3/4"
32991	Lock Draw Bar Bent Pin	5/8"	2"	2-5/8"
32993	Lock Bent Pin Barrel Class V Pushbutton	5/8"	2” & 2-1/2"	3-1/2"
32995	Lock Kit Sleeved Dogbone & Coupler Lock	1/2” & 5/8”	1-1/4" & 2"	2-3/4"
32996	Lock Dogbone Span	5/8"	2” & 2-1/2”	3-1/2"
32998	Lock Sleeved Black nickel	1/2" & 5/8"	1-1/4" & 2"	2-3/4"
51058	Lock Sentinel Class III/IV/V Stainless	5/8"	2” & 2-1/2”	3-1/4"

WARRIOR RECEIVER LOCKS

Part #	Product	Pin/Shaft Diameter	Receiver Size	Span
57632	Lock WARRIOR Dogbone Class II	1/2"	1-1/4"	2-3/8"
57633	Lock WARRIOR Dogbone Class III/IV	5/8"	2"	2-3/4"
57634	Lock WARRIOR Dogbone Class V	5/8"	2” & 2-1/2"	3-1/4"
57636	Lock WARRIOR Dogbone C-Mount	5/8"	2” & 2-1/2” & 3" & C-Mount	4"

PRINTLOCK RECEIVER LOCKS



Part #	Product	Pin/Shaft Diameter	Receiver Size	Span
57638	Lock PrintLock EZ Access	1/2" & 5/8"	1-1/4" & 2"	2-5/8"
57642	Lock PrintLock Cable and Smart Padlock	N/A	N/A	N/A

TOWING COUPLER LOCKS



Part #	Product	Pin/Shaft Diameter	Span
15901	Lock Universal Anti Tow Coupler	1/2″	
32906	Lock Handle EZ Access Coupler	3/16″	3″
32976	Lock Handle Coupler U Shape	3/16″	3/4″
32992	Lock Handle Coupler Adjustable "Golf Tee"	3/16″	3″
32994	Lock Handle Coupler Brass	3/16″	1″
57639	Lock Handle PrintLock Coupler EZ Access	3/16″	3″

WARRIOR COUPLER LOCKS

Part #	Product	Pin/Shaft Diameter	Span
57614	Lock Warrior Coupler Handle	1/4″	5/8″
57637	Lock WARRIOR Universal Coupler HD	3/4″	

CHOOSING THE RIGHT PIN/CLIP

Size and Compatibility

- Ensure the pin diameter matches the diameter of your vehicle's hitch receiver pin hole.
- Check the diameter of your hitch receiver opening to ensure the usable pin length is appropriate.

Durability and Coating

- PVC coating or grips allow for an easy grip when installing pins and clips.
- Zinc or Chrome plating protects from corrosion.

TOWING

PINS & CLIPS

Part #	Product	Pin/Shaft Diameter	Receiver Size	Span
15927	Pin & Clip w/Black PVC	1/2"	1-1/4"	2"
15928	Pin & Clip w/Black PVC	5/8"	2"	2-3/4"
15930	Pin & Clip Class V	5/8"	2-1/2"	3"
15932	Pin & Clip Swivel Lock	5/8"	2-1/2"	3-1/2"
57612	C-Mount Pins & Clip 2 Pack	5/8"	2-1/2"	4"
51039	Pin & Clip Sleeved	5/8" & 3/4"	3"	4"
57613	Clevis Pin C-Mount	1"	N/A	6-3/4"
32971	Clip 3 Pack w/Black PVC	N/A	N/A	N/A
15980	Pin & Clip with Ring & Grip Clip Class V	5/8"	2-1/2"	N/A
51105	Clip n Grip With Ring	N/A	N/A	N/A
15933	Pin Clasp with Chain	1/4"	N/A	2"
51106	3-pack Clip n Grip With Ring	N/A	N/A	N/A

CHOOSING A COUPLER

Weight and Compatibility

- Ensure the coupler matches/exceeds your towing needs in Gross Trailer Weight (GTW).
- Match your replacement coupler with the channel size of your trailer.

TOWING COUPLERS

Part #	Product	GTW	Hitch Ball Diameter	Channel Width
32978	Coupler	2000 lb	1-7/8"	2"
32974	Coupler	2000 lb	1-7/8"	2-1/2"
32975	Coupler	3500 lb	2"	2"
32972	Coupler	3500 lb	2"	2-1/2"
32973	Coupler	3500 lb	2"	3"

TOWING COUPLER SAFETY

Part #	Product
15935	Quick Link 5/16 5000 lbs 2 PK
15940	Safety Chain 5/16 x 72”, 5000 lbs Clamshell
15941	Safety Chain 5/16” x 36”, 5000 lbs Clamshel
57608	Heavy Duty Safety Chain
57674	Winch 1500 lbs, 20’ Strap

CHOOSING THE RIGHT JACK

Weight Capacity

- Ensure the jack exceeds your towing needs in weight capacity.

Height Adjustability

- Measure the height of your vehicle's hitch and your trailer's tongue to ensure the jack can reach the proper height.
- Consider the ground clearance you might need when parked on uneven terrain.

Jack Type

- Swivel jacks attach to a bracket on the trailer's frame and can be rotated out of the way when not in use.
- A-frame jacks mount directly to the trailer's tongue.

TRAILER JACKS

Part #	Name	Finish	GTW	Travel	Retracted Length	Extended Length	Handle Type	Mounting Type
15936	Jack Bolt-On Swivel, Top Wind w/Footplate	Zinc	1000 lb	10"	8"	18"	Top Wind	Bolt-On Swivel Plate
32923	Jack Weld-On Swivel Plate, Top Wind w/Footplate	Gloss Black	2000 lb	10"	11"	21"	Top Wind	Weld-On Swivel Plate
32924	Jack Weld-On Swivel Tube, Top Wind w/Footplate	Gloss Black	2000 lb	10"	11"	21"	Top Wind	Weld-On Swivel Tube
32925	Jack Bolt-On Swivel, Side Wind w/6" Wheel	Zinc	1000 lb	10"	14"	24"	Side Wind	Bolt-On Swivel Plate
32932	Jack A-Frame, Top Wind w/Footplate	Gloss Black	2000 lb	14"	8"	22"	Top Wind	A-Frame

CHOOSING THE RIGHT RAMP

Ramp Size & Length

- Consider the length and width of the ramp. Longer ramps provide easier loading, while width should match the vehicle's or equipment's tires
- Account for ground clearance; arched ramps suit low-clearance vehicles.

Check the Weight Rating

- Ensure it can support your load's weight and fits the vehicle's or equipment's capacity.
- Calculate the total weight, including fuel, attachments, and cargo.

Ramp Safety & Warnings

- Always check and follow ramp warning labels for weight capacity, proper use, and secure attachment to prevent accidents and equipment damage.

TRAILER
RAMPS & RAMP KITS



Part #	Product	GTW	Width	Length
15905	Centerfold Ramp (single)	800 lb	12"	92"
32900	Arched Ramps (pair)	1600 lb (per pair)	12"	90"
32901	Arched Folding Ramps (pair)	1250 lb (per pair)	13"	92"
32902	Platform Tri-Folding Ramps (pair)	1600 lb (per pair)	45"	69"
32920	Ramp Straight (pair)	1250 lb (per pair)	12"	69"
32921	Ramp Straight (pair)	1250 lb (per pair)	12"	77"

CHECK OUT OUR **RAMP KITS** BELOW

32903

Part #	Product	GTW	Width	Length
32918	2X8 Ramp Kit	700 lb	8"	8"
32919	2X12 Ramp Kit	700 lb	12"	8"

STANDARD
STARTER KITS

INCLUDES **ZINC** PIN + CLIP

Part #	Product	Finish	GTW	Receiver Size	Ball Diameter	Drop	Rise
51023	Starter Kit	Gloss Black	3500 lb	1-1/4"	2"	2-1/2"	2"
51026	Starter Kit	Gloss Black	2000 lb	2"	1-7/8"	2"	3/4"
15968	Starter Kit	Gloss Black	6000 lb	2"	2"	2"	3/4"
15969	Starter Kit	Gloss Black	6000 lb	2"	2"	3"	1-3/4"

ONE WRENCH
STARTER KITS

INCLUDES **ZINC** PIN + CLIP

Part #	Product	Finish	GTW	Receiver Size	Ball Diameter	Drop	Rise
15916	Starter Kit bROK Design	Gloss Black	3500 lb	1-1/4"	2"	2-1/2"	2"
15913	Starter Kit bROK Design	Gloss Black	6000 lb	2"	2"	2"	3/4"
15914	Starter Kit bROK Design	Gloss Black	6000 lb	2"	2"	3"	1-3/4"

STANDARD SECURITY KITS

INCLUDES **ZINC** RECEIVER LOCK

Part #	Product	Finish	GTW	Receiver Size	Ball Diameter	Drop	Rise
32914	Security Kit (in Case)	Gloss Black	6000 lb	2"	2"	2"	3/4"
32915	Security Kit (in Case)	Gloss Black	6000 lb	2"	2"	3"	1-3/4"

HEAVY DUTY SECURITY KITS

INCLUDES **ZINC** RECEIVER LOCK

Part #	Product	Finish	GTW	Receiver Size	Ball Diameter	Drop	Rise
51071	Security Kit Heavy Duty	Textured Flat Black	7500 lb	2"	2"	2"	3/4"
51072	Security Kit Heavy Duty	Textured Flat Black	7500 lb	2"	2"	4"	2-3/4"
51073	Security Kit Heavy Duty	Textured Flat Black	7500 lb	2"	2"	6"	4-3/4"
51074	Security Kit Heavy Duty	Textured Flat Black	13000 lb	2-1/2"	2-5/16"	5"	3-1/2"

CHOOSING A CHANNEL MOUNT

Weight and Compatibility

- Ensure the mount matches/exceeds your towing needs in both Gross Trailer Weight (GTW) and Tongue Weight (TW).
- Verify compatibility with your vehicle's hitch receiver size and trailer coupler.

Adjustability

- Choose mounts and accessories that match your equipment.
- Adjust in 2" increments for precise height control, with options for drop or rise positions.
- Dual shank holes provide flexible mounting options for different towing setups.

Versatility and Ease of Use

- Accommodates various hitch types and accessories, including ball mounts and pintle hooks, for flexible towing.
- Allows quick and easy switching between trailers, adding convenience and versatility.

CHANNEL MOUNT TOWING COMPONENTS



FIGURE 1

CHANNEL MOUNTS

ALL CHANNEL MOUNTS RATED: 22K GTW | 2,200 TW CAPACITY

57611

57625

57626

57622

Part #	Product	Drop (DR)	Receiver Size
57610	Channel Mount	4"	2"
57620	Channel Mount	6"	2"
57621	Channel Mount	8"	2"
57622	Channel Mount	10"	2"
57623	Channel Mount	12"	2"
57624	Channel Mount	14"	2"
57647	Channel Mount	16"	2"
57648	Channel Mount	18"	2"
57649	Channel Mount	20"	2"
57611	Channel Mount	4"	2 1/2”
57625	Channel Mount	6"	2 1/2"
57626	Channel Mount	8"	2 1/2"
57627	Channel Mount	10"	2 1/2"
57628	Channel Mount	12"	2 1/2"
57629	Channel Mount	14"	2 1/2"
57650	Channel Mount	16"	2 1/2”
57651	Channel Mount	18"	2 1/2”
57652	Channel Mount	20"	2 1/2”

CHECK OUT OUR **CHANNEL MOUNT KITS** BELOW

57693

Part #	Product	Drop (DR)	Shank Len. (L)
57693	Channel Mount Kit w/ Pins&Clips	4"	2"
57694	Channel Mount Kit w/ Pins&Clips	6"	2"
57695	Channel Mount Kit w/ Pins&Clips	8"	2"
57696	Channel Mount Kit w/ Pins&Clips	4"	2"
57697	Channel Mount Kit w/ Pins&Clips	6"	2"

CHANNEL MOUNT ACCESSORIES



Part #	Product	1-7/8" Ball GTW	2" Ball GTW	2-5/16" Ball GTW
51077	Channel Mount Tri-Ball Rotating	3500 lb	8000 lb	10000 lb
57601	Dual Ball (**1-7/8"** & **2"**)	8000 lb	10000 lb	N/A
57602	Dual Ball (**2"** & **2-5/16"**)	N/A	10000 lb	14000 lb
57603	Clevis Mount 1" Hole	N/A	N/A	N/A
57604	Weight Distribution Mount	N/A	N/A	N/A
57605	Sway Control, Dual Ball Mount (**2"** & **2-5/16"**)	N/A	10000 lb	14000 lb
57606	Pintle Adapter for 2 5/16	N/A	N/A	N/A
57646	Lunette Ring C-Mount	N/A	N/A	N/A
57609	Sway Control Kit	N/A	N/A	N/A
57612	Pins & Clip 2 Pack	N/A	N/A	N/A
57613	Clevis Pin C-Mount w/handle	N/A	N/A	N/A

51077

57601

57602

57603

57604

57605

57606

57646

57609

57612

57613

TOWING + TRAILER ACCESSORIES

Part #	Product
15906	Spare Tire Carrier
15912	Hitch Assist Alignment
15923	Wheel Chock 2 PK
15937	Hitch Ball Wrench
15958	Spherical Spot Mirrors
32934	Hitch Cover 2" Rubber
32969	Bearing Protector 1.98 Inch
57618	Anti Rattle Clamp 2" Receivers
57619	Anti Rattle 2 1/2" Receivers

15906

15912

15923

15937

15958

32934

32969

57618

57619

TOWING + TRAILER ADAPTERS

Part #	Product	Receiver Size	Adapts To
15907	Receiver Tube - 6" L x 2" SQ	2"	2"
51181	Receiver Extension 8" Long	2"	2"
15954	Receiver Extension Dual Hitch	2"	2"
32935	Receiver Adapter 6" Long	1-1/4"	2"
15909	Receiver Reducer Sleeve	2-1/2"	2"
32907	Receiver Reducer Sleeve	3"	2-1/2"

15907

51181

15954

32935

15909

32907

TOWING + TRAILER RECOVERY

Part #	Product	GTW	Width	Length
57674	Winch 1500 lbs, 20’ Strap	1500 lb		
57607	Shackle 3/4" 2 pack	6500 lb		
51139	Receiver Tow Shackle Heavy Duty	30000 lb	2”	2”
57631	Tow Hook Large 2" Shank	45000 lb		